ZONE ATLAS L-14

NOTICE TO CONTRACTORS

LOCATION MAP

I. All work detailed on these plans to be performed under contract shall, except as otherwise stated or provided for hereon, be constructed in accordance with the New Mexico Standard Specifications for Public Works Construction-1979 Edition (referred to herein as the Standard Specifications) and the Contract Documents for City-Wide Utilities and Cash Paving No. 31.

- 2. Two (2) working days prior to any excavation, the contractor must contact Line Locating Service, 765-1234, for location of existing utilities.
- 3. Prior to construction, the contractor shall excavate and verify the horizontal and vertical locations of all obstructions. Should a conflict exist, the contractor shall notify the engineer or surveyor so that the conflict can be resolved with minimum amount of delay.

THE FOLLOWING NOTES ALSO APPLY WHEN CHECKED

- All utilities and utility service lines shall be installed prior to paving.

 Backfill compaction shall be according to specified street use.
- Tack coat requirements shall be determined by the City Engineer.
- Sidewalks and wheelchair ramps within the curb returns shall be constructed wherever a new curb return is constructed.
- If curb is depressed for a drivepad or a handicap ramp, the drivepad or ramp shall be constructed prior to acceptance of the curb and gutter.
- All storm drainage facilities shall be completed prior to final acceptance.
- The Contractor shall perform, in coordination with the Public Service Company, the splicing of conduits where necessary between the old and the new lightpole bases.

ASST. CITY ENGINEER - FIELD

D C 9.15.83

26 1680 0183


CITY OF ALBUQUERQUE
MUNICIPAL DEVELOPMENT DEPARTMENT
ENGINEERING DIVISION


TITLE: DRIVEWAY AND STREET LIGHT FOUNDATION CONSTRUCTION ON BROADWAY APPROXIMATELY 200 FEET SOUTH OF GIBSON BLVD. SE.

APPROVALS ENGINEER DATE APPROVALS ENGINEER DATE

City Engineer QS) 00 4/83 Liquid Waste NA W+3 4-71-83

A.C.E.-Design And Angle Angl





089

N18931

UP TO 5'