

LOCATION MAP M-23

ISLAND MODIFICATIONS FOUR HILLS ROAD AND STAGECOACH ROAD INTERSECTION

INDEX

TITLE SHEET HORIZONTAL ALIGNMENT, EXISTING AND SHEET 2 PROPOSED IMPROVEMENTS; CONSTRUCTION NOTES VERTICAL ALIGNMENT, PROPOSED IMPROVE-MENTS ONLY.

NOTICE TO CONTRACTORS

- I. All work detailed on these plans to be performed under contract shall, except as otherwise stated or provided for hereon, be constructed in accordance with the New Mexico Standard Specifications for Public Works Construction 1979-Edition (referred to herein as the Standard Specifications) and the Contract Documents for City Wide Utilities and Cash Paving
- 2. Two(2)working days prior to any excavation, the contractor must contact Line Locating Service, 765-1234 for location of existing utilities.
- 3. Prior to construction, the contractor shall excavate and verify the horizontal and vertical locations of all obstructions. Should a conflict exist, the contractor shall notify the engineer or surveyor so that the conflict can be resolved with minimum amount of delay.

THE FOLLOWING NOTES ALSO APPLY WHEN CHECKED


- All utilities and utility service lines shall be installed prior to paving.
- Backfill compaction shall be according to specified street use. (RESIDENTIAL)
- Tack coat requirements shall be determined by the City Engineer. Sidewalks and wheelchair ramps within the curb
- returns shall be constructed wherever a new curb return is constructed.
- If curb is depressed for a drivepad or a handicap ramp, the drivepad or ramp shall be constructed prior to acceptance of the curb and gutter.
- All storm drainage facilities shall be completed prior to final acceptance.

GENERAL NOTES

Contractor to Stockpile the Two Kinds of Rock that are within the Islands that are being Modified. Black Plastic (Furnished and Placed by Others) is to be Installed within the New Island Areas. Plants and Treated Wood ties within the Modified Islands will be Removed by Others (Neighborhood Organization).

TRAFFIC HANDLING NOTES

- I. Contractor Must Submit a Construction Signing and Barricading Plan to Traffic Engineering Division and Receive a Barricading Permit Prior to Construction.
- 2. All Construction Signing and Barricading to Comply with Manual on Uniform Traffic Control Devices, 1978 Edition and Subsequent Revisions.
- 3. Contractor's Operation, Barricading and Signing Shall not Affect thru Lanes of Four Hills Rd. between 7A.M. and 9A.M. or 4P.M. and 6P.M.



26 1838 0184

APPROVED FOR CONSTRUCTION CITY ENGINEER MH OF GROSSON DATE

DRAWING NO.

SHEET

OF

1838

