CONCRETE		
RIP · RAP	5250575	
LINES		a
		
SUBDIVISION BOUNDARY		
PROPERTY LINE (PLAN) PROPERTY LINE (SECTION)		
CENTERLINE		
EASEMENT LINE		
MATCH LINE		
SECTION CUT LINE	A /	A A
EARTHWORK	EXISTING	<u>NEW</u>
CONTOUR LINE	25	
SPOT ELEVATION	+	*
PROJECT / PHASE BOUNDARY	_	
SWALE DIRECTION OF FLOW	4	
DIRECTION OF FLOW		
MISCELLANEOUS UTILITIES		
GAS LINE	6	
UNDERGROUND TELEPHONE	— — UT— —	
UNDERGROUND ELECTRICAL	—— UE	
STORM DRAIN	——so——	SD
STORM DRAIN MANHOLE	——©——	-
STORM DRAIN INLET		
SANITARY SEWER		
SANITARY SEWER LINE	—— sas ——	── SAS
SANITARY SEWER MANHOLE	——()——	-
SAS SERVICE CONNECTIONS		TT
SAS CAP OR PLUG	———]	
ENCASEMENT	- €≡≡∓	
WATER		
WATER LINE	——w——	w
WATER SERVICE CONNECTIONS		-
GATE VALVE	—— — ——	
FIRE HYDRANT	<u> </u>	
BUTTERFLY VALVE		
REDUCER	 →	
WATER PRESSURE ZONE BOUNDARY		
WATER FITTINGS		
CAPS AND PLUGS	———	 j
ELBOW	<u> </u>	Į_
CROSS	+	+
TEE	7	7
MISCELLANEOUS		
CHAINLINK FENCE	•	•
FIELD FENCE	- -, - X	- × × ×
COMMON YARD WALL		

CONSTRUCTION PLANS FOR

LOMAS BOULEVARD AND LOMAS BOULEVARD INTERSECTION


ALBUQUERQUE, NEW MEXICO

INDEX OF DRAWINGS

DESCRIPTION


SHEET NO. TITLE


- TITLE, LEGEND, VICINITY MAP, GENERAL NOTES, INDEX OF DRAWINGS
- LOMAS BLVD. / CAMPUS BLVD. INTERSECTION
- LOMAS BLVD / CAMPUS BLVD, INTERSECTION
- LOMAS BLVD / CAMPUS BLVD INTERSECTION
- LOMAS BLVD. / CAMPUS BLVD. INTERSECTION
- LOMAS BLVD. / CAMPUS BLVD 20" WATERLINE RELOCATION



GENERAL NOTES:

- 1. ALL WORK DETAILED ON THESE PLANS TO BE PERFORMED UNDER CONTRACT SHALL, EXCEPT AS OTHERWISE STATED OR PROVIDED FOR HEREON, BE CONSTRUCTED IN ACCORDANCE WITH THE CITY OF ALBUQUERQUE INTERIM STANDARD SPECIFICATIONS - PUBLIC
- 2. TWO (2) WORKING DAYS PRIOR TO ANY EXCAVATION, CONTRACTOR MUST CONTACT LINE LOCATING SERVICE, 765-1234, FOR LOCATION OF EXISTING UTILITIES.
- 3. IF ANY UTILITY LINES, PIPELINES, OR UNDERGROUND UTILITY LINES ARE SHOWN ON THESE DRAWINGS, THEY ARE SHOWN IN AN APPROXIMATE MANNER ONLY, AND SUCH LINES MAY EXIST WHERE NONE ARE SHOWN. IF ANY SUCH EXISTING LINES ARE SHOWN, THE LOCATION IS BASED UPON INFORMATION PROVIDED BY THE OWNER OF SAID UTILITY, AND THE INFORMATION MAY BE INCOMPLETE, OR MAY BE OBSOLETE BY THE TIME CONSTRUCTION COMMENCES. THE ENGINEER HAS UNDERTAKEN NO FIELD VERIFICATION OF THE LOCATION, DEPTH, SIZE, OR TYPE OF EXISTING UTILITY LINES, PIPELINES, OR UNDERGROUND UTILITY LINES, MAKES NO REPRESENTATION PERTAINING THERETO, ASSUMES NO RESPONSIBILITY OR LIABILITY THEREFOR. CONTRACTOR SHALL INFORM ITSELF OF THE LOCATION OF ANY UTILITY LINE, PIPELINE, OR UNDERGROUND UTILITY LINE IN OR NEAR THE AREA OF THE WORK IN ADVANCE OF AND DURING EXCAVATION WORK. THE CONTRACTOR IS FULLY RESPONSIBLE FOR ANY AND ALL DAMAGE CAUSED BY ITS FAILURE TO LOCATE, IDENTIFY AND PRESERVE ANY AND ALL EXISTING UTILITIES PIPELINES, AND UNDERGROUND UTILITY LINES. IN PLANNING AND CONDUCTING EXCAVATION, THE CONTRACTOR SHALL COMPLY WITH STATE STATUTES, MUNICIPAL AND LOCAL ORDINANCES RULES AND REGULATIONS, IF ANY, PERTAINING TO THE LOCATION OF THESE LINES AND FACILITIES.
- 4. SHOULD A CONFLICT EXIST BETWEEN THESE PLANS AND ACTUAL FIELD CONDITIONS, THE CONTRACTOR SHALL PROMPTLY NOTIFY THE ENGINEER IN WRITING SO THAT THE CONFLICT CAN BE
- 5. THE CONTRACTOR SHALL MAINTAIN ACCESS TO ADJACENT PROPERTIES DURING CONSTRUCTION.
- 6. ALL WORK ON THIS PROJECT SHALL BE PERFORMED IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL LAWS, RULES AND REGULATIONS CONCERNING CONSTRUCTION SAFETY AND HEALTH.
- 7. THE CONTRACTOR MUST SUBMIT A CONSTRUCTION SIGNING AND BARRICADING PLAN TO TRAFFIC ENGINEERING TO RECEIVE A BARRICADING PERMIT 48 HOURS PRIOR TO CONSTRUCTION.
- 8. ALL UTILITIES AND UTILITY SERVICE LINES SHALL BE INSTALLED PRIOR TO PAVING.
- 9. BACKFILL COMPACTION SHALL BE ACCORDING TO SPECIFIED STREET USE.
- 10. TACK COAT REQUIREMENTS SHALL BE DETERMINED BY THE CITY
- 11. SIDEWALKS AND WHEELCHAIR RAMPS WITHIN THE CURB RETURNS SHALL BE CONSTRUCTED WHEREVER A NEW CURB RETURN IS CONSTRUCTED.
- 12. IF CURB IS DEPRESSED FOR A DRIVEPAD OR A HANDICAP RAMP, THE DRIVEPAD OR RAMP SHALL BE CONSTRUCTED PRIOR TO ACCEPTANCE OF THE CURB AND GUTTER.
- 13. ALL STORM DRAINAGE FACILITIES SHALL BE COMPLETED PRIOR TO FINAL ACCEPTANCE.







ALBUQUERQUE . NEW MEXICO . ENGINEERS

2808

APPROVED FOR CONSTRUCTION

