


The diagrams illustrate various road cross-sections and their corresponding pavement types:

- CONCRETE MEDIAN NOSE:** A cross-section of a concrete median nose, showing a semi-circular shape with a stippled texture.
- HANDICAPPED RAMP - ARROWS INDICATE SLOPE AT 1:12:** A cross-section of a handicapped ramp, showing a central rectangular area with a stippled texture and arrows indicating the slope at 1:12.
- NEW ARTERIAL PAVING:** A cross-section of new arterial paving, showing a rectangular area with diagonal hatching.
- EXISTING MEDIAN CURB:** A cross-section of an existing median curb, showing a series of horizontal lines.
- NEW CONCRETE MEDIAN CURB:** A cross-section of a new concrete median curb, showing a series of horizontal lines.
- EXISTING STANDARD CURB:** A cross-section of an existing standard curb, showing a series of horizontal lines.
- NEW STANDARD CONCRETE CURB:** A cross-section of a new standard concrete curb, showing a series of horizontal lines.

1. CONTRACTOR MUST SUBMIT A CONSTRUCTION SIGNING AND BARRICADING PLAN TO TRAFFIC ENGINEERING DIVISION AND RECEIVE A BARRICADING PERMIT PRIOR TO CONSTRUCTION.
2. ALL CONSTRUCTION SIGNING AND BARRICADING TO COMPLY WITH MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES, 1978 EDITION AND SUBSEQUENT REVISIONS.
3. CONTRACTOR'S OPERATION, BARRICADING AND SIGNING SHALL NOT AFFECT THRU LANES OF COAL AND UNIVERSITY BETWEEN 7 AM AND 9 AM OR 4 PM AND 6 PM.



LOCATION MAP

K-15 M2.

NOTICE TO CONTRACTORS

1. All work detailed on these plans to be performed under contract shall, except as otherwise stated or provided for herein, be constructed in accordance with the City of Albuquerque Interim Std. Specifications Public Works Construction- 1985 (referred to herein as the Standard Specifications) and the Contract Documents for Public Works Contract ~~84-~~ 85-4.
2. Two (2) working days prior to any excavation, the contractor must contact Line Locating Service, 765-1234, for location of existing utilities.
3. Prior to construction, the contractor shall excavate and verify the horizontal and vertical locations of all obstructions. Should a conflict exist, the contractor shall notify the engineer or surveyor so that the conflict can be resolved with minimum amount of delay.

THE FOLLOWING NOTES ALSO APPLY
WHEN CHECKED

- ☐ All utilities and utility service lines shall be installed prior to paving.
- ☒ Backfill compaction shall be according to specified street use.
- ☐ Tack coat requirements shall be determined by the City Engineer.
- ☒ Sidewalks and wheelchair ramps within the curb return shall be constructed wherever a new curb return is constructed.
- ☒ If curb is depressed for a driveway or a handicap ramp, the driveway or ramp shall be constructed prior to acceptance of the curb and gutter.
- ☐ All storm drainage facilities shall be completed prior to final acceptance.

ENGINEER'S SEAL			SURVEY INFORMATION		BENCH MARKS		AS BUILT INFORMATION	
			FIELD NOTES					
			NO.	BY	DATE			
NO.	DATE	REMARKS		BY			CONTRACTOR	
							WORK ORDER BY	
							INSPECTOR'S	
							ACCEPTANCE BY	
							TEST DATE	
							VERIFICATION BY	
							DRAWINGS	
							CORRECTED BY	
DESIGN							MICRO-FILM INFORMATION	
DESIGNED BY DAVID W. HARMON							RECORDED BY	
DATE							DATE	
DRAWN BY E.D. FÉGETTE							NO.	
DATE 5-23-05								

1	2	3	4	5	6	7	8	9	10	11	12
2	6		2	5	0	9	0	1	8	5	

CITY OF ALBUQUERQUE
MUNICIPAL DEVELOPMENT DEPARTMENT
ENGINEERING DIVISION

GD 85-

TITLE: *HANDICAPPED RAMPS AT COAL & UNIVERSITY,
S.E. FOR T-VI*

APPROVALS	ENGINEER	DATE	APPROVALS	ENGINEER	DATE
City Engineer	<i>A. J. [Signature]</i>	5/23/85	Liquid Waste	<i>[Signature]</i>	5/23/85
A.C.E.-Design	<i>[Signature]</i>	5/30/85	Traffic	<i>Dr. [Signature]</i>	5/23/85
A.C.E.-Hydrology	<i>[Signature]</i>	5/23/85	Water	<i>[Signature]</i>	5/23/85

DRAWING NO.	2509	MAP NO.	K-15	SHEET	1	OF	1
-------------	------	---------	------	-------	---	----	---

APPROVED FOR CONSTRUCTION

James N. Kelly 7/11/83
CITY ENGINEER DATE