



SANITARY SEWER NOTES			
1.	ALL STATIONING IS BASED ON STREET CENTERLINE, UNLESS OTHERWISE NOTED.		
2.	ELECTRONIC MARKER DISKS (EMD'S) SHALL BE PLACED PER SECTION 131 OF THE PROJECT TECHNICAL SPECIFICATIONS.		
3.	SERVICE LINES SHALL BE 4" DIA. PIPE.		
4.	MAIN LINE PIPE LENGTHS ARE MEASURED FROM OUTSIDE OF MANHOLE TO OUTSIDE OF MANHOLE.		
5.	MANHOLES SHALL BE 4' DIA., TYPE "E" OR TYPE "C" AND INSTALLED PER CITY STD. DWGS. 2102 AND 2110 AS SHOWN ON PLAN.		
6.	SERVICE LINES SHALL BE INSTALLED PERPENDICULAR TO THE MAIN UNLESS OTHERWISE NOTED.		
7.	WHEN LESS THAN 18 INCHES OF VERTICAL CLEARANCE EXISTS BETWEEN WATER AND SANITARY SEWER LINES AT CROSSING THE SANITARY SEWER LINE SHALL BE CONCRETE-ENCASED FOR 10' ON BOTH SIDES OF THE SEWER PER CITY STD. DWG. 2140.		

NOTICE TO CONTRACTORS			
1.	ALL WORK DETAILED ON THESE PLANS TO BE PERFORMED UNDER CONTRACT SHALL EXCEPT AS OTHERWISE STATED OR PROVIDED FOR HEREON, BE CONSTRUCTED IN ACCORDANCE WITH THE CITY OF ALBUQUERQUE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION 1986.		
2.	TWO (2) WORKING DAYS PRIOR TO ANY EXCAVATION, THE CONTRACTOR MUST CONTACT THE LOCATING SERVICE 765-1234, FOR EXISTING UTILITIES.		
3.	PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL EXCAVATE AND VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL OBSTRUCTIONS. SHOULD A CONFLICT EXIST, THE CONTRACTOR SHALL NOTIFY THE ENGINEER OR SURVEYOR SO THAT THE CONFLICT CAN BE RESOLVED WITH MINIMUM AMOUNT OF DELAY.		

THE FOLLOWING NOTES ALSO APPLY WHEN CHECKED			
<input checked="" type="checkbox"/>	ALL UTILITIES AND UTILITY SERVICE LINES SHALL BE INSTALLED PRIOR TO PAVING.		
<input checked="" type="checkbox"/>	BACKFILL COMPACTION SHALL BE ACCORDING TO SPECIFIED STREET USE. (ARTERIAL)		
<input checked="" type="checkbox"/>	TACK COAT REQUIREMENTS SHALL BE DETERMINED BY THE CITY ENGINEER.		
<input checked="" type="checkbox"/>	CONTRACTOR SHALL NOTIFY THE CITY TRAFFIC ENGINEER (768-2552) THREE (3) WORKING DAYS PRIOR TO THE OPENING OF ANY DETOUR, AND SHALL ADHERE TO SECTION 19 OF THE CITY OF ALBUQUERQUE STANDARD SPECIFICATIONS.		

VICINITY MAP			

PROJECT			

CITY OF ALBUQUERQUE MUNICIPAL DEVELOPMENT DEPARTMENT ENGINEERING DIVISION			
TITLE: BICE RD. NW SANITARY SEWER SYSTEM			
APPROVALS	ENGINEER	DATE	APPROVALS
City Engineer	Ray A. Shaw	2/9/89	Liquid Waste
Design	"	"	Traffic
Hydrology	"	"	Water

DESIGNED BY WAY			
DATE	2/3/89	DATE	2/6/89
DRAWN BY	WAY	CHECKED BY	WJW

REVISIONS			
9/13/89	REVISED FROM AS BUILT INFORMATION	BY	EL

DRAWING NO. 3748			
MAP NO.	H-11	SHEET	1

CHANGE ORDER TO PWC 88-2