

CONSTRUCTION DOCUMENTS
CLASS II CONSTRUCTION

SITE IMPROVEMENTS
HAZELDINE PARK

INDEX OF DRAWINGS

TITLE	SHEET NO.
COVER SHEET	CS-1 OF 5
DEMOLITION AND LAYOUT PLANS	2 OF 5
GRADING AND DRAINAGE PLANS	3 OF 5
PLANTING AND IRRIGATION PLANS	4 OF 5
DETAILS	5 OF 5




VICINITY MAP K-14-Z

- CLASS II CONSTRUCTION BY PARKS AND GENERAL SERVICES DEPARTMENT DESIGN AND DEVELOPMENT DIVISION.
- ALL WORK TO BE IN ACCORDANCE WITH CITY OF ALBUQUERQUE STANDARD SPECIFICATIONS, 1986. EDITIONS (AS UPDATED WITH REVISION #4), OR PER ATTACHED SPECIFICATIONS.
- THREE (3) WORKING DAYS PRIOR TO BEGINNING CONSTRUCTION THE CONTRACTOR SHALL SUBMIT TO THE CONSTRUCTION CO-ORDINATION DIVISION A DETAILED CONSTRUCTION SCHEDULE. TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION THE CONTRACTOR SHALL OBTAIN A BARRICADING PERMIT FROM THE CONSTRUCTION CO-ORDINATION DIVISION. CONTRACTOR SHALL NOTIFY BARRICADE ENGINEER (768-2551) PRIOR TO OCCUPYING AN INTERSECTION. SEE SECTION 19 OF THE SPECIFICATIONS.
ALL STREET STRIPING ALTERED OR DESTROYED SHALL BE REPLACED IN KIND BY CONTRACTOR TO LOCATION AND IN KIND AS EXISTING OR AS INDICATED BY THIS PLAN SET.
- THE CONTRACTOR SHALL CONTACT NEW MEXICO ONE CALL SYSTEM PHONE: (260-1990), TO LOCATE UNDERGROUND UTILITIES 2 WORK DAYS PRIOR TO BEGINNING EXCAVATION.
- THE CONTRACTOR SHALL CONTACT TRAFFIC ENGINEERING OPERATIONS (764-1599) FOR REMOVAL AND REPLACEMENT OF TRAFFIC SIGNS.
- THE CONTRACTOR SHALL PROTECT ALL EXISTING UTILITIES, UNLESS NOTED OTHERWISE. ANY DAMAGE TO EXISTING UTILITIES SHALL BE REPAIRED AT THE CONTRACTOR'S EXPENSE.
- ALL EXISTING IMPROVEMENTS ARE TO REMAIN, UNLESS SPECIFICALLY NOTED TO BE REMOVED. CONTRACTOR SHALL REPAIR ANY CONTRACTOR-CAUSED DAMAGE, AS DETERMINED BY THE ENGINEER TO EXISTING IMPROVEMENTS TO THE SATISFACTION OF THE OWNER AT THE CONTRACTOR'S EXPENSE.
- PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL CHECK ALL DIMENSIONS, HORIZONTAL AND VERTICAL, AND SHALL EXCAVATE AND VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL OBSTRUCTIONS. SHOULD A CONFLICT-EXIST, THE CONTRACTOR SHALL NOTIFY THE ENGINEER PRIOR TO CONSTRUCTION SO THAT CONFLICT CAN BE RESOLVED WITH THE MINIMUM AMOUNT OF DELAY.
- FOR PURPOSES OF THIS PROJECT, THE TERM ENGINEER SHALL REFER TO EITHER THE OWNER'S EMPLOYEE OR THE LANDSCAPE ARCHITECT RESPONSIBLE FOR CONSTRUCTION INSPECTION OF THE PROJECT.
- ALL REFERENCES TO COMPACTED BACKFILL OR COMPACTED SUBGRADE SHALL MEAN SOIL COMPACTED TO 95% OF MAXIMUM DENSITY AS DETERMINED BY ASTM D-1557 UNLESS OTHERWISE NOTED.
- CONTRACTOR SHALL NOTIFY THE ENGINEER NOT LESS THAN SEVEN (7) DAYS PRIOR TO STARTING WORK, IN ORDER THAT THE ENGINEER MAY TAKE NECESSARY MEASURES TO INSURE THE PRESERVATION OF SURVEY MONUMENTS. CONTRACTOR SHALL NOT DISTURB PERMANENT SURVEY MONUMENTS WITHOUT THE CONSENT OF THE ENGINEER AND SHALL NOTIFY THE ENGINEER AND BEAR THE EXPENSE OF REPLACING ANY THAT MAY BE DISTURBED WITHOUT PERMISSION. REPLACEMENT SHALL BE DONE ONLY BY THE CITY SURVEY SECTION. WHEN A CHANGE IS MADE IN THE FINISH ELEVATION OF THE PAVEMENT OF ANY ROADWAY IN WHICH A PERMANENT SURVEY MONUMENT IS LOCATED, CONTRACTOR SHALL, AT HIS OWN EXPENSE, ADJUST THE MONUMENT COVER TO NEW GRADE, UNLESS OTHERWISE SPECIFIED.
- THE WATER SYSTEMS DIVISION (857-8200) SHALL BE NOTIFIED FIVE (5) WORKING DAYS IN ADVANCE OF ANY WORK WHICH MAY AFFECT EXISTING PUBLIC WATER FACILITIES. THE CONTRACTOR SHALL ALSO COORDINATE FOR VALVE OPERATION FOR WATER SHUTOFF.


REV.	SHEETS	CITY ENGINEER	DATE	USER DEPARTMENT	DATE	USER DEPARTMENT	DATE
APPROVAL FOR REVISIONS							
LANDSCAPE ARCHITECT'S SEAL		Campbell Okuma Perkins Associates, Inc. Landscape Architecture and Site Planning 418 Central Ave. S.E. 87102 (505) 242-9928			APPROVED FOR CONSTRUCTION <i>Randy Perkins</i> 4/27/97 C.E.		
		PROJECT NO. 4674.9			COVER SHEET CS-1 OF 5		

SET NUMBER: _____

HAZELDINE AVE SW



DEMOLITION PLAN



LAYOUT PLAN

KEYED NOTES:

- ① REMOVE EXISTING WALL
- ② REMOVE EXISTING SHADE STRUCTURE & FOOTINGS
- ③ PROTECT EXISTING TREE
- ④ PROTECT EXISTING LIGHT POLE
- ⑤ REMOVE EXISTING PLAY EQUIPMENT & FOOTINGS
- ⑥ REMOVE EXISTING BENCH
- ⑦ REMOVE EXISTING CONCRETE
- ⑧ PROTECT EXISTING WHEELCHAIR RAMP
- ⑨ PROTECT EXISTING PAVING TO EXPANSION JOINT
- ⑩ REMOVE EXISTING PLANT MATERIAL AND ROOTS
- ⑪ REMOVE EXISTING SAND
- ⑫ REMOVE EXISTING IRRIGATION SYSTEM

NOTES:

1. PROVIDE AND INSTALL SHADE STRUCTURE, POLIGON- REK 16' X 24'. FACTORY ORDER ROOF COLOR: PATINA GREEN. ON-SITE FINISH PAINT: WELLBORN, CYN-LUSTRO ENAMEL; MOHAGANY #Q2-69U. STRUCTURE IS AVAILABLE FROM LEISURE DESIGN SYSTEMS, TELEPHONE NO. 800/ 543-2232.
- FOOTING DETAIL IS TO BE AVAILABLE THROUGH MANUFACTURER. STRUCTURE DESIGN DRAWINGS ARE TO BE STAMPED BY A NEW MEXICO REGISTERED ENGINEER.
2. PROVIDE AND INSTALL 2 PICNIC TABLES AS SHOWN ON PLAN.
3. PROVIDE AND INSTALL 2 BENCHES AS SHOWN ON PLAN.
4. PROVIDE AND INSTALL 5' TALL, 6' TALL, AND 8' TALL CHAIN LINK FENCING AS SHOWN ON PLAN. CONSTRUCT AND INSTALL AS PER CITY OF ALBUQUERQUE STANDARD DETAIL NO. 2252. EXTEND BOTTOM EDGE OF FABRIC TO 1" ABOVE GRADE. USE KNUCKLED SELVAGES AT THE TOP AND BOTTOM OF THE FABRIC. ADD 1 5/8" NOM. DIA. BOTTOM RAIL.
5. SEE PLANTING PLAN FOR LAYOUT OF TRASH RECEPTACLE.
6. SEE PLANTING PLAN FOR STRIPING LAYOUT.

Campbell Okuma Perkins Associates, Inc.
Landscape Architecture and Site Planning

418 Central S.E.
Albuquerque, NM 87102
(505) 242-8923

1330 Pacheco No. 8
Santa Fe, NM 87501
(505) 982-8399


**CITY OF ALBUQUERQUE
PARKS / GENERAL SERVICES
DESIGN & DEVELOPMENT**

**TITLE: HAZELDINE PARK
DEMOLITION AND LAYOUT PLAN**

APPROVALS	ENGINEER	DATE	APPROVALS	ENGINEER	DATE
DRC CHAIRMAN	<i>B.A. Sallou</i>	<i>4-19-94</i>	WATER	<i>N/A RWK</i>	<i>3-30-94</i>
TRANSPORTATION	<i>M. Renda</i>	<i>4-19-94</i>	WASTE WATER	<i>N/A RWK</i>	<i>3-30-94</i>
HYDROLOGY	<i>S. Montoya</i>	<i>4/14/94</i>			
PARKS	<i>D. Selena</i>	<i>3-29-94</i>			
PROJECT NO.	4674.90	MAP NO. K-14-Z	SHEET 2 OF 5		



NORTH



SCALE: 1" = 10' -0"

NO.	DATE	REVISIONS / REMARKS	BY	LANDSCAPE ARCHITECT'S SEAL	SURVEY INFORMATION		BENCH MARK		AS BUILT INFORMATION	
					NO.	BY	DATE		CONTRACTOR	
								ASS MONUMENT "25-K4", LOCATED AT THE SOUTHEAST CORNER OF THE INTERSECTION OF BOKARTH ST. AND ATLANTIC AVE. SW;	WORK STAKED BY	DATE:
								NAYD 1929 ELEVATION 4457.57 FEET.	INSPECTORS APPROVAL	DATE:
									FIELD VERIFICATION BY	DATE:
									DRAWING CORRECTED BY	DATE:
									MICRO-FILM INFORMATION	
									RECORDED BY	DATE
									NO.	

DESIGNED BY: K. Mc Nary DATE: 1 / 24

DRAWN BY: SMK DATE: 3 / 24 / 94

CHECKED BY: WSP DATE: 3 / 24 / 94

LEGAL DESCRIPTION

THE NORTH 1/2 OF LOTS 11 THRU 14, BLOCK H OF THE ATLANTIC AND PACIFIC ADDITION

LEGEND

TC TOP OF CURB
 NEW CMU WALL
 PROPOSED CONCRETE
 PROPOSED SPOT ELEV.
 NEW CHAIN LINK FENCE
 EXISTING SPOT ELEV.
 TOP OF WALL
 EXISTING STORM INLET

DRAINAGE PLAN

The following items concerning the Hazeldine Park Grading & Drainage Plan are contained hereon:

1. Vicinity Map
2. Grading Plan
3. Calculations

As shown by the Vicinity Map, the site is located at the southeast corner of Third Street S.W. and Hazeldine Avenue S.W. At present, the site is a park with concrete surfaces and a sand play area with swings. The park has adobe walls on the south and east sides of the site. Improvements to the site will include the regrading of the park, along with associated concrete removal and replacement for a basketball court along with benches and a shade structure. Free discharge for this site is appropriate, because it lies in an infill area, is already developed, it maintains its historical drainage pattern, and the negligible increase in developed runoff.

As shown on Panel 28 of 50 of the National Flood Insurance Program Flood Insurance Rate Maps for the City of Albuquerque, New Mexico, dated October 14, 1983, this site does not lie within a designated flood hazard zone. A flood hazard zone designated Zone B lies approximately 1050 feet west of the site. At present, the site drains onto Hazeldine Avenue S.W. and Third Street S.W. which then drains into an existing storm inlet located on Hazeldine on the southeast corner of the intersection of Third Street S.W. and Hazeldine Avenue S.W.

The Grading and Drainage Plan shows: 1) existing and proposed grades indicated by spot elevations, 2) limit and character of the existing improvements, 3) limit and character of the proposed improvements, and 4) continuity between existing and proposed grades. The developed site will be characterized as one basin which will drain onto Third Street S.W. and Hazeldine Avenue S.W. No offsite flows will enter from the north and west because developed streets lie on those sides. Grades on the south and east sides of the site are "flat" so no offsite flows will enter from those sites.

The Calculations which appear hereon analyze both the existing and developed conditions for the 100-year, 6-hour rainfall event. The Procedure for 40-acre and Smaller Basins, as set forth in the Revision of Section 22.2, Hydrology of the Development Process Manual, Volume 2, Design Criteria, dated January, 1993, has been used to quantify the peak rate of discharge and volume of runoff generated. As shown by these calculations, the proposed development will result in a small increase in runoff generated.

CALCULATIONS

Site Characteristics

1. Precipitation Zone = 2
2. $P_{2.100} = P_{360} = 2.35$ in.
3. Total Area (A_T) = 0.115 Acres
4. Existing Land Treatment

Treatment	Area (sf/ac)	%
B	2,789/0.064	55.7
D	2,221/0.051	44.3

5. Developed Land Treatment

Treatment	Area (sf/ac)	%
B	1,176/0.027	23.5
D	3,834/0.088	76.5

Existing Condition

1. Volume

$$E_w = (E_p A_p + E_p A_n + E_p A_c + E_p A_n) / A_T$$

$$E_w = [(0.78)(0.064) + (2.12)(0.051)] / (0.115) = 1.37 \text{ in.}$$

$$V_{100} = (E_w / 12) A_T$$

$$V_{100} = (1.37 / 12) (0.115) = 0.0132 \text{ ac.ft.; } 574 \text{ cf}$$

2. Peak Discharge

$$Q_p = Q_{pA} A_A + Q_{pB} A_B + Q_{pC} A_C + Q_{pD} A_D$$

$$Q_p = Q_{100} = (2.28)(0.064) + (4.70)(0.051) = 0.4 \text{ cfs}$$

Developed Condition

1. Volume

$$E_w = (E_p A_p + E_p A_n + E_p A_c + E_p A_n) / A_T$$

$$E_w = [(0.78)(0.027) + (2.12)(0.088)] / (0.115) = 1.81 \text{ in.}$$

$$V_{100} = (E_w / 12) A_T$$

$$V_{100} = (1.81 / 12) (0.115) = 0.0173 \text{ ac.ft.; } 754 \text{ cf}$$


2. Peak Discharge

$$Q_p = Q_{pA} A_A + Q_{pB} A_B + Q_{pC} A_C + Q_{pD} A_D$$

$$Q_p = Q_{100} = (2.28)(0.027) + (4.70)(0.088) = 0.5 \text{ cfs}$$

Comparison

1. $\Delta V_{100} = 754 - 574 = 180 \text{ cf (increase)}$
2. $\Delta Q_{100} = 0.5 - 0.4 = 0.1 \text{ cfs (increase)}$



VICINITY MAP
SCALE: 1" = 750'

Construction Notes:

1. Two (2) working days prior to any excavation, contractor must contact New Mexico One Call System 260-1990, for location of existing utilities.
2. Prior to construction, the contractor shall excavate and verify the horizontal and vertical location of all potential obstructions. Should a conflict exist, the contractor shall notify the engineer in writing so that the conflict can be resolved with a minimum amount of delay.
3. All work on this project shall be performed in accordance with applicable federal, state and local laws, rules and regulations concerning construction safety and health.
4. All construction within public right-of-way shall be performed in accordance with applicable City of Albuquerque Standards and Procedures.
5. If any utility lines, pipelines, or underground utility lines are shown on these drawings, they are shown in an approximate manner only, and such lines may exist where none are shown. If any such existing lines are shown, the location is based upon information provided by the owner of said utility, and the information may be incomplete, or may be obsolete by the time construction commences. The engineer has conducted only preliminary investigation of the location, depth, size, or type of existing utility lines, pipelines, or underground utility lines. This investigation is not conclusive, and may not be complete, therefore, makes no representation pertaining thereto, and assumes no responsibility or liability therefor. The contractor shall inform itself of the location of any utility line, pipeline, or underground utility line in or near the area of the work in advance of and during excavation work. The contractor is fully responsible for any and all damage caused by its failure to locate, identify and preserve any and all existing utilities, pipelines, and underground utility lines. In planning and conducting excavation, the contractor shall comply with state statutes, municipal and local ordinances, rules and regulations, if any, pertaining to the location of these lines and facilities.
6. The design of planters and landscaped areas is not part of this plan. All planters and landscaped areas adjacent to the building(s) shall be provided with positive drainage to avoid any ponding adjacent to the structure. For construction details, refer to landscaping plan.
7. This is not a Boundary Survey; all survey data provided by C.O.A. Survey Section, Public Works Department.

Erosion Control Measures:


1. The contractor shall ensure that no soil erodes from the site into public right-of-way or onto private property. This can be achieved by constructing temporary berms at the property lines and wetting the soil to keep it from blowing.
2. The contractor shall promptly clean up any material excavated within the public right-of-way so that the excavated material is not susceptible to being washed down the street.
3. The contractor shall secure "Topsoil Disturbance Permit" prior to beginning construction.

Campbell Okuma Perkins Associates, Inc.
 Landscape Architecture and Site Planning
 418 Central S.E. 1339 Pacheco No. 8
 Albuquerque, NM 87102 Santa Fe, NM 87501
 (505) 242-9928 (505) 952-6399


CITY OF ALBUQUERQUE PARKS / GENERAL SERVICES DESIGN & DEVELOPMENT

TITLE: HAZELDINE PARK GRADING AND DRAINAGE PLAN

APPROVALS	ENGINEER	DATE	APPROVALS	ENGINEER	DATE
DRC CHAIRMAN	R. J. J. J.	4-19-94	WATER	N/A RWL	3-30-94
TRANSPORTATION	R. J. J. J.	4-19-94	WASTE WATER	N/A RWL	3-30-94
HYDROLOGY	R. J. J. J.	4-19-94			
PARKS	R. J. J. J.	3-29-94			
PROJECT NO.	4674.90	MAP NO.	K-14	SHEET	3 OF 5



EXISTING CONDITION



PROPOSED CONDITION




JEFF MORTENSEN & ASSOCIATES, INC.
 600-B MIDWAY PARK BLVD. N.E.
 ALBUQUERQUE, N.M. 87109
 ENGINEERS SURVEYORS (505) 345-4250


9% 0211



NORTH




SCALE: 1" = 10'-0"



DESIGNED BY: M.F.D. DATE: 3/94
 DRAWN BY: C.O.P.A./J.M.A. DATE: 3/94
 CHECKED BY: J.G.M. DATE: 3/94


HAZELDINE AVE SW

3 RD ST SW



IRRIGATION LEGEND

SYMBOL	DESCRIPTION	MAKE	MODEL	CITY DWG. NO. / DETAIL	NOTES
●	WATER TAP	CITY OF ALBU.	-	2702	EXISTING
ⓐ	CONTROLLER	RAINBIRD	ISC-8-B	-	INSTALL CONTROLLER IN VAULT PER MANUFACTURER'S INSTRUCTIONS
Ⓜ	METER	CITY OF ALBU.	-	2362	-
Ⓜ	MANUAL BALL VALVE	SPEARS	TRUE UNION	2702	SCH 80 PVC
Ⓜ	VALVE (1")	RAINBIRD	100-PED	2702	-
Ⓜ	BOX WITH COVER AND EXTENSIONS	BROOKS	1730-PB-18	-	-
Ⓜ	PRESSURE VACUUM BREAKER ASSY.	FEBCO	765	2702-A	-
Ⓜ	BUBBLER	RAINBIRD	1401	2710	.25 GPM EACH
Ⓜ	MAINLINE - SCH 40 PVC	-	-	-	-
Ⓜ	LATERAL LINE - SCH 40 PVC	-	-	-	SIZE PER PLAN
Ⓜ	SLEEVE - CLASS 200 PVC	-	-	-	-
Ⓜ	VALVE NUMBER	-	-	-	-
Ⓜ	GALLONS / MINUTE FLOW	-	-	-	-
Ⓜ	VALVE SIZE	-	-	-	-



PLANTING LEGEND

QUANTITY	COMMON NAME	BOTANICAL NAME	SIZE	CITY DWG. NO. / DETAIL	NOTES
3	ARISTOCRAT PEAR	Pyrus calleryana 'Aristocrat'	2 1/2" CALIPER	2717	BALLED AND BURLAPPED
5	MODESTO ASH	Fraxinus velutina	2 1/2" CALIPER	2717	BALLED AND BURLAPPED


NOTES:

- PROVIDE AND INSTALL 2 LITTER RECEPTACLES AS SHOWN. MODEL NO. TR-3321-II MANUFACTURED BY MATERIALS, INC. AVAILABLE AT THE FOLLOWING ADDRESS: P.O. BOX 1507 BERNALILLO N.M. 87004. TELEPHONE NO. 891-8888. SEE DETAIL (6/5)
- PROVIDE AND INSTALL SHREDDED BARK THROUGHOUT PLANTING BEDS AS SHOWN ON PLAN
- INSTALL STRIPING AS SHOWN ON PLAN.

Campbell Okuma Perkins Associates, Inc.
Landscape Architecture and Site Planning
418 Central S.E. 87102 Santa Fe, NM 87501
(505) 242-9825 (505) 962-6399



NORTH



SCALE: 1" = 10'-0"

AS BUILT INFORMATION		BENCH MARK		SURVEY INFORMATION		FIELD NOTES		LANDSCAPE ARCHITECT'S SEAL		REVISIONS / REMARKS		BY		DATE		DESIGNED BY: R. McNary		DATE: 1/94		DRAWN BY: SMK		DATE: 3/24/94		CHECKED BY: WSP		DATE: 3/24/94	
CONTRACTOR		WORK STAKED BY		NO.	BY	DATE																					
INSPECTORS APPROVAL		FIELD VERIFICATION BY																									
DATE:		DATE:																									
DRAWING CORRECTED BY		DRAWING CORRECTED BY																									
DATE:		DATE:																									
RECORDED BY		RECORDED BY																									
NO.		NO.																									



CITY OF ALBUQUERQUE PARKS / GENERAL SERVICES DESIGN & DEVELOPMENT					
TITLE: HAZELDINE PARK					
PLANTING AND IRRIGATION PLAN					
APPROVALS	ENGINEER	DATE	APPROVALS	ENGINEER	DATE
DRC CHAIRMAN	8/24/94	4-1994	WATER	N/A RWK	3-30-94
TRANSPORTATION	8/24/94	4-1994	WASTE WATER	N/A RWK	3-30-94
HYDROLOGY	8/24/94	4-1994			
PARKS	8/24/94	4-1994			
PROJECT NO.	4674-90		MAP NO.	K-14-Z	
			SHEET 4 OF 5		




Diagram illustrating the cross-section of a 42" square table base, showing structural details and dimensions:

- WASH VALLEY NO. 44001 AND 44003 HERITAGE SERIES 42" SQUARE TABLE, GALVANIZED STEEL WITH BAKED-ON POLYESTER POWDER FINISH, STAINLESS STEEL HARDWARE (TYPICAL). SET PLUMB LEVEL - SEE NOTES BELOW.
- EXPANSION JOINT, TYPICAL
- 4" CONCRETE PAVEMENT
- 120151 CONCRETE FOOTING 16" x 16" x 36" DEEP
- #5 REBAR, 3-0" TYPICAL, 1 OF 4
- #3 TIE, TYPICAL, 1 OF 4
- COMPACTED SUBGRADE
- Dimensions: 10" (table top thickness), 14" MIN. (table base height), 15" MAX. (table base height), 36" (footing depth), 4" MINIMUM (pavement thickness).

PICNIC TABLE




NOTES:

1. MATERIALS, INC. MODEL NO. TK-3329-2, KINKONADA II LITTER RECEPTACLE IS AVAILABLE FROM MATERIALS, INC., AT THE FOLLOWING ADDRESS: 221 RIO RANCHO DRIVE, SE., RIO RANCHO, NM 87124. TELEPHONE NO. 505/891-8888.

2. COLOR SHALL BE OFF WITH NOISY POWDER COATED COLOR FOR FIBERGLASS FORME. FINISH OF RECEPTACLE SHALL BE A LIGHT SANDBLAST. COAT WITH ANTI-GRAFFITI COATING.

LITTER RECEPTACLE

[illegible]

NOTES:

- 1) WEATHERHEAD SHALL BE 3in ABOVE NEUTRAL.
- 2) CONTACT PNM CUSTOMER SERVICE FOR POLE QUADRANT.
- 3) ALL ABOVE-GRADE CONDUIT SHALL BE RIGID GALVANIZED OR MC.
- 4) CUSTOMER PROVIDES AND INSTALLS CONDUIT, BRACKETS, WEATHERHEAD, CONDUCTORS, AND ALL MINOR FITTINGS.
- 5) RISER BRACKET ASSEMBLY MUST HAVE PROVISIONS FOR GROUNDINGS BY PNM.
- 6) SERVICE LATERAL CONDUCTORS TYPE AND SIZE IN ACCORDANCE WITH NATIONAL ELECTRICAL CODE (NEC), MINIMUM CONDUCTOR SIZE #6 AWG. - 1" ROUND.
- 7) CUSTOMER IS RESPONSIBLE FOR MAINTENANCE OF CUSTOMER OWNED SERVICE
- 8) PNM RECOMMENDS USE OF RUGGEDIZED SERVICE CABLE OR CONDUIT.

6 UNDERGROUND RESIDENTIAL
5 CUSTOMER OWNER SERVICE

NTS

TITLE: HAZELDINE PARK
DETAILS

HYDROLOGY	B. Montoya	4/4/94			
PARKS AND REC	D. Scina	3-29-94			

Campbell Okuma Perkins Associates, Inc.
Landscape Architecture and Site Planning
418 Central S.E. 1339 Pacheco No. 8
Albuquerque, NM 87102 Santa Fe, NM 87501
(505) 242-9928 (505) 962-8399

PROJECT NO. 4674.90	MAP NO. K-14-Z	SHEET 5 OF 5
---------------------	----------------	--------------






NO.	DATE	REVISIONS/REMARKS	BY	LANDSCAPE ARCHITECT'S SEAL	SURVEY INFORMATION FIELD NOTES	BENCH MARK	AS BUILT INFORMATION	
					NO.		CONTRACTOR	
					BY	DATE		WORK STAKED BY
								INSPECTORS APPROVAL DATE:
								FIELD VERIFICATION BY DATE:
								DRAWING CORRECTED BY DATE:
								MICRO-FILM INFORMATION
DESIGNED BY: WGP				DATE: 3 / 24 / 94			RECORDED BY	
DRAWN BY: SMK				DATE: 3 / 24 / 94			NO.	
CHECKED BY: WSP				DATE: 3 / 24 / 94				





NOTES:

1. MODEL NO. H4001 HAS 4 SEATS. MODEL NO. H4003 HAS 3 SEATS. BOTH TABLES SHALL BE LOCATED AS SHOWN ON PLANS. PROVIDE ONE OF EACH MODEL.
2. WASHAW VALLEY MODEL NO. H4001 AND H4003 ARE AVAILABLE FROM THE PLAYWELL GROUP, 2225 J. WYOMING ST. NE, SUITE 2, ALBUQUERQUE, NM 8712. TELEPHONE NO. 505/899-1763.
3. COLOR PLANE SHALL BE BLACK. PLASTIC SURFACES SHALL BE GREEN.



DESIGNED BY: WSP	DATE: 3 / 24 / 94
DRAWN BY: SMK	DATE: 3 / 24 / 94
CHECKED BY: WSP	DATE: 3 / 24 / 94