

# CITY OF ALBUQUERQUE PARKS AND RECREATION DEPARTMENT

# **ONATE PARK PLAY AREA RENOVATION** 2104 CHELWOOD PARK BOULEVARD NE

### GENERAL NOTES:

- 1. CITY OF ALBUQUERQUE SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, 1986 EDITION AS AMENDED THROUGH UPDATE 6. WILL BE REFERRED TO HEREIN AS THE "STANDARD SPECIFICATIONS."
- 2. TWO (2) WORKING DAYS PRIOR TO ANY EXCAVATION, CONTRACTOR MUST CONTACT NEW MEXICO ONE CALL SYSTEM (260-1990) AND DETERMINE LOCATION OF EXISTING UTILITIES.
- 3. THESE DRAWINGS REFLECT INFORMATION ON UTILITIES GATHERED BY SITE INSPECTION, DISCUSSIONS WITH MUNICIPAL OFFICIALS AND PREVIOUS CONSTRUCTION DRAWINGS. IT IS POSSIBLE THAT THE EXACT LOCATION OF LINES AND UTILITY CONNECTION POINTS IN THE IMMEDIATE VICINITY OF THE PROPOSED SITE MAY BE SLIGHTLY DIFFERENT FROM THE LOCATION SHOWN ON THE DRAWINGS. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL EXCAVATE AND VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL OBSTRUCTIONS. SHOULD A CONFLICT EXIST, THE CONTRACTOR SHALL NOTIFY THE OWNER REPRESENTATIVE SO THAT THE CONFLICT CAN BE RESOLVED WITH A MINIMUM AMOUNT OF DELAY.
- 4. PRIOR TO ANY CONSTRUCTION, THE CONTRACTOR SHALL EXCAVATE AND VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL OBSTRUCTIONS. SHOULD A CONFLICT EXIST, THE CONTRACTOR SHALL NOTIFY THE ENGINEER OR THE SURVEYOR SO THAT THE CONFLICT CAN BE RESOLVED WITHOUT DELAY.
- 5. ALL WORK ON THIS PROJECT SHALL BE PERFORMED IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL LAWS, RULES, AND REGULATIONS CONCERNING CONSTRUCTION SAFETY AND HEALTH. THESE DRAWINGS DO NOT INCLUDE NECESSARY COMPONENTS FOR CONSTRUCTION SAFETY WHICH SHALL REMAIN THE CONTRACTOR' RESPONSIBILITY.
- 6. ALL EXCAVATION/CONSTRUCTION PERMITS WILL BE REQUIRED BEFORE BEGINNING ANY WORK WITHIN THE CITY RIGHT-OF-WAY. AN APPROVED COPY OF THESE PLANS MUST BE SUBMITTED AT THE TIME OF APPLICATION FOR PERMITS.

- EDITION.
- MEASUREMENT OF PAYMENT SHALL BE MADE.
- SHALL BE TO THE NEAREST JOINT OR SAW CUT.
- UNLESS OTHERWISE NOTED.
- OTHERWISE NOTED.
- TO C.O.A. STANDARD DRAWING NO. 2465.
- TAKE PRECEDENCE.

7. DISPOSAL OF ALL WASTE MATERIAL AND UNSUITABLE MATERIAL SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR AS SPECIFIED IN SECTION 6.14 OF THE GENERAL CONDITIONS IN THE CITY OF ALBUQUERQUE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION - 1986

8. A DISPOSAL SITE FOR ALL EXCESS EXCAVATION MATERIAL, ASPHALTIC, PAVING, CONCRETE CURBS AND SIDEWALKS, ETC., SHALL BE OBTAINED BY THE CONTRACTOR IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL REGULATIONS AND APPROVED BY THE FIELD ENGINEER. ALL COSTS INCURRED IN OBTAINING A DISPOSAL SITE AND HAUL THERETO SHALL BE CONSIDERED INCIDENTAL TO THE PROJECT AND NO SEPARATE

9. REMOVAL OF EXISTING CURB AND GUTTER, SIDEWALK, OR RUNDOWN

10. ALL CONCRETE SHALL BE 4000 PSI 28-DAY STRENGTH IN ACCORDANCE WITH PROJECT SPECIFICATIONS UNLESS OTHERWISE NOTED.

11. ALL REINFORCING STEEL SHALL BE GRADE 60 DEFORMED BARS


12. ALL EXPOSED EDGES SHALL HAVE A 3/4" CHAMFER UNLESS

13. ALL PAVEMENT MARKINGS SHALL MEET THE NEW MEXICO STATE HIGHWAY AND TRANSPORTATION DEPARTMENT STANDARDS.

14. BACKFILL COMPACTION AND PAVING FOR UTILITIES SHALL BE ACCORDING

15. PLANT QUANTITIES ARE PROVIDED FOR CONVENIENCE ONLY - PLANS

- 16. FIVE (5) WORKING DAYS PRIOR TO BEGINNING CONSTRUCTION, THE CONTRACTOR SHALL SUBMIT TO THE CONSTRUCTION COORDINATION DIVISION, A DETAILED CONSTRUCTION SCHEDULE. TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION. THE CONTRACTOR SHALL OBTAIN A BARRICADING PERMIT FROM THE CONSTRUCTION COORDINATION DIVISION. CONTRACTOR SHALL NOTIFY BARRICADE ENGINEER (768-2551) PRIOR TO OCCUPYING AN INTERSECTION.
- 17. THE CONTRACTOR SHALL NOTIFY THE ENGINEER NOT LESS THAN SEVEN (7) DAYS PRIOR TO STARTING WORK IN ORDER THAT THE ENGINEER MAY TAKE NECESSARY MEASURES TO INSURE THE PRESERVATION OF SURVEY MONUMENTS. CONTRACTOR SHALL NOT DISTURB PERMANENT SURVEY MONUMENTS WITHOUT THE CONSENT OF THE ENGINEER AND SHALL NOTIFY THE ENGINEER OR BEAR THE EXPENSE OF REPLACING ANY THAT MAY BE DISTURBED WITHOUT PERMISSION. REPLACEMENTS SHALL BE DONE ONLY BY THE CITY SURVEYOR. WHEN A CHANGE IS MADE IN THE FINISHED ELEVATIONS OF THE PAVEMENT OF ANY ROADWAY IN WHICH A PERMANENT SURVEY MONUMENT IS LOCATED, CONTRACTOR SHALL, AT HIS OWN EXPENSE, ADJUST THE MONUMENT COVER TO THE NEW GRADE UNLESS OTHERWISE SPECIFIED. REFER TO SECTION 4.4 OF THE GENERAL CONDITIONS OF THE STANDARD SPECIFICATIONS.
- 18. ALL STREET STRIPING ALTERED OR DESTROYED SHALL BE REPLACED WITH PLASTIC REFLECTORIZED PAVEMENT MARKINGS BY THE CONTRACTOR TO LOCATION, AS EXISTING OR INDICATED BY THIS PLAN SET.
- 19. ALL EXISTING SIGNS, MARKERS, DELINEATORS, ETC., WITHIN THE CONSTRUCTION LIMITS SHALL BE REMOVED, STORED, AND RE-SET BY THE CONTRACTOR.




### SHEET INDEX

SHEET NO.

TITLE

- TITLE SHEET, VICINITY MAP, SHEET INDEX
- DEMOLITION PLAN CONSTRUCTION PLAN PLAY AREA LAYOUT & DETAILS

UTI	LITY CO	MPANY C	CONTAC	TS				
2 2	<b>PNM</b> Jim Vann 4201 Edith B Albuquerque, 505) 848-3	New Mexico			ska th Blvd., NE ue, New Mexico 87107		CALL BEFORM YOU DIG! STATEWIDE 00-321-ALERT	E   P
D 1 A	1 <b>7&amp;7</b> avid B. Crow 11 Third ST., Ibuquerque, 505) 842–28	NW New Mexico {	87103	Karen Sho 4611 Mont P.O. Box 2	bel PI., NE 27138 ue, NM 87125-7138		ALBUQUERQUE 260-1990	
Ca 20 Si Al	athy Schneid D1 Third Stre uite 700	eet New Mexico 8				CONSENSUS	CONSENSUS PLANNING Planning / Landscape Arc. 924 Park Avenue SW Albuquerque, NM 87102 (505) 764–9801 Fax 84 e-mail: cp@consensusplan	hitecture 42–5495
								_
REV.	SHEETS	CITY E	NGINEER	DATE	USER DEPARTMENT	DATE	USER DEPARTMENT	DATE
	ERS STAMP &		APPROVE		ENGINEER	DATE		
			DRC Chairma	n			APPROVED FOR	
			Transportatio	n			CONSTRUCTION	
			Water/Wastewo	ater				
			Hydrology				-	
			СІР				4	
			Constr. Mngm				CITY ENGINEER	DATE
			I Constr Coord	- I				
			Constr. Coord					



NORTHEA ACE, Ω CHE  $\triangleleft$ 


ЧA

S

G	ENERAL NOTES:
-	All eviating trace shall be pretected from demogra during constru

1. All existing trees shall be protected from dam

	uotion	INFORMA TION		DATE	DATE	DATE	DATE	INFORMA TION	DATE		
om damage during constr	uction.	AS BUILT INFO	ACTOR	WORK STAKED BY	INSPECTOR'S ACCEPTANCE BY	FIELD VERIFICATION BY	DRAWINGS CORRECTED BY	FILM	RECORDED BY	NO.	
		DN BENCH MARKS	C.O.A. BENCHMARK "	-40 AND EUBANK GO NORTH ON EUBANK 1.8 MILES TO MENAUL	TURN RIGHT, GO EAST 1.5 MILES TO THE STATION ON THE EAST MEDIAN	ELEVATION = 5706.537'	PLANE COORDINATES: NORTHING = 1,494,924.01	EASTING = 423,508.27			GROUND TO GRID FACTOR: 0.99963386
		SURVEY INFORMATION	FIFLD NOTES	ΒY	CLIFF SPYROCK, JR.	FROM COMMUNITY	SCIENCES CORPORATION				
			_								
		ENGINEERS SEAL			A REAL PROPERTY AND A REAL		CHRISTOPHER J CREEN	< m)	COSOSTERATION CONSTERATION		
		ENGINEERS SEAL				(S   BY   <b>6</b>		23 423 121	DATE 09/27/00	DATE 09/27/00	DATE 09/27/00
MINUR 924 Pa Albuque (505) 7	20 FEET 20 FEET ENSUS PLANNINC g / Landscape Arch rk Avenue SW erque, NM 87102 764–9801 Fax 84 cp@consensusplant	north <b>INC.</b> itecture 2–5495 ing.com				(S   BY   <b>6</b>	<u> </u>	< m)	09/27/00	09/27/00	CKED BY CG DATE
CONSENSUS	<b>ENSUS PLANNING</b> g / Landscape Arch rk Avenue SW erque, NM 87102 764–9801 Fax 84 cp@consensusplan CITY OF ALE RKS AND RECRE	INC. itecture 2–5495 ing.com SUQUERQUE ATION DEPART AY AREA ON PLA				. DATE REMARKS BY 🦨	III CHARCIDAHER	DESIGN	GNED BY BV DATE 09/27/00	DRAWN BY BV DATE 09/27/00	CKED BY CG DATE



A Remove existing handicap rampand replace per detail at right.

 $\odot$ 

### EXISTING SIDEWALK RAMP (12:1 MAX.) ELEVATION

### $\bigotimes$ CONTROL INFORMATION

n M	. /		
POINT	NORTHING	EASTING	ELEVATION
P1	1494307.84	423707.77	5724.00
P2	1494285.27	423701.01	5724.25
P3	1494263.19	423680.90	5724.50
P4	1494242.53	423664.60	5724.65
P5	1494241.61	423661.28	5724.62
P6	1494200.22	423659.88	5724.20
P7 /	1494189.79	423664.10	5724.03
P8	1494177.64	423673.27	5724.16
AA1*	1494245.98	423663.71	5724.59
AA2*	1494238.87	423659.98	5724.63
			r


\* For construction of Additive Alternate #1. See Detail 1/3 this sheet for location of points.

Ш T NOR. Ш  $\bigcirc$ Ш T  $\overline{O}$ Δ  $\triangleleft$ 


-0

S

 $\triangleleft$ 



- See sheet 4 for play equipment layout and construction notes.




## $\bigotimes$ CONTROL INFORMATION


POINT	NORTHING	EASTING	ELEVATION
P9	1494184.49	423681.78	5724.26
P10	1494181.87	423683.01	5724.33
P11	1494178.86	423684.40	5724.38
P12	1494176.17	423690.80	5724.45
P13	1494172.70	423694.79	5724.50
P14	1494167.77	423693.38	
P15	1494155.98	423701.47	
P16	1494155.76	423691.10	
P17	1494164.56	423687.56	5724.30
P18	1494164.15	423681.18	5724.22

## $\bigotimes$ CONTROL INFORMATION

POINT	NORTHING	EASTING
P19	1494160.92	423679.34
P20	1494164.50	423672.83
P21	1494165.46	423669.75
P22	1494166.34	423666.95



-	panded Metal Deck			- INFORMA TION		DATE	DATE	DATE	W INFORMATION	DATE	
110197Mini Bus Panel (1102673' Transfer Platfo3102996' Upright Assem	mbly (Aluminum) Above Deck) rm ıbly (Aluminum)			AS BUIL 7	CONTRACTOR	AKED BY	CEPTANCE BY	VERIFICATION BY DRAWINGS	NICRO-FILI	RECORDED BY	·
1         10310         5'-0" DNA Climbe           1         10375         Crow's Nest w/S           1         10442         2'-0" Access Step           1         10474         5'-0" "S" Flip Slide           1         10474         5'-0" "S" Flip Slide           1         10474         5'-0" "S" Flip Slide           1         10485         Maze Time Pane           3         10509         Panel Attachmer           1         10554         90 Deg Funnel E           1         10725         "Granite" Megard           1         10775         Piston Panel End           1         10941         Arch Climber 5'           1         10946         Tic-Tac-Toe Pan	eering Wheel o Link e I I Nt Package ridge W/Barrier ock ck closure			RKS		EUBANK 1.8 MILES TO MENAUL	STATION ON THE EAST MEDIAN	1.494.924.01			86
1150075'-0" Treescape v1126012'-6"/3'-0" Corkso115027Pagoda Roof w/l1842Talk Tubesper planEPDM Safety Su3**UF91066' bench (see sh Color: BlueNOTE:1	rew Perforated Metal			BENCH MA.	-H23	EUBANK GO NORTH	8 I	UN = 5/U6.33/ COORDINATES: NORTHING =			0 GRID FACTOR: 0.99963386
<ol> <li>Equipment shall be supplied by Continental Leisure (Chad Evert 12033 Ibex Ave. NE Albuquerque, NM 87111</li> </ol>	-				C.O.A.	TE FROM I-40	<u> </u>	ELEVATION :			GROUND TO
<ul><li>(505) 323-5849</li><li>2) Color shall be per Play Palette C</li></ul>				NOTI AMAC	DTES	DA	JR.	CORPORATION			
<ul> <li>* Accessible surface shall be po 1/2" EPDM as the wear course comply with proper fall heights and 50% blue.</li> <li>**2 benches shall be provided ir</li> </ul>	Thickness of surface shall Color shall be 50% black			JRVEY INFO	FIELD NO			SCIENCES CORPO			
included in Additive Alternate	#1.	3 1/2"±		S S		No N					
EPDM Wear Course, 1/2"		- 12" Dept	h Sand	RS SEAL			E NC	<b>)</b> 	J. GREEN	LEBERT	N
2" Shredded SBR Cushion Layer 95% Compacted Sub-Base ——	4" Concrete	<u></u>   	*	ENGINEE		N N			CHRISTOPHER		<i>I</i>
		<u></u>	N.T.S.	ENGNE		20			CHRISTOPHER		ATE 9/27/00 ATE 9/27/00
95% Compacted Sub-Base — 2 SAFETY SURFA						2 B		REMARKS IBT ( TH	DESIGN #234		DATE 9/27/00 DATE 9/27/00
95% Compacted Sub-Base — 2 SAFETY SURFA	CE DETAIL 5 0 10 5 0 10 Finning / 24 Park A Abuquerqu (505) 764-	e, NM 87102 -9801 Fax 842 @consensusplanni	north <b>INC.</b> tecture –5495 ng.com					AKKS I	DESIGN 234	ED BY BV DATE	
95% Compacted Sub-Base — SAFETY SURFA	CE DETAIL 5 0 10 5 0 10 5 0 10 CONSENSUS	SUS PLANNING, Landscape Archi Avenue SW e, NM 87102 –9801 Fax 842 o@consensusplanni CITY OF ALB S AND RECREA ONATE PL	north INC. tecture -5495 ng.com JQUERQUE TION DEPA AY AREA	RTN				NU. JUAIEJ KEMARKS I RFUISIONS	DESIGN	ED BY BV DATE	D BY CG DATE
95% Compacted Sub-Base $(2)$ SAFETY SURFA 4	CE DETAIL 5 0 10 5 0 10 5 0 10 CONSENSUS	SUS PLANNING, Landscape Archi Avenue SW e, NM 87102 –9801 Fax 842 o@consensusplanni CITY OF ALB S AND RECREA	north INC. tecture -5495 ng.com JQUERQUE TION DEPA AY AREA OUT &	RTN	Ē			NU. JUAIEJ KEMARKS I RFUISIONS	DESIGN #234	ED BY BV DATE	CHECKED BY CG DATE



. .

#### Notes:

ø


- 1. Sprinkler Heads on west side of
- tennis court to be moved out 26"
- Sprinkler Heads on south side of tennis court to be moved out 8"
   4000 psi Concrete Swale to be 2' wide from
- edge of tennis court on west side. 4. Tennis court netting to be installed on
- West & South sides of fence only.
- 5. Park Management will work on drain to clear up ponding problem on southeast corner of tennis courts.


#### <u>LEGEND</u> WATER METER

ত	FIRE HYDRANT
¥¥	WATER VALVE
о Ь	LIGHT POLE
O PP	POWER POLE
E	ELECTRIC TRANSFORME
C	IRRIGATION CONTROLLE
0	SPRINKLER HEAD
88 200	DOUBLE CLEANOUT
8	SINGLE CLEANOUT
0	MANHOLE
	CONIFEROUS TREE
	DECIDUOUS TREE
0	BOLLARD
	SIGN
	TELEPHONE RISER
	AREA DRAIN
	CURB INLET
8	AIR RELIF VALVE

	<b>2</b> 2					111	11
$\bigcirc$	e e e e e e e e e e e e e e e e e e e	5	Mz	2	Mz	$\mathbb{N}$	
		5		ry r	$\mathcal{V}$		
		$\mathcal{A}$		12	1,57		
	•	W		VU		// -	1
	Ŷ	·		\$			
				E.	55		
				ية. يحر	Mar I		
	¢			¢			
	•			(	$\sum$		
					L.		
					• 7		
			4	₿			
							-
	<b>\$</b>		¢	ı.		ę.	0
		. •		0			
			•				I
							C
			·				Ň
	<b>®</b>		•			4	E>
							BRENTWOOD HIL
			- (				$\overline{\mathfrak{O}}$

CITY OF ALBUQUERQUE PARKS AND RECREATION DEPARTMENT												
TITLE:	ONATE Ennis Area			TION								
Design Review Committee	City Engineer App	roval	Design Update	Hes. / Bay / Yr.	Na / Day / Yr.							
			last De									
City Project No.	6226.01	Zone Mo	ip No. 1-22	Sheet	of							





### Notes: tennis court to be moved out 8" And Filled with crusher fine. 4. Park Management will provide crusher fine. 5. Tennis court netting to be installed on 6. Park Management will work on drain

sm. 2.07

 $\bigcirc$ 

Ð

۲

2, 67 0

Ш

BOUL

S

Ī

 $\cap$ 

BREN.

POWER POLE ELECTRIC TRANSFORMER E IRRIGATION CONTROLLER d SPRINKLER HEAD 0 DOUBLE CLEANOUT SINGLE CLEANOUT MANHOLE ()CONIFEROUS TREE 83 DECIDUOUS TREE BOLLARD SIGN TELEPHONE RISER Π

AREA DRAIN

CURB INLET

AIR RELIF VALVE

LEGEND

W

đ

B

WATER METER

FIRE HYDRANT

WATER VALVE

LIGHT POLE

	·			
PA	CITY OF ALBUQUE RKS AND RECREATION			
TITLE:	ONATE PLAY A TRASH RECEPTACLE		PLAN	****
Design Review Committee	City Engineer Approval	rt Design Update	Ma. / Bay / Yr.	Re / Bay / Yr.

Zone Map No.

H-22

Sheet

- 1. Sprinkler Heads on west side of tennis court to be moved out 21" 2. Sprinkler Heads on south side of
- 3. Trench to be 1'-5" wide 4" deep
- West & South sides of fence only.
- to clear up ponding problem on southeast corner of tennis courts.

				Sec. 1.
Acres 6		2 . U	203 I	
	<u>.</u>			
			1.	
	1 <sub>21</sub>			

6226.01

City Project No.