IRRIGATION LEGEND for POC #1 & #2		
M WATE	ER METER, 2". INSTALLED PER COA DWG. 2362 OR 2363.	
	EXISTING IRRIGATION MAIN LINE TO REMAIN.	•
	IRRIGATION MAIN LINE, 2", 6CH 40 BELL END, 60LVENT WELD PVC. DEPTH OF BURY 6HALL BE 28".	•
	LATERAL PIPING, SCH. 40, BELL END, SOLVENT WELD PVC. DEPTH OF BURY, 18". SIZE PER PLAN.	AB
	MAIN LINE AND LATERAL SLEEVE PIPING, 2 SIZES LARGER THAN PIPE SIZE, CLASS 200, SDR-21, BELL-END, SOLVENT WELD PVC. SLEEVES ARE TO BE BORED, SAWCUT WILL NOT BE ALLOWED.	
====	24-VOLT IRRIGATION WIRE SLEEVE PIPING, 2", CLASS 200, SDR-21, BELL-END, SOLVENT WELD PVC. SLEEVES ARE TO BE BORED, SAWCUTS WILL NOT BE ALLOWED.	
\bowtie	EXISTING ISOLATION VALVES TO REMAIN.	
	FEBCO 860-U 2" REDUCED PRESSURE PRINCIPAL BACKFLOW PREVENTER AND MASTER VALVE ASSEMBLY WITH BALL VALVES, INSTALLED IN HEATED AND INSULATED ENCLOSURE AND MASTER METER INSTALLED IN VALVE BOX PER DETAIL C/4. SIZE OF RP, MASTER VALVE, AND MASTER METER SHALL BE SAME AS LINE SIZE. ENCLOSURE SHALL BE SIZED TO ACCOMMODATE SIZE OF RP AND MASTER VALVE ASSEMBLY.	
Ð	REMOTE CONTROL VALVE ASSEMBLY, RAINBIRD PEB PLASTIC BODY 24-VOLT AUTOMATIC VALVE, SIZE PER PLAN. INSTALL PER C.O.A. DRAWING NO. 2703.	
Π	SOLVENT WELD CAP, SCH. 40 PVC, LINE SIZE.	
$\textcircled{\bullet}$	1" AIR RELEASE VALVE. INSTALL PER C.O.A. DRAWING NO. 2705.	









