
## Google Maps





Imagery ©2024 Google, Imagery ©2024 Airbus, Maxar Technologies, U.S. Geological Survey, Map data ©2024 Google 20 ft





## Google Maps 5301 Gibson Blvd SE













stairs.

Google



opposite view.

Image capture: Jul 2023 @ 2024 Google



FABRIC: 96" 9 GA. G.A.W. (2" Mesh) BK CHAIN LINK FABRIC.

BRACING: 1 5/8" O.D. DQ-40 PIPE, 1.83 lbs. per foot, used for the middle rail & bottom rail.

GATES: Framework of 1 7/8" DQ-40 PIPE, 2.28 lbs. per foot. Gates braced and trussed as necessary. Same fabric as fence.

GATE POST: 4" O.D. DQ-40 PIPE, 6.56 lbs. per foot.

FITTINGS: REGULAR BRACE BAND & CARRIAGE BOLT, PRESSED STEEL RAIL-END, LINE RAIL CLAMP, PRESSED STEEL CAP, 3/16" X 3/4" TENSION BAR, REGULAR TENSION BAND & CARRIAGE BOLT.

TIE WIRE: 10 1/2" 12 GA. STEEL TIE WIRE & 6 1/2" 9 GA. STEEL TIE WIRE spaced 15" on center for line posts & 24" on center for rails.

POST FOOTING: 6" X 6" X 1/4" GALVANIZED BASE PLATE POST FOOTING.




TriWest Fence LLC 110 Denny Road Bernalillo, NM 87004 505-898-3678

3.5' SINGLE GATE, 1 7/8" DQ-40 PIPE FRAME

Drawn: 01/26/2024

File:



FABRIC: 96" 9 GA. G.A.W. (2" Mesh) BK CHAIN LINK FABRIC.

TOP RAIL: 1 5/8" O.D. DQ-40 PIPE, 1,83 lbs. per foot. Top rail 21' in length, joined with 1 5/8" SLEEVE.

LINE POST: 2 7/8" O.D. DQ-40 PIPE, 4.64 lbs. per foot. Line posts set 8' on center maximum spacing.

TERMINAL POST: 4" O.D. DQ-40 PIPE, 6.56 lbs. per foot.

BRACING: 1 5/8" O.D. DQ-40 PIPE, 1.83 lbs. per foot, used for the middle rail & bottom rail.

FITTINGS: REGULAR BRACE BAND & CARRIAGE BOLT, PRESSED STEEL RAIL-END, LINE RAIL CLAMP, PRESSED STEEL EYE-TOP, PRESSED STEEL CAP, 3/16" X 3/4" TENSION BAR, REGULAR TENSION BAND & CARRIAGE BOLT.

TIE WIRE: 10 1/2" 12 GA. STEEL TIE WIRE & 6 1/2" 9 GA. STEEL TIE WIRE spaced 15" on center for line posts & 24" on center for rails.

POST FOOTING: 6" X 6" X 1/4" GALVANIZED BASE PLATE POST FOOTING.



TriWest Fence LLC 110 Denny Road Bernalillo, NM 87004 505-898-3678

Drawn: 01/26/2024

File:

LINE OF FENCE