



- NOTES:
1. WATER HEATER. SEE SHEET P2.3, NOTE ①.
  2. PIPE TO BACK FLOW PREVENTER FOR HEATING SYSTEM MAKE UP WATER. SEE SHEET P2.3.
  3. PUMP. SEE SHEET P2.3, NOTE ③.
  4. PIPE ABOVE CEILING.
  5. SIZE PIPE HANGERS TO INCLUDE INSULATION. INSULATION TO BE CONTINUOUS AS SPECIFIED. TYPICAL.
  6. ZONE SHUT OFF VALVE. PROVIDE ACCESS.
  7. DOUBLE CHECK BACK FLOW PREVENTER - SEE NOTE ① SHEET P2.3. INSTALL AT 4'-6" A.F.F. FOR SERVICING. SUPPORT PIPING ON BOTH SIDES OF VALVE FROM BUILDING, STRUCTURE.
  8. EXPANSION TANK - SEE NOTE ① SHEET P2.3.
  9. DROP PIPE DOWN IN FURRED WALL INSIDE EXTERIOR WALL.
  10. BALANCING VALVE - SEE NOTE ① SHEET P2.2.
  11. PIPE EXPOSED AS HIGH AS POSSIBLE.
  12. BUILDING SHUT OFF VALVE AT 24" ABOVE FINISHED FLOOR.
  13. SEE SITE PLAN FOR CONTINUATION.
  14. TYPE K COPPER PIPE BELOW SLAB. INSTALL IN PVC SLEEVE, NO JOINTS BELOW SLAB. TYPICAL.
  15. PROVIDE CAPPED BALL VALVES ABOVE CEILING FOR FUTURE EXTENSION. 2" CW AND TWO 1" TEMPERED HOT WATER.
  16. REMOTE WATER CHILLER ABOVE CEILING. SUPPORT FROM ROOF STRUCTURE. PROVIDE ACCESS FOR SERVICE AND REMOVAL.
  17. PRESSURE REDUCING STATION. SEE "PRESS. REDUCING STATION DETAIL" SHEET P 4.2.
  18. PROVIDE A 2" BALL VALVE AND NIPPLE FOR FUTURE EXTENSION. INSTALL A 2"x 3/4" REDUCER AND EXTEND 3/4" CW WATER LINE TO P-6.
  19. SEE FLOOR PLAN FOR CONTINUATION.
  20. PLUGGED FOR FUTURE EXPANSION.
  21. PIPE IN FURRED WALL.
  22. PIPE IN PLUMBING WALL.
  23. SEE NOTE ① SHEET P2.1.

**RECORD DRAWING**

THIS RECORD DRAWING HAS BEEN PREPARED, IN PART, BASED UPON INFORMATION FURNISHED BY OTHERS. WHILE THE INFORMATION IS BELIEVED TO BE RELIABLE, THE DESIGN PROFESSIONAL CANNOT ASSURE ITS ACCURACY, AND THUS IS NOT RESPONSIBLE FOR THE ACCURACY OF THIS RECORD DRAWING OR ANY ERRORS OR OMISSIONS WHICH MAY HAVE BEEN INCORPORATED INTO IT AS A RESULT. THOSE RELYING ON THIS RECORD DOCUMENT ARE ADVISED TO OBTAIN INDEPENDENT VERIFICATION OF ITS ACCURACY BEFORE APPLYING IT FOR ANY PURPOSE.

APRIL 25, 2003

**Kells + Craig**

400 Gold S.W.  
Suite 880  
Albuquerque, New Mexico 87102

Architects, Inc. AIA  
(505) 243-2724

CITY OF ALBUQUERQUE  
DEPARTMENT OF SENIOR AFFAIRS  
DEPARTMENT OF FAMILY & COMMUNITY SERVICES

TITLE: **MANZANO MESA MULTI-GENERATIONAL CENTER**  
PLUMBING DIAGRAMS

Design Review Committee	City Engineer Approval	NO. / DATE / YR.	NO. / DATE / YR.

City Project No. **5751.01** Zone Map No. **L-21-Z** Sheet **P3.1**

**GIOMI ENGINEERING, INC.**  
CONSULTING ENGINEERS  
3216 Silver Ave. SE  
Albuquerque, NM 87106  
Ph. 505-268-5421 FAX 505-268-1446

SCANNED BY  
MESA REPRO

12/1/00 PLAN CHECK & DRC REVISIONS

AS BUILT INFORMATION		BENCH MARK		SURVEY INFORMATION		ENGINEERS' STAMP	
CONTRACTOR	DATE:	C.O.A. BENCHMARK "6-121"	DATE:	FIELD NOTES	NO.	NO.	NO.
WORK STAGED BY	DATE:	FROM THE INTERSECTION OF EUBANK AND STEVEN MOODY	DATE:	BY	DATE	DATE	DATE
INSPECTOR'S APPROVAL	DATE:	GO DIRECTLY EAST 292'	DATE:	STEPHEN JAMES TOLER,	11/599		
FIELD VERIFICATION BY	DATE:	ELEVATION = 5471.78'	DATE:	FROM SURVEYING			
DRAWING CORRECTED BY	DATE:	GROUND COORDINATES: NORTHING = 1,481,746.33	DATE:	CONTROL, INC.			
MICRO-FILM INFORMATION	DATE:	EASTING = 418,123.51	DATE:				
RECORDED BY	DATE:	GRID COORDINATES: NORTHING = 1,481,220.09	DATE:				
NO.		EASTING = 417,975.01					
		GROUND TO GRID FACTOR: 0.99964485					



DESIGNED BY: G.E.I. DATE: 12/1/00  
DRAWN BY: G.E.I. DATE: 12/1/00  
CHECKED BY: J.E.L. DATE: 12/1/00