

20' 0 10' 20' 40' (IN FEET)

GENERAL NOTES:

1. ALL WORK DETAILED ON THESE PLANS TO BE PERFORMED UNDER THIS CONTRACT SHALL, EXCEPT AS OTHERWISE STATED OR PROVIDED HEREIN, BE CONSTRUCTED IN ACCORDANCE WITH THE CITY OF ALBUQUERQUE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, 1986 EDITION, UPDATE NO 8.

2. THE EROSION PROTECTION SPECIFIED ON THIS PLAN IS THE MINIMUM RECOMMENDED. THE OWNER IS ENCOURAGED TO INCORPORATE EROSION RESISTANT LANDSCAPING ON AREAS WHERE EROSION MAY OCCUR SUCH AS SLOPES AND SWALES. THE OWNER IS RESPONSIBLE FOR THE INSTALLATION AND MAINTENANCE OF ALL EROSION CONTROL FEATURES NECESSARY TO PRESERVE THE DESIGN INTENT OF THE GRADING PLAN.

3. THE DRAINAGE INFRASTRUCTURE SHOWN ON THIS PLAN IS THE RESPONSIBLITY OF THE PROPERTY OWNER.

4. ALL DISTURBED AREAS OUTSIDE THE BUILDING PAD MUST BE RESEEDED OR LANDSCAPED

5. TWO (2) WORKING DAYS PRIOR TO ANY EXCAVATION, CONTRACTOR MUST CONTACT LINE LOCATING SERVICE, (260-1990) FOR LOCATION OF EXISTING UTILITIES.

6. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL EXCAVATE AND VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL OBSTRUCTIONS AND EXISTING PAVEMENT. SHOULD A CONFLICT EXIST, THE CONTRACTOR SHALL NOTIFY THE ENGINEER OR SURVEYOR SO THAT THE CONFLICT CAN BE RESOLVED WITH A MINIMUM OF DELAY.

LEGEND NEW CURB AND GUTTER & SIDEWALK EX CURB AND GUTTER & SIDEWALK PROP FIRE HYDRANT PROP WATER ---- PROPERTY LINE FLOW ARROW PROPOSED EASEMENT EX SAS MANHOLE PROP SAS MANHOLE CONSULTING ENGINEERS PROP WATER METER CITY OF ALBUQUERQUE PUBLIC WORKS DEPARTMENT PROPOSED SANITARY SEWER SERVICE (\$ 83'39'25" W) RECORD BEARING AND DISTANCES ENGINEERING DEVELOPMENT GROUP COORS PAVILLION SUBDIVISION -8" SAS -- PROPOSED SANITARY SEWER LINE LOT 4 ----SAS---- EX SANITARY SEWER LINE SITE UTILITY PLAN ----6" W---- PROPOSED WATER LINE 쁜 Mo./DAY/YR. │ Mo./DAY/YR. CITY ENGINEER APPROVAL DESIGN REVIEW COMMITTEE ----8"W---- EX WATER LINE N 00'07'27" W MEASURED BEARING AND DISTANCES

No. CITY PROJECT No.

ZONE MAP NO. C-102