

8 HANDICAP PARKING SIGN
N.T.S.



VAN PARKING SPACE 8' WIDE MIN. WITH ACCESS AISLE 8' WIDE MIN.
CAR PARKING SPACE 8' WIDE MIN. WITH ACCESS AISLE 5' WIDE MIN.

OPTION 2 - ACCESSIBLE PARKING

7 HANDICAP PARKING
N.T.S.

LIGHTING NOTES

1. SITE LIGHTING TO BE A 1000 WATT METAL HALIDE VERTICAL BURN FIXTURE
2. LOT IS REQUIRED TO HAVE AN INITAL AVERAGE OF 10 FOOTCANDLES AND THEN BE REQUIRED TO MAINTAIN A MINIMUM OF 2 FOOTCANDLES
3. LUMINAIRE FINISH TO BE BRONZE



11 LIGHT POLE DETAIL
N.T.S.



Figure 1. Mini Clear Sight Triangle



NOTE: "LANDSCAPING AND SIGNAGE WILL NOT INTERFERE WITH CLEAR SIGHT REQUIREMENTS. THEREFORE, SIGNS, WALLS, TREES, AND SHRUBBERY BETWEEN 3 AND 8 FEET TALL (AS MEASURED FROM THE GUTTER PAN) WILL NOT BE ACCEPTABLE IN THIS AREA"

9 CLEAR SITE DISTANCE TYP.
N.T.S.



12 TYP. BICYCLE RACK
N.T.S.



6 HANDICAP RAMP ISOMETRIC
N.T.S.



10 BUILDING EXIST ACCESS
N.T.S.



1 DUMPSTER ENCLOSURE
N.T.S.



2 DUMPSTER ENCLOSURE ELEVATION
N.T.S.



3 DUMPSTER ENCLOSURE SECTION
N.T.S.



4 TYPICAL BOLLARD
N.T.S.



5 TYP. BICYCLE RACK
N.T.S.

NMDMV 9651 EAGLE RANCH RD NW
EAGLE RANCH RETAIL 9631 EAGLE RANCH RD NW - ARCHITECTURAL SITE DETAILS
ALBUQUERQUE, NEW MEXICO
PROJECT #1619

REVISION DATE

STATE OF NEW MEXICO
RICHARD P. BENNETT
No. 1240
2/23/17
REGISTERED ARCHITECT

RBA ARCHITECTURE, PC
ARCHITECTURE PLANNING DESIGN
1104 Park Ave. SW
Albuquerque, NM 87102
(505)242-1997 (505)242-4450
www.rbaarch.com

DATE
2-23-2017

SHEET NUMBER
AS-1.2