

TAOS II AT THE TRAILS
OPEN SPACE CALCULATIONS

Lot	Lot Area (sf)	Bldg Pad Area (sf)	Driveway (sf)	Open Space (sf)				
				Provided	Min Required	Min Satisfied	Required	Remaining
1	4539	2205	320	2014	300	YES	2400	-386
2	4151	2205	320	1626	300	YES	2400	-774
3	4151	2205	320	1626	300	YES	2400	-774
4	4151	2205	320	1626	300	YES	2400	-774
5	4151	2205	320	1626	300	YES	2400	-774
6	4151	2205	320	1626	300	YES	2400	-774
7	4151	2205	320	1626	300	YES	2400	-774
8	4151	2205	320	1626	300	YES	2400	-774
9	4151	2205	320	1626	300	YES	2400	-774
10	4151	2205	320	1626	300	YES	2400	-774
11	7918	2550	320	5048	300	YES	2400	2648
12	6120	2550	320	3250	300	YES	2400	850
13	6120	2550	320	3250	300	YES	2400	850
14	6120	2550	320	3250	300	YES	2400	850
15	6120	2550	320	3250	300	YES	2400	850
16	6120	2550	320	3250	300	YES	2400	850
17	6120	2550	320	3250	300	YES	2400	850
18	6120	2550	320	3250	300	YES	2400	850
19	6120	2550	320	3250	300	YES	2400	850
20	8439	2550	320	5569	300	YES	2400	3169
21	5265	2625	320	2320	300	YES	2400	-80
22	4835	2660	320	1855	300	YES	2400	-545
23	5005	2783	320	1902	300	YES	2400	-498
24	5134	2905	320	1909	300	YES	2400	-491
25	5174	2975	320	1879	300	YES	2400	-521
26	5175	2800	320	2055	300	YES	2400	-345
27	5175	2800	320	2055	300	YES	2400	-345
28	5175	2800	320	2055	300	YES	2400	-345
29	5175	2800	320	2055	300	YES	2400	-345
30	5175	2800	320	2055	300	YES	2400	-345
31	5175	2800	320	2055	300	YES	2400	-345
32	5175	2800	320	2055	300	YES	2400	-345
33	5175	2800	320	2055	300	YES	2400	-345
34	5175	2800	320	2055	300	YES	2400	-345
35	5175	2800	320	2055	300	YES	2400	-345
36	5175	2800	320	2055	300	YES	2400	-345
37	5175	2800	320	2055	300	YES	2400	-345
38	5175	2800	320	2055	300	YES	2400	-345
39	6988	2800	320	3868	300	YES	2400	1468
40	5680	2550	320	2810	300	YES	2400	410
41	5015	2550	320	2145	300	YES	2400	-255
42	5013	2550	320	2143	300	YES	2400	-257
43	5010	2550	320	2140	300	YES	2400	-260
44	5008	2550	320	2138	300	YES	2400	-262
45	5005	2550	320	2135	300	YES	2400	-265
46	5002	2550	320	2132	300	YES	2400	-268
47	5000	2550	320	2130	300	YES	2400	-270
48	4997	2550	320	2127	300	YES	2400	-273
49	5643	2550	320	2773	300	YES	2400	373
50	5644	2550	320	2774	300	YES	2400	374
51	5002	2550	320	2132	300	YES	2400	-268
52	5000	2550	320	2130	300	YES	2400	-270
53	4999	2550	320	2129	300	YES	2400	-271

TAOS II AT THE TRAILS
OPEN SPACE CALCULATIONS

Lot	Lot Area (sf)	Bldg Pad Area (sf)	Driveway (sf)	Open Space (sf)				
				Provided	Min Required	Min Satisfied	Required	Remaining
54	4997	2550	320	2127	300	YES	2400	-273
55	4996	2550	320	2126	300	YES	2400	-274
56	4994	2550	320	2124	300	YES	2400	-276
57	4992	2550	320	2122	300	YES	2400	-278
58	4991	2550	320	2121	300	YES	2400	-279
59	5622	2550	320	2752	300	YES	2400	352
60	5600	2550	320	2730	300	YES	2400	330
61	4876	2550	320	2006	300	YES	2400	-394
62	4877	2550	320	2007	300	YES	2400	-393
63	4877	2550	320	2007	300	YES	2400	-393
64	4878	2550	320	2008	300	YES	2400	-392
65	4879	2550	320	2009	300	YES	2400	-391
66	4879	2550	320	2009	300	YES	2400	-391
67	4880	2550	320	2010	300	YES	2400	-390
68	4881	2550	320	2011	300	YES	2400	-389
69	4822	2475	320	2027	300	YES	2400	-373
70	4181	2160	320	1701	300	YES	2400	-699
71	4822	2460	320	2042	300	YES	2400	-358
72	4883	2550	320	2013	300	YES	2400	-387
73	4884	2550	320	2014	300	YES	2400	-386
74	4885	2550	320	2015	300	YES	2400	-385
75	4885	2550	320	2015	300	YES	2400	-385
76	4852	2550	320	1982	300	YES	2400	-418
77	4760	2550	320	1890	300	YES	2400	-510
78	4760	2550	320	1890	300	YES	2400	-510
79	4760	2550	320	1890	300	YES	2400	-510
80	4760	2550	320	1890	300	YES	2400	-510
81	4760	2550	320	1890	300	YES	2400	-510
82	4389	2100	320	1969	300	YES	2400	-431
83	4394	2100	320	1974	300	YES	2400	-426
84	4760	2550	320	1890	300	YES	2400	-510
85	4760	2550	320	1890	300	YES	2400	-510
86	4760	2550	320	1890	300	YES	2400	-510
87	4760	2550	320	1890	300	YES	2400	-510
88	4760	2550	320	1890	300	YES	2400	-510
89	4760	2550	320	1890	300	YES	2400	-510
90	4760	2550	320	1890	300	YES	2400	-510
91	4760	2550	320	1890	300	YES	2400	-510
92	4760	2550	320	1890	300	YES	2400	-510
93	5448	2550	320	2578	300	YES	2400	178
94	6752	2975	320	3457	300	YES	2400	1057
95	5175	2975	320	1880	300	YES	2400	-520
96	5175	2975	320	1880	300	YES	2400	-520
97	5175	2975	320	1880	300	YES	2400	-520
98	5175	2975	320	1880	300	YES	2400	-520
99	5175	2975	320	1880	300	YES	2400	-520
100	5175	2975	320	1880	300	YES	2400	-520
101	5175	2975	320	1880	300	YES	2400	-520
102	5173	2975	320	1878	300	YES	2400	-522
103	4588	2275	320	1993	300	YES	2400	-407
104	4692	2275	320	2097	300	YES	2400	-303
105	5175	2975	320	1880	300	YES	2400	-520
106	5175	2975	320	1880	300	YES	2400	-520

