



SITE DATA TABLE										* 1 PER 4 SEATS = PARKING REQUIRED			** 1 PER 3 SEATS = PARKING REQUIRED					
PROPOSED LEGAL DESC.	AREA (AC)	BUILDING AREA	USE	ZONING	SEAT. CAP.	PRKG. REQ.	15% BUS CREDIT	TOTAL REQ.	PRKG. PROV.	HC PRKG. REQ.	HC PRKG. PROV.	HC VAN REQ.	HC VAN PROV.	BIKE SPACE REQ.	BIKE SPACE PROV.	MIN. FAR	MAX. FAR	MAX. BLDG. HEIGHT
1-A	22.21	22,825	GARDEN CENTER	C-2	-	747	112	635	1076	20	44	5	6	34	35	0.15	0.35	PER O-1 ZONE
1-A						57	9	48										
2	1.67	12,152	RESTAURANT	C-2	375	**125	19	106	76	8	5	1	1	-	-	0.15	0.35	PER O-1 ZONE
3	0.36	3,000	BANK	C-2	-	15	3	12	17	1	2	1	1	-	-	0.15	0.35	PER O-1 ZONE
4-A	1.12	12,000	RETAIL	C-2	-	60	9	51	77	4	4	1	1	3	5	0.15	0.35	PER O-1 ZONE
5-A	2.02	11,637	RESTAURANT	C-2	344	*86	13	73	141	4	4	1	2	4	5	0.15	0.35	PER O-1 ZONE
1-C	1.61	20,000	RETAIL	C-2	-	95	14	81	73	4	4	1	2	4	5	0.15	0.35	PER O-1 ZONE
1-B	1.26	14,500	RETAIL	C-2	-	73	11	62	57	4	4	1	2	3	5	0.15	0.35	PER O-1 ZONE
TOTAL	30.25	303,699				1258	190	1068	1517	45	67	9	15	48	55			



LEGAL DESCRIPTION
 PARCELS 1, 4, AND 5 OF THE WYOMING MALL SUMMARY PLAT, BEING A PORTION OF BLOCK A, SNOW HEIGHT ADDITION

COMMON STORM DRAINAGE, PEDESTRIAN, PARKING, AND VEHICULAR ACCESS ACROSS ALL PARCELS IS GRANTED BY THIS SITE PLAN AND WILL BE GRANTED ON THE REPLAT.

- INDEX TO DRAWINGS**
- SITE PLAN FOR SUBDIVISION
 - EXISTING APPROVED SITE PLAN
 - SITE PLAN FOR BUILDING PERMIT - A
 - SITE PLAN FOR BUILDING PERMIT - B
 - LANDSCAPE PLAN - A
 - LANDSCAPE PLAN - B
 - GRADING AND DRAINAGE PLAN - A
 - GRADING AND DRAINAGE PLAN - B
 - MASTER UTILITY PLAN - A
 - MASTER UTILITY PLAN - B
 - ELEVATIONS - FURR'S
 - ELEVATIONS - PETS-MART
 - ELEVATIONS - DOLLAR TREE
 - ELEVATIONS - 12K BUILDING
 - ELEVATIONS - WAL-MART
 - ELEVATIONS - WAL-MART
 - ELEVATIONS - WAL-MART
 - ELEVATIONS - WAL-MART


PURPOSE STATEMENT:
 THE PURPOSE IS TO REDEVELOP THE SHOPPING CENTER FROM 299,160 SF OF EXISTING STORES TO 288,547 SF OF NEW STORES, DEMOLISHING THOSE STORES AND CREATING NEW STORES WITH THE EXISTING RESTAURANT, AND BANK BUILDING TO REMAIN. USES WILL BE RESTAURANT AND RETAIL.

PROJECT NUMBER: 1003747
APPLICATION NUMBER: 25DRB-01550

This plan is consistent with the specific Site Development Plan approval by the Environmental Planning Commission (EPC) dated [] and the Findings and Conditions in the Official Notification of Decision are satisfied.

DRB SITE DEVELOPMENT PLAN SIGNOFF APPROVAL:


<i>[Signature]</i> Traffic Engineer, Transportation Division	11-9-05 Date
<i>[Signature]</i> Utilities Development	11/9/05 Date
<i>[Signature]</i> Parks & Recreation Department	11/9/05 Date
<i>[Signature]</i> City Engineer	11/9/05 Date
N/A Environmental Health Department (conditional)	Date
N/A Solid Waste Management	Date
<i>[Signature]</i> DRB Chairperson, Planning Department	11/9/05 Date



ENGINEER'S SEAL	ALBUQUERQUE WAL-MART NM: 5491-00	DRAWN BY BDG
	SITE PLAN FOR SUBDIVISION	DATE 11/08/05
	TERRA WEST, LLC 8509 JEFFERSON NE ALBUQUERQUE, NEW MEXICO 87113 (505)858-3100	2292SPSB.DWG
RONALD R. BOHANNAN P.E. #7868		SHEET # 1
		JOB # 24047

1003747

WYOMING MALL

 WEINGARTEN REALTY	file no. DRB-21FCD plot scale 1" = 100'-0"	ernest ulibarri & associates architects
	date 7/11/97	
WYOMING MALL albuquerque, new mexico	project no. 9670	121 Tijeras ave. n.e. suite 2000 albuquerque new mexico 87102 505-242-1552
	sheet no. DRB-2.1	

SIGN OFF

CASE NUMBER: Z- DRB 97319
 No previous approved plan exists. This is an amendment to existing conditions.
 This plan is consistent with the specific site development plan approved by the Environmental Planning Commission (EPC) on N/A and that the findings and conditions in the Official Notification of Decision have been complied with.

SITE DEVELOPMENT PLAN AMENDMENT.



<i>Shirley Doolittle</i> Traffic Engineer, Transportation Division	8-21-97 Date
<i>John Kelly</i> Design & Development, CIP	8-12-97 Date
<i>Roger Johnson</i> Public Works, Utilities Development Division	8-12-97 Date
<i>Sharon Calogian</i> City Engineer, Engineering Division/AMATCA	8-12-97 Date
APPROVAL AND CONDITIONAL ACCEPTANCE as specified by the Development Director's Manual. <i>William L. Davis</i> City Planner, Albuquerque Planning Department	7/9/97 Date

PLN2(10706) 4/96


KEYED NOTES

1. Existing entry and curb-cut.
2. Existing parking layout and striping to remain.
3. Separate parcel, not a part of Wyoming Mall.
4. Existing overhead power line and easement.
5. Existing storage unit buildings.
6. Existing landscape island to remain.
7. New 20' landscape buffer, see Landscape Plan.
8. New low height plantings in this area.
9. New monument sign to replace existing sign tower, see sheet DRB 3.2.
10. New enlarged entry landscape area, see Landscape Plan.
11. Existing entry drive.
12. New 10' concrete walk and curb.
13. New 8' wide painted crosswalk.
14. New concrete H.C. curb ramp.
15. New 4' concrete walk and curb.
16. New landscape island, equipped w/ 14' drive side ramp.
17. Modified existing landscape island.
18. Revised parking layout.
19. New H.C. parking.
20. Existing H.C. parking to remain.
21. New concrete entry walk.
22. New monument tower, see elevations.
23. New building shell enclosure over demolished building of approximately 36,000 s.f.
24. Existing Sun Tran bus stop. (Not to be modified per Sun Tran.)
25. Existing deceleration lane to remain.
26. New landscape island, 20' diameter.
27. New landscape island, 15' diameter.
28. New concrete plaza.
29. Existing transformer to remain.
30. New meter enclosures, see elevations.
31. New 8' wide painted pedestrian walkway.
32. New wall mounted lighting to light pedestrian way.
33. Existing pedestrian entry into mall area.
34. Existing concrete walk to remain.
35. Existing masonry wall to approximately 8' high.
36. Existing grassed area to remain.
37. New 12' concrete walk and curb.
38. New Future Office Building addition of approximately 2,000 s.f.
39. New asphalt speed bump (painted).
40. New 8' wide concrete walk.

**NOTE: SITE IS ZONED C-2,
 ALL SIGNAGE MUST MEET
 THE REQUIREMENTS OF
 ZONE C-2.**




SEE ENLARGED
 PLAN SHEET DRB 2.2





C-195-SGR-DR
 CENTER ENTRY, GARDEN RIGHT, TLE RIGHT
 GROSS S.F. (EXCLUDING TLE & GARDEN CENTER) = 195,970
 GROSS SF (INCLUDING TLE BUT NOT GARDEN CENTER) = 207,585
 SF (INCLUDING GARDEN CENTER) = 230,410
 SUPERCENTER

- LEGEND**
- EXISTING CURB & GUTTER
 - BOUNDARY LINE
 - EASEMENT
 - PROPOSED EASEMENT
 - PROPOSED SCREEN WALL
 - PROPOSED RETAINING WALL
 - PROPOSED SIDEWALK
 - PROPOSED BOLLARD
 - PROPOSED TEXTURED COLORED SIDEWALK
 - PROPOSED CART CORRALS
 - ASSOCIATE PARKING AREA
 - HEAVY DUTY PAVING
 - HEAVY DUTY CONCRETE
 - BIKE RACK
 - PARKING LOT LIGHTING



LEGAL DESCRIPTION
 PARCELS 1, 4, AND 5 OF THE WYOMING MALL SUMMARY PLAT, BEING A PORTION OF BLOCK A, SNOW HEIGHT ADDITION

NOTE
 SEE SHEET 3 FOR SITE DATA KEYED NOTES



- SITE PLAN NOTES**
1. DIMENSIONS SHOWN ARE TO FACE OF CURB UNLESS NOTED OTHERWISE.
 2. NEW AND REPLACEMENT LIGHTING SHALL BE FULL CUT OFF FIXTURES (i.e. SHOE BOX) TO MINIMIZE FUGITIVE LIGHT.
 3. AVERAGE LIGHT LEVELS SHALL BE LIMITED TO 2 FOOT CANDLES WITH MAXIMUM LEVELS LIMITED TO 16 FOOT CANDLES AS MEASURED FROM 4 FEET ABOVE THE SURFACE LEVEL OF ANY POINT ON THE SITE. LUMINARIES SHALL HAVE GLARE CUT OFF ANGLES OF MAXIMUM.
 4. 20' HIGH LIGHTING POLES SHALL BE PLACED ALONG MAIN PEDESTRIAN WALKWAY AREAS AND 30' HIGH LIGHTING ELSEWHERE WITHIN THE PARKING AREA. MAX. 16' POLE HEIGHT IF WITHIN 100' OF RESIDENTIAL ZONE. FULL CUT OFF SHIELDS ON FIXTURES SO THAT NO FUGITIVE LIGHT SHALL ESCAPE BEYOND THE PROPERTY LINE. THE LIGHT FIXTURES SHALL BE FULLY SHIELDED WITH HORIZONTAL LAMPS. SEE SHEET 13 FOR LIGHT POLE BASE DETAILS.
 5. THERE SHALL BE NO BACKLIT, PLASTIC, OR VINYL AWNINGS OR ILLUMINATED PLASTIC BANDING ON SIGNAGE.
 6. BUILDING SETBACKS ARE PER APPROVED SITE PLAN WITH THE CITY OF ALBUQUERQUE
 7. EXISTING BUS ROUTE IS ON WYOMING BOULEVARD.
 8. ROOF EQUIPMENT SHALL BE BELOW PARAPET HEIGHT AND SCREENED FROM VIEW FROM THE PROPERTY LINE OF THIS SITE. ALL GROUND MOUNTED EQUIPMENT SHALL BE SCREENED BY SCREEN WALLS WITH TOP OF EQUIPMENT BELOW TOP OF SCREEN WALL.
 9. ALL WALLS WILL BE BUILT IN ACCORDANCE WITH THE WALL DESIGN REGULATIONS, SECTION 14-16-3-19 OF THE ZONE CODE.
 10. TOTAL CART CORRALS = 21 SPACES

11. A "SMART" SHOPPING CART SYSTEM WILL BE INSTALLED AROUND THE PERIMETER OF THE SITE THAT PREVENTS SHOPPING CARTS BEING EASILY REMOVED FROM THE CENTER.
12. EMPLOYEE LOCKERS AND SHOWERS FOR BICYCLE COMMUTERS SHALL BE PROVIDED AS FOLLOWS:
 - A. 34 CUSTOMER BICYCLE SPACES
 - B. 15 PERSONAL EFFECTS LOCKERS SHALL BE PROVIDED FOR EMPLOYEES
 - C. 2 SHOWERS FOR BICYCLING EMPLOYEES SHALL BE PROVIDED WITHIN THE STORE
13. REFER TO ARCH. PLANS FOR SITE LIGHTING ELECTRICAL PLAN.
14. COMMON STORM DRAINAGE, PEDESTRIAN, AND VEHICULAR ACCESS ACROSS NEW TRACTS IS GRANTED BY THIS SITE PLAN AND WILL BE GRANTED ON THE REPLAT.
15. APPROVAL OF THIS PLAN DOES NOT CONSTITUTE OR IMPLY EXEMPTION FROM WATER WASTE PROVISIONS OF THE WATER CONSERVATION LANDSCAPING AND WATER WASTE ORDINANCE WATER WASTE MANAGEMENT IS THE SOLE RESPONSIBILITY OF THE PROPERTY OWNER.
16. PROPERTY OWNER WILL BE RESPONSIBLE FOR MAINTAINING ALL OUTDOOR PUBLIC SPACES.
17. NO RV OR SEMI-TRUCK PARKING ALLOWED IN CENTER.
18. TRUCK DELIVERIES SHALL BE RESTRICTED BETWEEN THE HOURS OF 10PM TO 5AM.
19. SEE SHEET 3 FOR LIGHTING SCHEDULE.
20. TRASH RECEPTACLES WILL BE LOCATED AT THE MAIN ENTRANCES TO ALL BUILDINGS.

SITE DATA TABLE * 1 PER 4 SEATS = PARKING REQUIRED ** 1 PER 3 SEATS = PARKING REQUIRED

PROPOSED LEGAL DESC.	AREA (AC)	BUILDING AREA	USE	ZONING	SEAT. CAP.	PRKG. REQ.	15% BUS. CREDIT	TOTAL REQ.	PRKG. PROV.	HC PRKG. REQ.	HC PRKG. PROV.	HC VAN REQ.	HC VAN PROV.	BIKE SPACE REQ.	BIKE SPACE PROV.
1-A	22.21	207,585	RETAIL	C-2	-	747	112	635	1076	20	44	5	6	34	35
1-A	-	22,825	GARDEN CENTER	-	-	57	9	48	-	-	-	-	-	-	-
2	1.67	12,152	RESTAURANT	C-2	375	**125	19	106	76	8	5	1	1	-	-
3	0.36	3,000	BANK	C-2	-	15	3	12	17	1	2	1	1	-	-
4-A	1.12	12,000	RETAIL	C-2	-	60	9	51	77	4	4	1	1	3	5
5-A	2.02	11,637	RESTAURANT	C-2	344	*86	13	73	141	4	4	1	2	4	5
1-C	1.61	20,000	RETAIL	C-2	-	95	14	81	73	4	4	1	2	4	5
1-B	1.26	14,500	RETAIL	C-2	-	73	11	62	57	4	4	1	2	3	5
TOTAL	30.25	303,699				1258	190	1068	1517	45	67	9	15	48	55

- PAINT STRIPING LEGEND**
- SWSL/4" - SINGLE WHITE SOLID LINE / 4" WIDE
 - SYSL/4" - SINGLE YELLOW SOLID LINE / 4" WIDE EACH
 - DYSL/4" - DOUBLE YELLOW SOLID LINE / 4" WIDE EACH
 - SYSL/10" - SINGLE YELLOW SOLID LINE / 10" WIDE
 - SWDL/4" - SINGLE WHITE DASHED LINE / 4" WIDE
 - SWSL/24" - SINGLE WHITE SOLID LINE / 24" WIDE

PROJECT NUMBER: 1003747
APPLICATION NUMBER: 05DRB-01551

Is an Infrastructure List required? () Yes () No If Yes, then a set of approved DRP plans with a work order is required for any construction within Public Right-of-Way or for construction of public improvements.

DRB SITE DEVELOPMENT PLAN APPROVAL:

<i>Bill Day</i>	3-24-06
Traffic Engineer, Transportation Division	Date
<i>William Balak</i>	11/9/05
Water Utility Development	Date
<i>Christine Sandoval</i>	11/6/05
Parks & Recreation Department	Date
<i>Bradley D. Bynum</i>	3/20/06
City Engineer	Date
<i>N/A</i>	
* Environmental Health Department (conditional)	Date
<i>Michael Holton (adjutant)</i>	3/23/06
Solid Waste Management	Date
<i>Michael D. Nelson</i>	11/29/05
DRB Chairperson, Planning Department	Date

* Environmental Health, if necessary

ENGINEER'S SEAL

ALBUQUERQUE WAL-MART
 NM: 5491-00

SITE PLAN FOR BUILDING PERMIT - A

TERRA WEST, LLC
 8509 JEFFERSON NE
 ALBUQUERQUE, NEW MEXICO 87113
 (505)858-3100


RONALD R. BOHANNAN
 P.E. #7868

DRAWN BY: BDG
 DATE: 11/08/05


SHEET #
2

JOB #
 220092

MATCHLINE
SEE SHEET 2




PAINT STRIPING LEGEND
 SWSL/4" - SINGLE WHITE SOLID LINE / 4" WIDE
 SYSL/4" - SINGLE YELLOW SOLID LINE / 4" WIDE EACH
 DYSL/4" - DOUBLE YELLOW SOLID LINE / 4" WIDE EACH
 SYSL/10" - SINGLE YELLOW SOLID LINE / 10" WIDE
 SWDL/4" - SINGLE WHITE DASHED LINE / 4" WIDE
 SWSL/24" - SINGLE WHITE SOLID LINE / 24" WIDE




TRASH RECEPTACLE: BOWERY TRASH RECEPTACLE BY CANTER - BURY INTERNATIONAL, VANDAL RESISTANT, WROUGHT STEEL STRAP WITH PERMANENT STEEL LINER AND CAST ALUMINUM TOP COVER CASTING WITH STAINLESS STEEL CABLE, COLOR: WHITE

NOTE: PROVIDE 6 MIL VAPOR BARRIER BELOW BEDDING SAND AT ALL PAVER AREAS OVER BASE COURSE.



BENCH AND RECEPTACLE CONC. CONNECTION
NTS



TYPICAL PATIO AREA DETAIL

SITE LEGEND


- 1 6" WIDE FIRE LANE WITH 6" WIDE PAINTED TRAFFIC RED STRIPING AT 45° TYPICAL CURB TO BE PAINTED TRAFFIC RED AT THESE LOCATIONS.
- 2 "NO PARKING-FIRE LANE" PAINTED TRAFFIC YELLOW ON PAVEMENT AT 80' O.C. LETTERS TO BE A MINIMUM 2'-0" TALL
- 3 "YIELD" PAINTED YELLOW ON PAVEMENT TYPICAL.
- 4 PROVIDE (2) 4" WIDE YELLOW STRIPES @ 10' O.C. x 130' LONG CENTER ON DOCK DOORS
- 5 PAINTED DIRECTIONAL ARROW TYPICAL.
- 6 2'-0" LOADING ZONE AT ALL CURBED PARKING SPACES. 4" PAINTED YELLOW STRIPING AT 2'-0" O.C. PERPENDICULAR TO PARKING SPACE.
- 7 10' X 15' STRIPED AREA PAINTED SYSL/4" AT 45° @ 2'-0" O.C. AT JB CRANE LOCATION. SEE ARCH. PLANS
- 8 ACCESSIBLE PARKING SPACE TYPICAL. SEE DETAIL SHEET FOR ACCESSIBLE PARKING SPACE SIZE, SIGN AND SYMBOL ("VAN"-INDICATES VAN ACCESSIBLE SPACE)
- 9 RAMPED PAVEMENT AT VESTIBULE TO BE FLUSH WITH TOP OF SIDEWALK AT 5.0% MAX. SLOPE. REFER TO ARCHITECTURAL PLANS.
- 10 ROOF MOUNTED 16"x119" COMPRESSOR UNITS. REFER TO ARCHITECTURAL PLAN FOR EXACT LOCATION AND SLOPE.
- 11 4' HIGH SCREEN WALL PER ARCH. PLANS
- 12 UNIDIRECTIONAL HC RAMP.
- 13 PAINTED ISLAND TYPICAL UNLESS NOTED OTHERWISE. STRIPES SHALL BE PAINTED SYSL/4" AT 2'-0" O.C. PERPENDICULAR TO THE PARKING SPACE.
- 14 6" CONCRETE CURB AND GUTTER TYPICAL.
- 15 6" CONCRETE HEADER CURB TYPICAL.
- 16 6" WIDE SLIGHTLY RAISED CONCRETE PEDESTRIAN CROSSWALK. (SHT 8)
- 17 6" WIDE RAISED TEXTURED COLORED CONCRETE SIDEWALK TYPICAL.
- 18 6" TEXTURED COLORED CONCRETE SIDEWALK TYPICAL.
- 19 4' TEXTURED COLORED CONCRETE SIDEWALK TYPICAL.
- 20 AISLE INDICATOR SIGNS TYPICAL
- 21 "TRUCK ROUTE" SIGN. SEE PLAN FOR LOCATION.
- 22 "STOP" SIGN. SEE PLAN FOR LOCATION.
- 23 4" STRIPE AT DRIVE THROUGH PHARMACY LANE. EXTEND 54" OUT FROM EDGE OF PHARMACY CONCRETE PAD
- 24 PEDESTRIAN CROSSING SIGN W1a-2 AND W1a-2p TYPICAL AT PEDESTRIAN CROSSWALKS AS NOTED ON PLANS.
- 25 6" DIA. PIPE BOLLARD TYPICAL.
- 26 TREE PLANTER, SIZE VARIES
- 27 6'x6" TREE PLANTER TYPICAL.
- 28 (3) 5 SPACE BIKE RACK TYPICAL.
- 29 NOT USED
- 30 ZERO CURB PER ARCH. SECTIONS
- 31 PEDESTRIAN CROSSWALK WITH 4" WIDE PAINTED YELLOW STRIPING PARALLEL TO DIRECTION OF TRAFFIC AT 2'-0" O.C. UNLESS NOTED OTHERWISE. SEE SITE PLAN FOR WIDTH.
- 32 PROPOSED LIGHTING.
- 33 CART CORRALS TYPICAL.
- 34 PROPOSED HC RAMP.
- 35 SMALL CAR MARKER, "COMPACT" PAINTED YELLOW ON PAVEMENT TYPICAL.
- 36 WROUGHT IRON PARK BENCHES, TYPICAL
- 37 RETAINING WALL TYPICAL.
- 38 10' WIDE SLIGHTLY RAISED CONCRETE PEDESTRIAN CROSSWALK. (SHT 8)
- 39 TRASH BIN

LEGEND

- EXISTING CURB & GUTTER
- BOUNDARY LINE
- EASEMENT
- PROPOSED EASEMENT
- PROPOSED SCREEN WALL
- PROPOSED RETAINING WALL
- PROPOSED SIDEWALK
- PROPOSED BOLLARD
- PROPOSED PEDESTRIAN CROSSWALK
- PROPOSED CART CORRALS
- ASSOCIATE PARKING AREA
- BIKE RACK
- BIKE LOCKER

- JV400FG HUBBELL CATALOG NO.: MSVA400P-FPxxARGs
2 luminaires per location, candela file 'HP08643.IES'
1 lamp(s) per luminaire, 44000 initial lumens per lamp
Light Loss Factor = 0.750, watts per luminaire = 452
mounting height= 30 ft
number locations= 8, number luminaires= 8
kw all locations= 3.6
- CV400FG HUBBELL CATALOG NO.: MSVA400P-FPxxARGs
candela file 'HP08643.IES'
1 lamp(s) per luminaire, 44000 initial lumens per lamp
Light Loss Factor = 0.750, watts per luminaire = 452
mounting height= 30 ft
number locations= 3, number luminaires= 3
kw all locations= 1.4
- AV400FG Hubbell Catalog No.: MSVA0400H-FWxxAR
4 luminaires per location, candela file 'HP08645.IES'
1 lamp(s) per luminaire, 44000 initial lumens per lamp
Light Loss Factor = 0.750, watts per luminaire = 452
mounting height= 30 ft
number locations= 30, number luminaires= 120
kw all locations= 54.2
- BV400FG HUBBELL CATALOG NO.: MSVA400P-FWxxAR
2 luminaires per location, candela file 'HP08645.IES'
1 lamp(s) per luminaire, 44000 initial lumens per lamp
Light Loss Factor = 0.750, watts per luminaire = 452
mounting height= 30 ft
number locations= 18, number luminaires= 36
kw all locations= 16.3
- CV400FG Hubbell Catalog No.: MSVA0400H-FWxxAR
candela file 'HP08645.IES'
1 lamp(s) per luminaire, 44000 initial lumens per lamp
Light Loss Factor = 0.750, watts per luminaire = 452
mounting height= 30 ft
number locations= 1, number luminaires= 1
kw all locations= 0.5
- NKP1P1520 SPAULDING LIGHTING NK1-P15-V5-F
lamp(s): M150PS/BU/MED
candela file 'L9492NKP.ies'
1 lamp(s) per luminaire, 14000 initial lumens per lamp
Light Loss Factor = 0.750, watts per luminaire = 189
Outreach (from mounting axis to photometric center)= 17 in
mounting height= 20 ft
number locations= 23, number luminaires= 23
kw all locations= 4.3
- NK1P1516 SPAULDING LIGHTING NK1-P15-H3-F-HS
lamp(s): M150PS/U/ED28
candela file 'L9421NKP.ies'
1 lamp(s) per luminaire, 12600 initial lumens per lamp
Light Loss Factor = 0.750, watts per luminaire = 189
Outreach (from mounting axis to photometric center)= 17 in
mounting height= 16 ft
number locations= 15, number luminaires= 15
kw all locations= 2.8
- FV400FG HUBBELL CATALOG NO.: MSVA400P-FPxxAR
candela file 'HP08644.IES'
1 lamp(s) per luminaire, 44000 initial lumens per lamp
Light Loss Factor = 0.750, watts per luminaire = 452
mounting height= 30 ft
number locations= 1, number luminaires= 1
kw all locations= 0.5
- EV400FG HUBBELL CATALOG NO.: MSVA400P-FPxxAR
2 luminaires per location, candela file 'HP08644.IES'
1 lamp(s) per luminaire, 44000 initial lumens per lamp
Light Loss Factor = 0.750, watts per luminaire = 452
mounting height= 30 ft
number locations= 6, number luminaires= 12
kw all locations= 5.4

	ALBUQUERQUE WAL-MART NM: 5491-00	DRAWN BY: BDG DATE: 11/08/05 2292SPB.DWG
	SITE PLAN FOR BUILDING PERMIT - B	SHEET # 3 JOB # 220092
TIERRA WEST, LLC 8509 JEFFERSON NE ALBUQUERQUE, NEW MEXICO 87113 (505)858-3100		



LANDSCAPE LEGEND

QTY	SIZE	COMMON/BOTANICAL	H2O USE
27	2' cal	Ash	M+
		<i>Fraxinus pennsylvanica</i>	
70	2' cal	Honey Locust	M
		<i>Gleditsia triacanthos</i>	
Note: All site perimeter trees shall be 2' cal, minimum. Interior site trees shall be size as indicated in legend.			
39	6-8'	Australian Pine	M
		<i>Pinus nigra</i>	
18	6-8'	Blue Spruce	M
		<i>Picea pungens</i>	
31	10-12'	Japanese Pagoda	M
		<i>Saphora japonica</i>	
113	10-12'	Chitalpa	M
		<i>Chitalpa x tashkenensis</i>	
9	4-6'	Washington Hawthorne	M
		<i>Crataegus phoenopyrum</i>	
10	2' cal	Desert Willow	L
		<i>Chilopsis linearis</i>	
36	2' cal	Spartan Juniper (female species)	L
		<i>Juniperus chinensis "Spartan"</i>	
166	5 Gal	Wintergreen Barberry	M
		<i>Berberis julianae</i>	
118	5 Gal	India Hawthorne	M
		<i>Raphiolepis indica</i>	
175	5 Gal	Honeysuckle	M
		<i>Lonicera japonica</i>	
79	5 Gal	Dwarf Butterfly Bush	M
		<i>Buddleia davidii nanhoensis</i>	
385	5 Gal	Dwarf Feathertop	M
		<i>Pennisetum villosum</i>	
117	5 Gal	Cherry Sage	M
		<i>Salvia greggii</i>	
153	5 Gal	Rosemary	M
		<i>Rosemary officinalis</i>	
288	5 Gal	English Lavender	L
		<i>Lavandula angustifolia</i>	
95	5 Gal	Apache Plume	L
		<i>Fallugia paradoxa</i>	
		Santa Fe Brown Crusher Fines	
		Sod Lawn: Less than 20% of Provided Landscape Area	
		Commercial Grade Steel Edging	

LANDSCAPE NOTES

Owner is responsible for maintenance of Irrigation System, Landscape Plantings, and Landscape Mulch. Landscape Plant material which dies shall be replaced by the owner no later than 60 days after notification.

Landscape shall be watered by a complete underground irrigation system operated by automatic timer. Trees shall have bubblers and shrubs shall have a minimum of 2 emitters per shrub. Trees and shrubs shall be zoned separately. Point of Connection for irrigation system shall be coordinated between the Landscape Contractor and the General Contractor of the project prior to construction.

Landscape contractor shall submit an irrigation plan to the Landscape Architect, prior to construction for approval and prepared by a certified irrigation consultant or a Landscape Architect.

All landscape areas shall be covered in 2-3" of landscape gravel, fines, bark mulch or other landscape mulch and commercial grade weed barrier fabric approved by the Landscape Architect.

It is the intent of this plan to comply with the City of Albuquerque Landscape Regulations Applicable to Apartments and Nonresidential Development, Revised 6/24.

Prior to Construction, Landscape Contractor shall verify location of all Utility Lines. In case of a discrepancy between utilities indicated on plan and actual field verification, contractor shall cease work and notify Landscape Architect immediately for directions on how to proceed.

Any damage to utility lines resulting from the negligence of the abutting landowner, his agents or employees in the installation and maintenance of the landscaped area in the public right-of-way shall be the responsibility of such landowner. Any damage to utility lines resulting from the growth of plant materials which have been approved by the applicable public utility as part of a plan for landscaping on the public right-of-way, shall be the responsibility of such public utility. If a public utility disturbs a landscaped area in the public right-of-way, it shall make every reasonable effort to preserve the landscaping materials and return them to their prior locations after utility work. If, nonetheless some plant materials die, it is the obligation of the abutting landowner to replace the plant materials.


Landscaping shall be installed according to the approved plan: Installation shall be completed within 60 days of the related building's occupancy.

Landscape areas in excess of 36 square feet shall be planted so as to achieve 75% Live Ground Cover at maturity.


Approval of this plan does not constitute or imply exemption from water waste provisions of the water conservation landscaping and water waste ordinance. Water management is the sole responsibility of the property owner.

LANDSCAPE CALCULATIONS

TOTAL LOT AREA 30.42 x 43560 = (sf)	1,325,095
TOTAL BUILDING AREA (sf)	306,033
NET LOT AREA (sf)	1,019,062
LANDSCAPE REQUIREMENT (%)	.15
TOTAL LANDSCAPE REQUIRED (sf)	152,860
TOTAL SOD PROVIDED (sf) 8.3%	6865.00
TOTAL XERISCAPE PROVIDED (sf)	136385
TOTAL EXISTING LANDSCAPE TO REMAIN	19230
TOTAL LANDSCAPE PROVIDED (sf)	162480.00



NORTH



SCALE: 1" = 50'-0"

LANDSCAPE PLAN

Mitchell Associates, LLC
 Landscape Architects
 3200 Carlisle NE Suite #124
 Albuquerque, NM 87110
 (505) 830-6096
 danny@mitchellassociatesllc.com

	ALBUQUERQUE WAL-MART NM: 5491-00	DRAWN BY DDM
	LANDSCAPING PLAN - A	DATE 10/18/2005
	TIERRA WEST, LLC 8509 JEFFERSON NE ALBUQUERQUE, NEW MEXICO 87113 (505) 858-3100	2292LS-12-27-04X
DANNY D. MITCHELL R.L.A. #239		SHEET # 4
		JOB # 220092

MATCHLINE
SEE SHEET 2

LANDSCAPE LEGEND

QTY	SIZE	COMMON/BOTANICAL	H2O USE
27	2' cal	Ash	M+
		<i>Fraxinus pennsylvanica</i>	
70	2' cal	Honey Locust	M
		<i>Gleditsia triacanthos</i>	
Note: All site perimeter trees shall be 3" cal. minimum Interior site trees shall be size as indicated in legend			
39	6-8'	Austrian Pine	M
		<i>Pinus nigra</i>	
18	6-8'	Blue Spruce	M
		<i>Picea pungens</i>	
31	10-12'	Japanese Pagoda	M
		<i>Sophora japonica</i>	
113	10-12'	Chitalpa	M
		<i>Chitalpa x tashkenensis</i>	
9	4-6'	Washington Hawthorne	M
		<i>Crataegus phaeopyrum</i>	
10	2' cal	Desert Willow	L
		<i>Chilopsis linearis</i>	
36	2' cal	Spartan Juniper (female species)	L
		<i>Juniperus chinensis "Spartan"</i>	
186	5 Gal	Wintergreen Barbary	M
		<i>Berberis julianae</i>	
118	5 Gal	India Hawthorne	M
		<i>Raphiolepis indica</i>	
175	5 Gal	Honeysuckle	M
		<i>Lonicera japonica</i>	
79	5 Gal	Dwarf Butterfly Bush	M
		<i>Buddleia davidii nanhoensis</i>	
385	5 Gal	Dwarf Feathertop	M
		<i>Pennisetum villosum</i>	
117	5 Gal	Cherry Sage	M
		<i>Salvia greggii</i>	
153	5 Gal	Rosemary	M
		<i>Rosemary officinalis</i>	
288	5 Gal	English Lavender	L
		<i>Lavandula angustifolia</i>	
95	5 Gal	Apache Plume	L
		<i>Fallugia paradoxa</i>	
Santa Fe Brown Crusher Fines Sod Lawn: Less than 20% of Provided Landscape Area Commercial Grade Steel Edging			

LANDSCAPE NOTES

Owner is responsible for maintenance of Irrigation System, Landscape Plantings, and Landscape Mulch. Landscape Plant material which dies shall be replaced by the owner no later than 60 days after notification.

Landscape shall be watered by a complete underground irrigation system operated by automatic timer. Trees shall have bubblers and shrubs shall have a minimum of 2 emitters per shrub. Trees and shrubs shall be zoned separately. Point of Connection for irrigation system shall be coordinated between the Landscape Contractor and the General Contractor of the project prior to construction.

Landscape contractor shall submit an irrigation plan to the Landscape Architect, prior to construction for approval and prepared by a certified irrigation consultant or a Landscape Architect.

All landscape areas shall be covered in 2-3" of landscape gravel, fines, bark mulch or other landscape mulch and commercial grade weed barrier fabric approved by the Landscape Architect.

It is the intent of this plan to comply with the City of Albuquerque Landscape Regulations Applicable to Apartments and Nonresidential Development, Revised 6/24.


Prior to Construction, Landscape Contractor shall verify location of all Utility Lines. In case of a discrepancy between utilities indicated on plan and actual field verification, contractor shall cease work and notify Landscape Architect immediately for directions on how to proceed.

Any damage to utility lines resulting from the negligence of the abutting landowner, his agents or employees in the installation and maintenance of the landscaped area in the public right-of-way shall be the responsibility of such landowner. Any damage to utility lines resulting from the growth of plant materials which have been approved by the applicable public utility as part of a plan for landscaping on the public right-of-way, shall be the responsibility of such public utility. If a public utility disturbs a landscaped area in the public right-of-way, it shall make every reasonable effort to preserve the landscaping materials and return them to their prior locations after utility work. If, nonetheless some plant materials die, it is the obligation of the abutting landowner to replace the plant materials.

Landscaping shall be installed according to the approved plan: Installation shall be completed within 60 days of the related building's occupancy.


Landscape areas in excess of 36 square feet shall be planted so as to achieve 75% Live Ground Cover at maturity.

Approval of this plan does not constitute or imply exemption from water waste provisions of the water conservation landscaping and water waste ordinance. Water management is the sole responsibility of the property owner.




LANDSCAPE CALCULATIONS

TOTAL LOT AREA 30.42 x 43560 = (sf)	1,325,095
TOTAL BUILDING AREA (sf)	306,033
NET LOT AREA (sf)	1,019,062
LANDSCAPE REQUIREMENT (%)	.15
TOTAL LANDSCAPE REQUIRED (sf)	152,860
TOTAL SOD PROVIDED (sf) 8.3%	6865.00
TOTAL XERISCAPE PROVIDED (sf)	136385
TOTAL EXISTING LANDSCAPE TO REMAIN	19230
TOTAL LANDSCAPE PROVIDED (sf)	162480.00



NORTH






SCALE: 1" = 50'-0"


LANDSCAPE PLAN


Mitchell Associates, LLC
Landscape Architects
3200 Carlisle NE Suite #124
Albuquerque, NM 87110
(505) 830-6096
danny@mitchellassociatesllc.com

	ALBUQUERQUE WAL-MART NM: 5491-00	DRAWN BY DDM
	LANDSCAPE PLAN - B	DATE 10/18/2005
TIERRA WEST, LLC 8509 JEFFERSON NE ALBUQUERQUE, NEW MEXICO 87113 (505) 858-3100		2292LS-12-27-04X
DANNY D. MITCHELL RLA #239		SHEET # 4A
		JOB # 220092




- LEGEND**
- EXISTING CURB
 - FUTURE IMPROVEMENTS
 - EXISTING BUILDING
 - PROPOSED EXPANSION
 - PROPOSED CURB
 - BOUNDARY LINE
 - GRADE CHANGE
 - x 5257.73 PROPOSED GRADE ELEVATION
 - x 5257.18 EXISTING GRADE ELEVATION





ENGINEER'S SEAL  RONALD R. BOHANNAN P.E. #7868	ALBUQUERQUE WAL-MART NM: 5491-00	DRAWN BY BDG
	GRADING AND DRAINAGE PLAN - A	DATE 9/08/05
TIERRA WEST, LLC 8509 JEFFERSON NE ALBUQUERQUE, NEW MEXICO 87113 (505)858-3100	2292GRE-2-15-05X	SHEET # 5
JOB # 220092		

MATCH LINE SEE SHEET 6

MATCH LINE SEE SHEET 5



CAUTION:
EXISTING UTILITIES ARE NOT SHOWN.
IT SHALL BE THE SOLE RESPONSIBILITY
OF THE CONTRACTOR TO CONDUCT ALL
NECESSARY FIELD INVESTIGATIONS PRIOR
TO ANY EXCAVATION TO DETERMINE THE
ACTUAL LOCATION OF UTILITIES & OTHER
IMPROVEMENTS.



LEGEND

	EXISTING CURB
	FUTURE IMPROVEMENTS
	EXISTING BUILDING
	PROPOSED EXPANSION
	PROPOSED CURB
	BOUNDARY LINE
	GRADE CHANGE
	PROPOSED GRADE ELEVATION
	EXISTING GRADE ELEVATION

	ALBUQUERQUE WAL-MART NM: 5491-00	DRAWN BY BDG
	GRADING AND DRAINAGE PLAN - B	DATE 9/08/05
TIERRA WEST, LLC 8509 JEFFERSON NE ALBUQUERQUE, NEW MEXICO 87113 (505)858-3100	SHEET # 6	2292GRE-2-15-05X
RONALD R. BOHANNAN P.E. #7868	JOB # 220092	

Exterior Finish Schedule

EXTERIOR ROOFING Note: G.C. to submit samples of all Materials prior to Construction.

NO.	MATERIAL	PRODUCT NO. / SPECIFICATION	MANUFACTURER
R-1	STANDING SEAM MTL. ROOF	BERRIDGE "ZEE-LOCK" STANDING SEAM MTL. ROOFING SYSTEM (DEEP RED FACTORY COLOR)	BERRIDGE
R-2	CORRUGATED MTL. AWNING	24 GA. STRUCT. MTL. SHEATHING W/ KYMAR 500 (DEEP RED FACTORY COLOR)	BERRIDGE

EXTERIOR INSULATION FINISH SYSTEM (E.I.F.S.)

NO.	MATERIAL	PRODUCT NO. / SPECIFICATION	MANUFACTURER
E-1	EXTERIOR INSULATION FINISH SYSTEM	CUSTOM COLOR TO MATCH (BENJAMINE MOORE #HC-9), SANDPEBBLE FIN.	DRY-WIT
E-2	EXTERIOR INSULATION FINISH SYSTEM	CUSTOM COLOR TO MATCH (BENJAMINE MOORE #AC-42), SANDPEBBLE FIN.	DRY-WIT
E-3	EXTERIOR INSULATION FINISH SYSTEM	CUSTOM COLOR TO MATCH (BENJAMINE MOORE #HC-92), SANDPEBBLE FIN.	DRY-WIT
E-4	EXTERIOR INSULATION FINISH SYSTEM	INTRÉGAL COLOR (#356 - RED CLAY), SANDPEBBLE FIN.	DRY-WIT

PAINT/STAIN

NO.	PRODUCT NO. / SPECIFICATION	MANUFACTURER	REMARKS
EP-1	#HC-92, "WHEELING NEUTRAL" (SEMI-GLOSS)	BENJAMINE MOORE	PRIME ALL SURFACES TO RECEIVE PAINT, EXTERIOR PAINT 2 COATS
EP-2	#54, "MONTANA ACATE" (SEMI-GLOSS)	BENJAMINE MOORE	PRIME ALL SURFACES TO RECEIVE PAINT, EXTERIOR PAINT 2 COATS
EP-3	#50104 - HELMATITE (SEMI-GLOSS)	SHERWIN WILLIAMS	PRIME ALL SURFACES TO RECEIVE PAINT, EXTERIOR PAINT 2 COATS
EP-4	#HC-9, "CHESTEROWN BUFF" (SEMI-GLOSS)	BENJAMINE MOORE	PRIME ALL SURFACES TO RECEIVE PAINT, EXTERIOR PAINT 2 COATS
EP-5	#EP-530 (SEMI-TRANSPARENT STAIN)	BEHR	FOLLOW MANUF. RECOMMENDED APPLICATION PROCEDURES

WALL TILE


Note: 1. EPOXY/WHITE grout of ALL EXTERIOR Wall Tile.

NO.	MATERIAL	PRODUCT NO. / SPECIFICATION	MANUFACTURER
ET-1	CERAMIC WALL TILE	K-165 - ALMOND (6"x6") - GLOSS	DAL-TILE
ET-2	CERAMIC WALL TILE	K-111 - BLACK (6"x6") - GLOSS	DAL-TILE
ET-3	CERAMIC WALL TILE	DM12 - MUSTARD (6"x6") - GLOSS	DAL-TILE
ET-4	CERAMIC WALL TILE	ODM1 - VERMILLION (6"x6") - GLOSS	DAL-TILE
ET-5	CERAMIC WALL TILE	Q181 - COTTO (6"x6") - GLOSS	DAL-TILE
ET-6	CERAMIC WALL TILE	Q179 - BOTTLE GREEN (6"x6") - GLOSS	DAL-TILE

STONE VENEER


NO.	MATERIAL
SV-1	EXTERIOR STONE VENEER
PRODUCT NO. / SPECIFICATION	
HILL COUNTRY CHALK	
MANUFACTURER	
ELDARADO STONE	

Architecture / Development
 Parkway Plaza I
 14110 Dallas Parkway
 Suite 100
 Dallas Texas 75240
 Ph: (972) 239-8884
 Fax: (972) 239-5054



North Elevation

01
 File: P01A2-101
 scale: 1/4"=1'-0"



South Elevation

02
 File: P01A2-102
 scale: 1/4"=1'-0"


Furr's Family Buffet - Freestanding Prototype
2004 Wyoming Boulevard, NE
ALBUQUERQUE, NEW MEXICO

Project #:
041646.007

Seal:

Revisions/Addendum:

Sheet #:




1 NORTH ELEVATION
SCALE: 1/8"=1'-0"


MATERIALS LEGEND

	STUCCO, MATCH SW 6172 HARDWARE (GRAY/GREEN)
	STUCCO, MATCH SW 6053 REDDENED EARTH (REDISH/BROWN)
	STUCCO, MATCH SW 6079 DIVERSE BEIGE (BEIGE)
	ACCENT CULTURED STONE, CARMEL COUNTRY LEDGESTONE (BROWN AND BEIGE)
	12" X 12" SLATE TILE COPPER GRAY COLOR


- GENERAL BUILDING SIGNAGE NOTES**
- ALL BUILDING MOUNTED SIGNAGE SHALL BE INDIVIDUAL ILLUMINATED CHANNEL LETTERS, ACRYLIC OR LEXAN FACED OR REVERSE CHANNEL WITH CLEAR LEXAN FACE. HOUSING SHALL BE ALUMINUM OR STEEL AND MATCH THE COLOR OF LETTER OR LOGO. COLORS FOR ALL LETTERS AND LOGOS SHALL BE IN ACCORDANCE WITH TENANTS STANDARD CORPORATE IDENTIFICATION SPECIFICATIONS. SIGNS SHALL BE INTERNALLY LIT NEON OR LED.
 - BUILDING MOUNTED SIGNAGE SHALL BE AS PER THE REGULATIONS SET FORTH IN THE ZONING CODE SECTION 14-16-2-17 "C-2 COMMUNITY COMMERCIAL ZONE".
 - THERE SHALL BE NO EXPOSED CONDUITS OR RACEWAYS.
 - ALL SIGNAGE SHALL ALSO MEET THE REQUIREMENTS OF ZONING CODE SECTION 14-16-3-2 "SHOPPING CENTER REGULATIONS".




2 EAST ELEVATION
SCALE: 1/8"=1'-0"



3 WEST ELEVATION
SCALE: 1/8"=1'-0"




4 SOUTH ELEVATION
SCALE: 1/8"=1'-0"




MONUMENT SIGN - NEW (3)
SCALE: 1/4"=1'-0"


revisions 2/2/05	Job title PETSMART WYOMING BLVD NE ALBUQUERQUE, NEW MEXICO PROJECT MANAGER NICK PERAL sheet title ELEVATIONS	Job no 24031 date 1/11/05 by NAP	
de la torre architects, p.a. d/b/a 2400 loulana blvd ne building 3 suite 110 albuquerque nm 87110 / 505.883.7918			sheet- 10 of-




1 WEST ELEVATION
SCALE: 1/8"=1'-0"



2 NORTH ELEVATION
SCALE: 1/8"=1'-0"




3 SOUTH ELEVATION
SCALE: 1/8"=1'-0"




4 EAST ELEVATION
SCALE: 1/8"=1'-0"

MATERIALS LEGEND

	STUCCO, MATCH SW 6172 HARDWARE (GRAY/GREEN)
	STUCCO, MATCH SW 6053 REDDENED EARTH (REDISH/BROWN)
	STUCCO, MATCH SW 6079 DIVERSE BEIGE (BEIGE)
	ACCENT CULTURED STONE CARMEL COUNTRY LEDGESTONE (BROWN AND BEIGE)
	12" X 12" SLATE TILE COPPER GRAY COLOR



MONUMENT SIGN - REMODELED (1)
SCALE: 1/4"=1'-0"




EXISTING MONUMENT SIGN
SCALE: 1/4"=1'-0"

GENERAL BUILDING SIGNAGE NOTES


- A. ALL BUILDING MOUNTED SIGNAGE SHALL BE INDIVIDUAL ILLUMINATED CHANNEL LETTERS, ACRYLIC OR LEXAN FACED OR REVERSE CHANNEL WITH CLEAR LEXAN FACE. HOUSING SHALL BE ALUMINUM OR STEEL AND MATCH THE COLOR OF LETTER OR LOGO. COLORS FOR ALL LETTERS AND LOGOS SHALL BE IN ACCORDANCE WITH TENANTS STANDARD CORPORATE IDENTIFICATION SPECIFICATIONS. SIGNS SHALL BE INTERNALLY LIT NEON OR LED.
- B. BUILDING MOUNTED SIGNAGE SHALL BE AS PER THE REGULATIONS SET FORTH IN THE ZONING CODE SECTION 14-16-2-17 "C-2 COMMUNITY COMMERCIAL ZONE".
- C. THERE SHALL BE NO EXPOSED CONDUITS OR RACEWAYS.
- D. ALL SIGNAGE SHALL ALSO MEET THE REQUIREMENTS OF ZONING CODE SECTION 14-16-3-2 "SHOPPING CENTER REGULATIONS".

revisions 2/2/05	job title DOLLAR TREE WYOMING BLVD NE ALBUQUERQUE, NEW MEXICO PROJECT MANAGER NICK PERL sheet title ELEVATIONS	job no 24031 date 1/11/05 by NAP	sheet- 11 of-
---------------------	--	---	---------------------


de la torre architecte.p.a.l.l.a
2400 loubiana blvd ne
building 3 suite 110
albuquerque n.m 87110 / 505-883-7918




1 SOUTH ELEVATION
SCALE: 1/8"=1'-0"



3 WEST ELEVATION
SCALE: 1/8"=1'-0"



2 EAST ELEVATION
SCALE: 1/8"=1'-0"



4 NORTH ELEVATION
SCALE: 1/8"=1'-0"

MATERIALS LEGEND

	STUCCO, MATCH SW 6172 HARDWARE (GRAY/GREEN)
	STUCCO, MATCH SW 6053 REDDENED EARTH (REDISH/BROWN)
	STUCCO, MATCH SW 6079 DIVERSE BEIGE (BEIGE)
	ACCENT CULTURED STONE CAMEL COUNTRY LEDGESTONE (BROWN AND BEIGE)
	12" X 12" SLATE TILE COPPER GRAY COLOR

- GENERAL BUILDING SIGNAGE NOTES**
- ALL BUILDING MOUNTED SIGNAGE SHALL BE INDIVIDUAL ILLUMINATED CHANNEL LETTERS, ACRYLIC OR LEXAN FACED OR REVERSE CHANNEL WITH CLEAR LEXAN FACE. HOUSING SHALL BE ALUMINUM OR STEEL AND MATCH THE COLOR OF LETTER OR LOGO. COLORS FOR ALL LETTERS AND LOGOS SHALL BE IN ACCORDANCE WITH TENANTS STANDARD CORPORATE IDENTIFICATION SPECIFICATIONS. SIGNS SHALL BE INTERNALLY LIT NEON OR L.E.D.
 - BUILDING MOUNTED SIGNAGE SHALL BE AS PER THE REGULATIONS SET FORTH IN THE ZONING CODE SECTION 14-16-2-17 "C-2 COMMUNITY COMMERCIAL ZONE".
 - THERE SHALL BE NO EXPOSED CONDUITS OR RACEWAYS.
 - ALL SIGNAGE SHALL ALSO MEET THE REQUIREMENTS OF ZONING CODE SECTION 14-16-3-2 "SHOPPING CENTER REGULATIONS".

revisions 2/2/05	job title 12K PAD WYOMING BLVD NE ALBUQUERQUE, NEW MEXICO		
	PROJECT MANAGER NICK PIRKL	job no 24031	date 1/11/05
sheet title ELEVATIONS		by NAP	

de la torre architecte, p.a. aia		sheet- 12 of-
2400 louisiana blvd ne building 3 / suite 110 albuquerque nm 87110 / 505-883-7918		

KEYNOTES

- 1.01 SIGNAGE
- 2.01 CHAIN LINK FENCING WITH PLASTIC SCREENING SLATS INSTALLED VERTICALLY
- 2.01 CHAIN LINK FENCING WITH PLASTIC SCREENING SLATS INSTALLED VERTICALLY
- 2.04 ORNAMENTAL METAL FENCING
- 3.11 PRECAST CONCRETE SILL
- 3.20 4" PRECAST CONCRETE CAP
- 4.03 EXPANSION JOINT
- 4.04 CONTROL JOINT, TYP, REF STRUCTURAL
- 4.05 40" x 40" MASONRY OPENING AT TRASH COMPACTOR, AT BOTTOM OF OPENING IS 48" AFF
- 4.08 8" SPLIT FACE CMU
- 4.09 8" SMOOTH FACE CMU
- 4.15 4" x 16" QUIK BRK MASONRY UNIT
- 4.17 4" SPLIT FACE CMU
- 4.21 24" x 24" MASONRY OPENING AT GENERATOR CABLE RACEWAY, BOTTOM OF RACEWAY AT 8" AFF, REF ELEC.
- 5.09 JOB CRANE HOIST ARM AND RAILING ASSEMBLY
- 6.18 ROUGH SAWN TIMBER
- 7.01 SHEET METAL DOOR HOOD (PAINTED)
- 7.03 METAL GUTTER PAINTED
- 7.04 METAL PARAPET COPING REFINISHED
- 7.06 EXTERIOR INSULATION AND FINISH SYSTEM
- 7.07 ROOF LINE BEYOND
- 7.08 STANDING SEAM METAL ROOF
- 7.09 METAL DOWNSPOUT, PAINTED
- 7.19 SECONDARY OVERFLOW SCUPPER, LOCATE 16" FROM PRIMARY SCUPPER
- 7.23 HOOD PAINTED
- 8.01 SECTIONAL OVERHEAD DOOR TYP
- 8.02 HOLLOW METAL DOOR AND FRAME TYP PAINTED
- 8.05 ALUMINUM STOREFRONT
- 8.07 OVERHEAD COILING DOOR
- 8.09 AUTOMATIC SLIDING ENTRANCE DOORS
- 9.93 10' x 10' PAINT TEST AREA REFER SPECIFICATIONS
- 10.01 FLAGPOLE
- 10.02 FLAGPOLE CLEAT

CONSULTANTS
WAL-MART
 SUPERCENTER
 ALBUQUERQUE (EC), NM
 STORE NO. 05491
 JOB NUMBER: 96100106 PROJECT: 195

ESTIMATION FOR REUSE
 USE AN INQUIRY OR CALL AT THE OFFICE OF THE ARCHITECT FOR MORE INFORMATION. THE ARCHITECT'S OFFICE SHALL BE RESPONSIBLE FOR THE PROTECTION OF THE REUSE OF THE INFORMATION CONTAINED HEREIN. THE ARCHITECT'S OFFICE SHALL NOT BE RESPONSIBLE FOR THE PROTECTION OF THE REUSE OF THE INFORMATION CONTAINED HEREIN.

CONSULTANTS

PROJECT ARCHITECT:
 DESIGN ARCHITECT: MICHAEL D.
 DRAWN BY:
 REV. CHECKED BY DATE

FILE NAME:
 PRTO CYCLE: 072905
 DOCUMENT DATE: 8-12-05


COLOR LEGEND 0020-CS

- (P5) SAFETY YELLOW
- (P60) REDDEN EARTH SW6053
- (P61) DIVERSE BEIGE SW6079
- (P62) HARDWARE SW6172
- (P90) ROSEMARY SW6187
- (T1) LINCOLN GREEN C/T BY MONIER LIFETIME


SIGNAGE SCHEDULE

FRONT SIGNAGE	QTY	COLOR	INDIVIDUAL AREA	TOTAL AREA
WAL-MART	1	RED	190.00 SF	190.00 SF
SUPERCENTER	1	RED	39.00 SF	39.00 SF
Always	2	RED	145.64 SF	291.28 SF
Food Center	1	RED	50.42 SF	50.42 SF
Low Prices	1	RED	44.38 SF	44.38 SF
Garden Center	1	RED	56.88 SF	56.88 SF
Produce	1	RED	11.88 SF	11.88 SF
Meat	1	RED	6.84 SF	6.84 SF
Deli	1	RED	5.30 SF	5.30 SF
Bakery	1	RED	10.25 SF	10.25 SF
Optical	1	RED	10.26 SF	10.26 SF
Pharmacy	1	RED	14.56 SF	14.56 SF
1-Hour Photo	1	RED	16.50 SF	16.50 SF
We Sell For Less	1	RED	68.23 SF	68.23 SF
Tire & Lube	1	WHITE	47.71 SF	47.71 SF
Express ==>	1	WHITE	45.77 SF	45.77 SF
TOTAL FRONT SIGNAGE				909.26 SF
DRIVE-THRU PHARMACY SIGNAGE				
WAL-MART	1	BLUE	48.20 SF	48.20 SF
Pharmacy Drive-Thru	2	WHITE	14.00 SF	28.00 SF
Exit	2	BLUE	2.42 SF	4.84 SF
ENTER	2	BLUE	3.25 SF	6.50 SF
TOTAL DRIVE-THRU PHARMACY SIGNAGE				87.54 SF
AUTO CENTER SIGNAGE				
WAL-MART	1	BLUE	11.15 SF	11.15 SF
TIRE & LUBE	1	WHITE	26.25 SF	26.25 SF
EXPRESS	1	WHITE	39.71 SF	39.71 SF
Tires	2	WHITE	3.26 SF	6.52 SF
Lube Express	1	WHITE	8.98 SF	8.98 SF
TOTAL AUTO CENTER SIGNAGE				92.59 SF
TOTAL BUILDING SIGNAGE				1089.39 SF


Main "Wal-Mart" sign is made of formed aluminum letters with acrylic formed face (internally illuminated)
 All other signs are made of plastic, stud-mounted letters and are non-illuminated



1C FRONT ELEVATION
 1/8" = 1'-0" 012805 0020-001-f




1B FRONT ELEVATION
 1/8" = 1'-0" 012805 0020-001-f




1A FRONT ELEVATION
 1/8" = 1'-0" 012805 0020-001-f


Sep 15, 2005 - 5:00pm - USER: michael.q
 S:\195\Abuquerque (EC), NM\9591-00\Design Documents\Elevations\08-12-05\08-12-05 Board\00A2-1.dwg



20 SIDE ELEVATION
1"=20'-0" 032505 0020-004-1



2B SIDE ELEVATION
1"=20'-0" 032505 0020-004-1




2A SIDE ELEVATION
1"=20'-0" 032505 0020-004-1

KEYNOTES

- 1.01 SIGNAGE
- 2.01 CHAIN LINK FENCING WITH PLASTIC SCREENING SLATS INSTALLED VERTICALLY
- 2.01 CHAIN LINK FENCING WITH PLASTIC SCREENING SLATS INSTALLED VERTICALLY
- 2.04 ORNAMENTAL METAL FENCING
- 3.11 PRECAST CONCRETE SILL
- 3.20 4" PRECAST CONCRETE CAP
- 4.03 EXPANSION JOINT
- 4.04 CONTROL JOINT, TYP, REF STRUCTURAL
- 4.05 40"x40" MASONRY OPENING AT TRASH COMPACTOR, AT BOTTOM OF OPENING IS 48" AFF
- 4.08 8" SPLIT FACE CMU
- 4.09 8" SMOOTH FACE CMU
- 4.15 4"x 16" QUIK BRICK MASONRY UNIT
- 4.17 4" SPLIT FACE CMU
- 4.21 24" x 24" MASONRY OPENING AT GENERATOR CABLE RACEWAY, BOTTOM OF RACEWAY AT 8" AFF. REF ELEC.
- 5.09 JOB CRANE HOIST ARM AND RAILING ASSEMBLY
- 6.18 ROUGH SAWN TIMBER
- 7.01 SHEET METAL DOOR HOOD (PAINTED)
- 7.03 METAL GUTTER PAINTED
- 7.04 METAL PARAPET COPING PREFINISHED
- 7.06 EXTERIOR INSULATION AND FINISH SYSTEM
- 7.07 ROOF LINE BEYOND
- 7.08 STANDING SEAM METAL ROOF
- 7.09 METAL DOWNSPOUT, PAINTED
- 7.19 SECONDARY OVERFLOW SCUPPER, LOCATE 16" FROM PRIMARY SCUPPER
- 7.23 HOOD PAINTED
- 8.01 SECTIONAL OVERHEAD DOOR TYP
- 8.02 HOLLOW METAL DOOR AND FRAME TYP PAINTED
- 8.05 ALUMINUM STOREFRONT
- 8.07 OVERHEAD COILING DOOR
- 8.09 AUTOMATIC SLIDING ENTRANCE DOORS
- 9.93 10' x 10' PAINT TEST AREA REFER SPECIFICATIONS
- 10.01 FLAGPOLE
- 10.02 FLAGPOLE CLEAT

COLOR LEGEND

- | | |
|-------|--------------------------------------|
| (P5) | SAFETY YELLOW |
| (P60) | REDDEND EARTH SW6053 |
| (P61) | DIVERSE BEIGE SW6079 |
| (P62) | HARDWARE SW6172 |
| (P90) | ROSEMARY SW6187 |
| (T1) | LINCOLN GREEN C/T BY MONIER LIFETIME |



STIPULATION FOR REUSE
THIS DOCUMENT IS THE PROPERTY OF THE DESIGNER AND IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF THE DESIGNER.

CONSULTANTS

WALMART
SUPERCENTER
ALBUQUERQUE (EC), NM
STORE NO. 05491
JOB NUMBER: 36100195 PROJECT: 195

PROJECT ARCHITECT:	DESIGN ARCHITECT: MICHAEL Q.
DRAWN BY:	REV. CHECKED BY: DATE
FILE NAME:	
PROTO CYCLE:	072905
DOCUMENT DATE:	8-12-05

Sep 15, 2005 - 5:04pm - USER: michael.q. S:\V\albuquerque (EC)_Nal #391-00\Design Documents\Elevations 08-12-05\08-12-05_Bonus\08-12-05_Bonus\08-12-05.dwg

