

NOTICE TO CONTRACTORS

- 1. TWO WORKING DAYS PRIOR TO ANY EXCAVATION, CONTRACTOR MUST CONTACT LINE LOCATING SERVICE, 765-1234, FOR LOCATION OF EXISTING UTILITIES.
- 2. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL EXCAVATE AND VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL CONNECTIONS. SHOULD A CONFLICT EXIST, THE CONTRACTOR SHALL NOTIFY THE ENGINEER SO THAT THE CONFLICT CAN BE RESOLVED WITH A MINIMUM AMOUNT OF DELAY.
- 3. BACKFILL COMPACTION SHALL BE ACCORDING TO TRAFFIC/STREET
- 4. MAINTENANCE OF THESE FACILITIES SHALL BE THE RESPONSIBILITY OF THE OWNER OF THE PROPERTY SERVED.
- 5. SOURCE OF TOPO IS ALTA/ACSM LAND TITLE SURVEY OF LOT 2 HARMS INDUSTRIAL PARK PREPARED BY PRECISION SURVEYS, INC DATED JUNE, 2014.

NOTICE TO CONTRACTORS

- 1. AN EXCAVATION/CONSTRUCTION PERMIT WILL BE REQUIRED BEFORE BEGINNING ANY WORK WITHIN CITY RIGHT-OF-WAY.
- 2. ALL WORK DETAILED ON THESE PLANS TO BE PERFORMED, EXCEPT AS OTHERWISE STATED OR PROVIDED HERON, SHALL BE CONSTRUCTED IN ACCORDANCE WITH CITY OF ALBUQUERQUE INTERIM STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, 1985.
- 3. TWO WORKING DAYS PRIOR TO ANY EXCAVATION, CONTRACTOR MUST CONTACT LINE LOCATING SERVICE, 765-1234, FOR LOCATION OF EXISTING UTILITIES.
- 4. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL EXCAVATE AND VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL CONSTRUCTIONS. SHOULD A CONFLICT EXIST, THE CONTRACTOR SHALL NOTIFY THE ENGINEER SO THAT THE CONFLICT CAN BE RESOLVED WITH A MINIMUM AMOUNT OF DELAY.
- 5. BACKFILL COMPACTION SHALL BE ACCORDING TO TRAFFIC/STREET USE.
- 6. MAINTENANCE OF THESE FACILITIES SHALL BE THE RESPONSIBILITY OF THE OWNER OF THE PROPERTY SERVED.
- 7. WORK ON ARTERIAL STREETS SHALL BE PERFORMED ON A 24-HOUR BASIS.

EROSION CONTROL NOTES:


- 1. CONTRACTOR IS RESPONSIBLE FOR OBTAINING A TOPSOIL DISTURBANCE PERMIT PRIOR TO BEGINNING WORK.
- 2. CONTRACTOR IS RESPONSIBLE FOR MAINTAINING RUN-OFF ON SITE DURING CONSTRUCTION.
- 3. CONTRACTOR IS RESPONSIBLE FOR CLEANING ALL SEDIMENT THAT GETS INTO EXISTING RIGHT—OF—WAY.
- 4. REPAIR OF DAMAGED FACILITIES AND CLEANUP OF SEDIMENT ACCUMULATIONS ON ADJACENT PROPERTIES AND IN PUBLIC FACILITIES IS THE RESPONSIBILITY OF THE CONTRACTOR.
- 5. ALL EXPOSED EARTH SURFACES MUST BE PROTECTED FROM WIND AND WATER EROSION PRIOR TO FINAL ACCEPTANCE OF ANY PROJECT


KEYED NOTE:

- (A) 2 FT CURB CUT
- B 2 FT CONCRETE ALLEY GUTTER PER COA STD DWG #2415A
- (C) 6" HEADER CURB PER COA STD DWG #2415B
- D DRAINAGE SWALE
- (E) 4 FT CONCRETE RUNDOWN
- F EXISTING SIDEWALK CULVERT
- G EXISTING CURB CUT

LEGEND

	CURB & GUTTER		
	BOUNDARY LINE		
	EASEMENT		
_	BUILDING		
	RETAINING WALL		
5010	CONTOUR MAJOR		
5011	CONTOUR MINOR		
x 5048.25	SPOT ELEVATION		
	EXISTING CURB & GUTTER		
5010	EXISTING CONTOUR MAJOR		
— — — — 5011— — — — —	EXISTING CONTOUR MINOR		
x 5048.25	EXISTING SPOT ELEVATION		
	REGRADE EXISTING ASPHALT		





FM35001C0136G, FM35001C0137H


DRAINAGE:

FIRM MAP

LOTS ONE, TWO AND THREE ARE OUTLOTS INCLUDED IN THE OVERALL GRADING AND DRAINAGE PLAN AND REPORT FOR INDEPENDENCE SQUARE (COA FILE: E170076), WHICH WAS APPROVED IN APRIL OF 2016. THEY ARE LISTED IN THE REPORT AS DRAINAGE BASINS 5, 9, 11 AND 13. ALL OF BASINS 9 AND 11 WILL BE DEVELOPED WITH ONLY A PORTION OF LOTS 5 AND 13 BEING DEVELOPED FOR ACCESS AISLES. THE PROPOSED IMPERVIOUS AREAS FOR EACH LOT WILL REMAIN EQUAL TO OR BELOW WHAT WAS APPROVED IN THE ORIGINAL DRAINAGE PLAN, AS INDICATED IN THE WEIGHTED E TABLE ON THIS PLAN SHEET. THIS REDUCTION IN IMPERVIOUS AREA WILL RESULT IN A MINOR REDUCTION IN RUNOFF FOR A 100-YEAR DESIGN STORM OF 0.16 CFS. RUNOFF FROM THE IMPERVIOUS AREAS WILL BE DIRECTED TO THE WEST INTO LOT 4 WHERE THE REQUIRED FIRST FLUSH VOLUMES WILL BE CONTAINED WITHIN LANDSCAPED AREAS AND A DRAINAGE POND WITHIN ADJACENT PREVIOUSLY DEVELOPED BASINS AS OUTLINED IN THE ABOVE REFERENCED DRAINAGE REPORT.

ALL IMPROVEMENTS DOWNSTREAM OF LOTS 1, 2 AND 3 HAVE BEEN COMPLETED AND CERTIFIED WITHIN THE OVERALL PLAN AREA INCLUDING FIRST FLUSH PONDS, THE DETENTION POND AND ITS OUTFALL TO THE SOUTH PINO ARROYO. ALL RUNOFF FROM LOTS 1, 2 AND 3 FLOW WEST THROUGH LOT 4 AND THE PREVIOUSLY COMPLETED PORTION OF THE OVERALL PLAN AREA TO EXISTING OUTFALLS WITH EXISTING DRAINAGE EASEMENTS THROUGH THE ADJACENT LOTS TO OSUNA BLVD TO THE SOUTH AND TO THE SOUTH PINO ARROYO TO THE NORTH. THE DRAINAGE EASEMENTS ARE SHOWN ON THE PLAT FOR LOTS 1—4, INDEPENDENCE SQUARE, DOC # 2016047428, 2016C, PG 0060 RECORDED ON 05/25/2016.

THE TRASH ENCLOSURE SHOWN FOR LOT 1 WILL BE EQUIPPED WITH AN INLET AND DRAIN TO A GREASE INTERCEPTOR BEFORE DRAINING TO THE EXISTING SANITARY SEWER SYSTEM AS PART OF THE DEVELOPMENT OF THIS LOT. DETAILS FOR THE DRAIN AND GREASE TRAP WILL BE PROVIDED WITH THE BUILDING PERMIT PLANS FOR LOT 1.



ALL EXISTING UTILITIES SHOWN WERE OBTAINED FROM

RESPONSIBILITY OF THE CONTRACTOR TO CONDUCT ALL

INCLUDING ANY EXCAVATION, TO DETERMINE THE ACTUAL

SHALL BE COORDINATED WITH AND APPROVED BY THE

LOCATION OF UTILITIES AND OTHER IMPROVEMENTS, PRIOR

TO STARTING THE WORK. ANY CHANGES FROM THIS PLAN

RESEARCH, AS-BUILTS, SURVEYS OR INFORMATION

NECESSARY FIELD INVESTIGATIONS PRIOR TO AND

PROVIDED BY OTHERS. IT SHALL BE THE SOLE

CAUTION

ENGINEER.

Weighted E Method Zone #2 Developed Basins Treatment B Treatment C Treatment D Weighted E Volume % (acres) % (acres) % (acres) (ac-ft) (sq miles) (ac-ft) % (acres) 0.300 0.00047 0% 0.000 7% 0.020971 93% 0.279 2.051 0.051 0% 0.000 16% 0.131317 84% 0.689 0.821 0.00128 1.962 0.134
 0%
 0.000
 35%
 0.210056
 65%
 0.390

 0%
 0.000
 20%
 0.095601
 80%
 0.382
 1.774 26143.00 0.600 0.00094 0.089 13 20822.00 0.478 0.00075 0%

Equations:

Weighted E = Ea*Aa + Eb*Ab + Ec*Ac + Ed*Ad / (Total Area)

Volume = Weighted D * Total Area

Flow = Qa * Aa + Qb * Ab + Qc * Ac + Qd * Ad

ENGINEER'S SEAL	INDEPENDENCE SQUARE ALBUQUERQUE, NM	<i>DRAWN BY</i> pm
	LOT 1 AND LOT 2	<i>DATE</i> 1–16–18
	GRADING PLAN	<i>DRAWING</i> 2017093—GRB
		SHEET #
VINCENT P. CARRICA P.E. #16212	TIERRA WEST, LLC 5571 MIDWAY PARK PL NE ALBUQUERQUE, NEW MEXICO 87109 (505) 858-3100 www.tierrawestllc.com	1
		<i>JOB #</i> 2017093