

C1 SITE DEVELOPMENT PLAN
1" = 20'

| BLDG USE | SQUARE FOOTAGE |
|--------------------|------------------|
| COMMUNITY BUILDING | 984 SF |
| BUILDING I | 6417 SF |
| BUILDING II | 3086 SF |
| BUILDING III | 1168 SF |
| BUILDING IV | 9726 SF |
| TOTAL | 21,381 SF |

| PARKING REQUIRED PER APPLICANT | |
|--------------------------------|-----------------------------|
| 1 SPACE PER UNIT | 30 SPACES |
| HANDICAP SPACES | 2 SPACES |
| MOTORCYCLE SPACES | 3 SPACES |
| PARKING PROVIDED | |
| ON SITE | 24 SPACES |
| ON STREET PARKING | 9 SPACES (1/2 OF AVAILABLE) |
| HANDICAP SPACES | 2 SPACES |
| TOTAL SPACES | 33 SPACES |
| MOTORCYCLE SPACES | 3 SPACES |
| BICYCLE RACK SPACES PROVIDED | 15 SPACES |

NOTE:
ANY CHANGES TO THE SITE DEVELOPMENT PLAN, INCLUDING A CHANGE TO R-2 AND/OR C-2 PERMISSIVE USES WITH A DIFFERENT PARKING DEMAND, SHALL BE REVIEWED BY THE CITY PER STANDARD SU-1 PROCEDURES (§14-16-2-22 (A)(6)).

| OPEN SPACE | |
|---------------------------------------|-----------------|
| LUNA 21,381 SF = 717 SF/DWELLING UNIT | |
| PATIOS, PLAZAS AND PLAY AREAS | |
| 18 X 30 @ COMMUNITY BUILDING | 540 SF |
| 50 X 24 @ COMMUNITY ROOM | 784 SF |
| 46 X 40 @ CHILDRENS PLAY PLAZA | 1,840 SF |
| TOTAL | 3,164 SF |

MECHANICAL EQUIPMENT / UTILITY NOTES:

- ROOF-TOP EQUIPMENT ON THE NEW BUILDING SHALL BE SCREENED FROM THE PUBLIC RIGHT OF WAY BY PARAPET WALLS OR STRUCTURAL FEATURES. PER 14-16-3-189(C)(6). NEW ROOF-TOP EQUIPMENT ON THE HISTORIC BUILDINGS, OF A DIFFERENT TYPE OR LARGER THAN EXISTING EQUIPMENT, SHALL BE SCREENED, BUT NOT NECESSARILY WITH MATERIAL AND COLOR TO MATCH THE BUILDING.
- ALL SCREENING AND VEGETATION SURROUNDING GROUND-MOUNTED TRANSFORMERS AND UTILITY PADS SHALL ALLOW 10 FEET OF CLEARANCE IN FRONT OF THE EQUIPMENT DOOR AND 5-6 FEET OF CLEARANCE ON THE REMAINING THREE SIDES.
- TEN (10) FEET OF CLEARANCE SHALL BE MAINTAINED AROUND ELECTRIC UTILITY POLES.

LIGHTING AND SECURITY NOTES:





- ALL LIGHTING SHALL COMPLY WITH AREA LIGHTING REGULATIONS IN THE ZONING CODE.
- PROPERTY ACCESS SHALL BE LIMITED TO RESIDENTS AND THEIR GUESTS AT NIGHT, E.G. BETWEEN 10PM AND 7AM, AND THAT PEDESTRIAN AND VEHICULAR GATES SHALL BE LOCKED DURING THAT PERIOD.
- LOCKING OF ALL GATES SHALL BE WITH 'KNOX BOX' FOR FIREFIGHTER ACCESS AND RESIDENTS KEYPAD LOCKING, HARDWARE.

PROJECT DATA

- ACREAGE - 1.05 ACRES (45,924.83 SF)
- SITE IS LISTED ON THE NEW MEXICO STATE REGISTER OF CULTURAL PROPERTIES AND THE NATIONAL REGISTER OF HISTORIC PLACES. BOUNDARY INCLUDES THE LOTS ON WHICH THE LUNA LODGE ARE LOCATED.
- ZONING SU-1 FOR C-2 / R-2 FOR PERMISSIVE USES
- PROPOSED USE: AFFORDABLE APARTMENTS AND INCIDENTAL USES
- NUMBER OF DWELLING UNITS - 30 (20 - 1 BEDROOM, 10 - 2 BEDROOM)
- BEDROOMS - 40
- BATHROOMS - 30
- MAXIMUM BUILDING HEIGHT - 26 FEET
- OPEN SPACE CALCULATIONS
 - TOTAL REQUIRED - 13,000 SF
 - TOTAL PROVIDED - 25,189 SF
- FLOOR AREA RATIO (FAR) - .47
- AREA OF BUILDING FOOTPRINT - 14,890 SF

NOTE: SIGNAGE SHALL COMPLY WITH 14-16-3-5, INCLUDING REGULATIONS FOR SIGNS IN RESIDENTIAL ZONES (C) EXCEPT WHERE GENERAL SIGN REGULATIONS CONFLICT WITH HISTORIC PRESERVATION REQUIREMENTS.

APPROVED ACCESS HARDWARE



PROJECT NUMBER: 1008256
Application Number: 10 DRB-70268

This Plan is consistent with the specific Site Development Plan approved by the Environmental Planning Commission (EPC), dated 05-14-10 and the Findings and Conditions in the Official Notification of Decision are satisfied.

Is an Infrastructure List required? () Yes () No If yes, then a set of approved DRB plans with a work order is required for any construction within Public Right-of-Way or for construction of public improvements.

| DRB SITE DEVELOPMENT PLAN SIGNOFF APPROVAL: | |
|---|------------------|
| Traffic Engineering/Transportation Division | 09-30-10 Date |
| ABCWA Allan Pata | 09/15/10 Date |
| Christine Sandoral Parks and Recreation Department | 9/15/10 Date |
| Bradley L. Bingham City Engineer | 9/15/10 Date |
| N/A Environmental Health Department (conditional) | Date |
| Joe White Solid Waste Management | 8/20 Date |
| DRB Chairperson, Planning Department | 9-30-10 Date |

NewLife Homes - Luna Lodge (Ubuntu)
DRB SITE DEVELOPMENT PLAN FOR
BUILDING PERMIT


| MARK | DATE | DESCRIPTION |
|------|------|-------------|
| | | |
| | | |
| | | |
| | | |

ISSUE: DRB
PROJECT NUMBER:
FILE: AS-101
DRWN BY: CMW
CHKD BY: GS
DATE: August 6, 2010


GARRETT SMITH LTD
 DESIGN, ARCHITECTURE & DEVELOPMENT
 STAMP
 CONSULTANT

PROJECT # 1008256


AS-101




D1 LUMINAIRE BASE
AS-102 NTS




D2 LIGHTING FIXTURES
AS-102 NTS




D3 EXISTING SIGNAGE
AS-102 NTS




D4 PARKING SIGN DETAIL
AS-102 SCALE: 3/4\"/>




C5 BOLLARD DETAIL
AS-102 SCALE: 1/4\"/>




C1 SIDEWALK TURNDOWN DETAIL
AS-102 WHERE INDICATED NTS




C2 CONCRETE JOINT DETAILS
AS-102 NTS




C3 ACCESSIBILITY SYMBOL
AS-102 NTS




C4 CURB RAMP DETAIL
AS-102 NTS




B5 CHILDREN AT PLAY WARNING SIGN
AS-102 SCALE: 3/4\"/>




B1 CMU WALL SECTION @ DUMPSTER
AS-102 SCALE: 3/8\"/>




B2 PLAN @ DUMPSTER
AS-102 SCALE: 1/8\"/>




B3 HANDICAPPED PARKING AISLE DETAIL
AS-102 SCALE: 1/8\"/>




A5 HANDICAPPED PARKING SIGN DETAIL
AS-102 SCALE: 3/4\"/>



A1 WROUGHT IRON GATE
AS-102 NTS



A2 BICYCLE RACK DETAIL
AS-102 SCALE: 3/4\"/>



A3 DUMPSTER ENCLOSURE
AS-102 SCALE: 1/4\"/>

514 CENTRAL SW
ALBUQUERQUE
NEW MEXICO
8 7 1 0 2
505-766-6968
FAX 243-4508




GARRETT SMITH LTD
DESIGN, ARCHITECTURE & DEVELOPMENT

NewLife Homes - Luna Lodge (Ubuntu)
SITE DETAILS

| MARK | DATE | DESCRIPTION |
|------|------|-------------|
| | | |
| | | |
| | | |
| | | |


ISSUE: DRB
PROJECT NUMBER:
FILE: AS-102
DRWN. BY: CMW
CHKD BY: GS
DATE: August 6, 2010

AS-102



TREE PLANTING NOT TO SCALE

SHRUB PLANTING NOT TO SCALE



GENERAL NOTES:

- PVP'S ARE UNAPPROVED FOR CONTAMINATED SITES, EXCEPT FOR LAWN IRRIGATION SYSTEMS.
- DO NOT INSTALL IN FLOOD PRONE AREAS.
- DO NOT INSTALL PVP'S DEEPER THAN 2' ABOVE GROUND LEVEL. PVP'S SHALL BE 12" MIN. ABOVE EXISTING FLOOR OF ALL DOWNSTREAM SPACES AND OUTLETS.
- PATCH PVP'S FROM PREVIOUS W/ POTENTIALS MUST BE REMOVED. COVER AREAS MAY BE USED WITH PRIOR APPROVAL BY ADMINISTRATIVE AGENCIES.
- INSTALL PVP'S WITH 1/2" CLEARANCE FROM WALLS AND FLOOR.
- DO NOT TO BE USED FOR ANY OTHER PURPOSES.
- INSTALL A 1/2" DIA. 1/2" THICK CAST IRON BLOCK AT EACH CORNER OF THE VALVE BOX.
- VALVE BOX SHALL BE RELOCATED PLUMB WITH BOTTOM OF PIPES.
- CONCRETE MONUMENT SHALL BE INSTALLED AT EACH CORNER OF THE MANHOLE AND PVP AREAS. MONUMENT SHALL BE A MIN. OF 1/2" FROM FLOOR AND VALVE BOX. OPTIONAL, DEPENDING ON APPLICATION.

CONSTRUCTION NOTES:

- SEWERS LINES TO WHICH MANHOLE, NO OUTLETS ALLOWED.
- 34" SCHEDULE 40 GALVANIZED STEEL (AOKL 4" ABOVE GRADE).
- FRONT GRADE MATERIAL VARIUS REFERENCE PLANS.
- BRIDGE PRODUCTS INC. 1730 FB-18 BODY (AOKL).
- VALVE BOX W/ 1/2" DIA. DOWN COVER (AOKL AND ONS) 5' SECTION.
- STRAPS SHALL CONFORM TO SCHEDULE 40 PVC BALL VALVE.
- 34" W/ 18" DIA. MANHOLE COIL.
- 34" SCHEDULE 40 GALVANIZED STEEL.
- SCHEDULE 40 PVC 4" NPT/4".
- INSTALL VALVE GUARDRAILS PER DRAWINGS FOR STD.
- STRAPS SCHEDULE 40 PVC UNDER.
- SCHEDULE 40 PVC NPT/4" 5' MIN.
- 1" DIA. 1/2" THICK W/ 1/2" DIA. BLOCK.
- 1" DIA. 1/2" THICK W/ 1/2" DIA. BLOCK.
- GALVANIZED STEEL.

CITY OF ALBUQUERQUE

LANDSCAPE

MANHOLE VALVE W/ PVP

DWG. 3763 JAN 2011

GENERAL LANDSCAPE NOTES
LANDSCAPE DESIGN

ALL PLANTING AREAS SHALL BE TOP DRESSED WITH 7/16" BUILDLOGY BROWN ROCK MULCH, 7/8" SANTA FE BROWN ROCK MULCH, 2"-4" COBBLE MULCH, OR SIMILAR MATERIAL.

IRRIGATION SYSTEM STANDARDS OUTLINED IN THE WATER CONSERVATION LANDSCAPING AND WATER WASTE ORDINANCE SHALL BE STRICTLY ADHERED TO. A FULLY AUTOMATED IRRIGATION SYSTEM WILL BE USED TO IRRIGATE TURF AREAS AND TREE, SHRUB AND GROUNDCOVER PLANTING AREAS. THE IRRIGATION SYSTEM SHALL BE DESIGNED TO ISOLATE PLANT MATERIAL ACCORDING TO SOLAR EXPOSURE AND WILL BE SET UP BY PLANT ZONES ACCORDING TO WATER REQUIREMENTS. THE TREES WILL BE PROVIDED WITH (6) 2 GPH EMITTERS, WITH THE ABILITY TO BE EXPANDED TO ACCOMMODATE THE GROWTH OF THE TREE. SHRUBS AND GROUNDCOVERS WILL BE PROVIDED WITH (2) 1 GPH EMITTERS. TREES, SHRUBS AND GROUNDCOVERS WILL BE GROUDED ON THE SAME VALVE.

RESPONSIBILITY OF MAINTENANCE
MAINTENANCE OF ALL PLANTING AND IRRIGATION, INCLUDING THOSE WITHIN THE PUBLIC R.O.W., SHALL BE THE RESPONSIBILITY OF THE PROPERTY OWNER.

METHOD FOR COMPLYING WITH WATER CONSERVATION ORDINANCE
THE LANDSCAPE PLAN FOR LA LUNA LODGE SHALL LIMIT THE PROVISION OF MEDIUM WATER USE TURF TO A MAXIMUM OF 20 PERCENT OF THE REQUIRED LANDSCAPED AREA. THE PLANT PALETTE IS PREDOMINANTLY COMPRISED OF PLANTS WITH LOW TO MEDIUM WATER USE REQUIREMENTS, THEREBY MINIMIZING IRRIGATION NEEDS WHILE ENSURING THE VIABILITY OF THE PLANTS. AN EVAPOTRANSPIRATION MANAGEMENT CONTROLLER WILL BE INCLUDED IN THE DESIGN OF THE IRRIGATION SYSTEM TO MONITOR WEATHER CONDITIONS SO THAT THE OPTIMUM MOISTURE BALANCE IS ACHIEVED AND THE POSSIBILITY OF OVER-WATERING IS REDUCED.

STREET TREES
CENTRAL AVENUE FRONTAGE. IN ORDER TO PRESERVE THE VISIBILITY OF THE HISTORIC PROPERTY, STREET TREES SHALL BE LIMITED TO 2 LARGE SHADE TREES PLACED NEAR THE EAST AND WEST EDGES OF THE PROPERTY, AND SHRUBS BETWEEN THE BUILDINGS AND CENTRAL AVENUE SHALL BE LIMITED TO 3' HIGH AT MATURITY.

WATER HARVESTING
STORM DISCHARGE WILL BE HARVESTED ON-SITE TO REDUCE RUNOFF. CURB CUTS AND COBBLE SHALES WITH DIRECT WATER FLOW, MINIMIZING POTENTIAL FOR FLOODING AND EROSION WHILE REDUCING WATER NEEDS. PLANT MATERIALS AMENABLE TO WATER HARVESTING ARE PROVIDED IN THESE AREAS.

UTILITY CLEARANCE
THERE SHALL BE A 10' CLEARANCE OF PLANT MATERIALS IN FRONT OF GROUND-MOUNTED TRANSFORMERS AND UTILITY PADS. IN ADDITION, THERE SHALL BE A 5-6' CLEARANCE OF THE REMAINING THREE SIDES OF THESE TRANSFORMERS AND UTILITY PADS. ALL UTILITY POLES SHALL HAVE A 10' CLEARANCE OF PLANT MATERIALS.

TREE CALCULATIONS

PARKING LOT REQUIREMENTS:
TREES REQUIRED (1 FOR EVERY 10 PARKING SPACES)
TREES PROVIDED 3
11 (DECIDUOUS)

MULTI-FAMILY RESIDENTIAL REQUIREMENTS:
TREES REQUIRED
1 PER GROUND-FLOOR DWELLING UNIT 22
1 PER TWO SECOND-STORY DWELLINGS UNITS 4
TOTAL TREES REQUIRED 26


TREES PROVIDED
EXISTING TREES TO REMAIN 14
NEW TREES 21
TOTAL TREES PROVIDED 41
(50% OF THESE TREES ARE SHADE PROVIDING, PER THE ZONE CODE REQUIREMENTS)


LANDSCAPE CALCULATIONS

| | |
|--|--------------------|
| TOTAL SITE AREA: | 45622 SF (1.05 AC) |
| BUILDING AREA: | 15315 SF |
| TOTAL NET AREA: | 30307 SF |
| REQUIRED LANDSCAPE AREA (15% OF NET AREA): | 4546 SF |
| PROVIDED LANDSCAPE AREA (ON-SITE): | 10,875 SF (36%) |
| LESS USEABLE OUTDOOR AREAS: | 3,022 SF |
| TOTAL PROVIDED LANDSCAPE BEDS: | 7,853 SF |
| REQUIRED LIVE VEGETATIVE COVER (15%): | 5,406 SF |
| PROVIDED LIVE VEGETATIVE COVER (15%): | 6,026 SF |


PLANT LEGEND

| QTY. | SYMBOL | SCIENTIFIC NAME COMMON NAME | SIZE | INSTALLED SIZE MATURE SIZE | WATER USE |
|----------------------------|----------|---|---------|--|-----------|
| TREES | | | | | |
| EXISTING TREES TO REMAIN | | | | | |
| 8 | (Symbol) | ACER TARTARICUM 'GAR ANN' HOT WINGS MAPLE | 2" B&B | 8'-10' HT. X 4' SPR. 20' HT. X 20' SPR. | MED |
| 1 | (Symbol) | CHITALPA TASHKENTENSIS CHITALPA | 2" B&B | 8' HT. X 4' SPR. 30' HT. X 30' SPR. | MED |
| 5 | (Symbol) | FRAXINUS OXYCARPA 'RAYWOOD' RAYWOOD ASH | 2" B&B | 14' HT. X 6' SPR. 35' HT. X 30' SPR. | MED+ |
| 2 | (Symbol) | LAGERSTROEMIA INDICA GRAPE MYTLE | 15-GAL. | 8' HT. X 4' SPR. 15' HT. X 15' SPR. | MED+ |
| 3 | (Symbol) | FINIS NIGRA AUSTRIAN PINE | B&B | 6' MIN. HT. 35' HT. X 25' SPR. | MED |
| 2 | (Symbol) | ROBINIA PSEUDOACACIA BLACK LOCUST | 2" B&B | 14' HT. X 5' SPR. 60' HT. X 50' SPR. | MED |
| SHRUBS/GROUNDCOVERS | | | | | |
| 24 | (Symbol) | ACHILLEA AGERATIFOLIA GREEK YARROW | 1-GAL. | 2' O.C. 6' HT. X 18" SPR. | LOW |
| 21 | (Symbol) | ARTEMISIA 'POMIS CASTLE' POMIS CASTLE SAGE | 1-GAL. | 3' O.C. 3' HT. X 3' SPR. | LOW+ |
| 20 | (Symbol) | BERBERIS JULIANAE WINTERGREEN BARBERRY | 5-GAL. | 6' O.C. 5' HT. X 5' SPR. | MED |
| 14 | (Symbol) | GARYOPTERIS GLANDONENSIS BLUE MIST | 5-GAL. | 4' O.C. 3' HT. X 3' SPR. | MED |
| 14 | (Symbol) | DELOSPERMA COOPERI HARDY PURPLE ICEPLANT | 15 GAL. | 2' O.C. 6' HT. X 18" SPR. | LOW |
| 21 | (Symbol) | EPHEDRA SPECIES JOINT FIR | 5-GAL. | 5' O.C. 3' HT. X 5' SPR. | LOW |
| 23 | (Symbol) | ERICAMERIA LARICIFOLIA 'AGUIRRE' TURPENTINE BUSH | 1-GAL. | 2' O.C. 2' HT. X 2' SPR. | LOW |
| 11 | (Symbol) | GENISTA HISPANICA SPANISH BROOM | 5-GAL. | 4' O.C. 4' HT. X 4' SPR. | MED |
| 24 | (Symbol) | LAYANDULA AUGUSTIFOLIA ENGLISH LAVENDER | 1-GAL. | 4' O.C. 3' HT. X 3' SPR. | MED |
| 15 | (Symbol) | PEROVSKIA ATRIPLICIFOLIA RUSSIAN SAGE | 1-GAL. | 5' O.C. 4' HT. X 5' SPR. | MED |
| 14 | (Symbol) | POTENTILLA FRUTICOSA SHRUBBY CINQUEFOIL | 1-GAL. | 3' O.C. 3' HT. X 3' SPR. | LOW+ |
| 13 | (Symbol) | ROSMARINUS OFFICINALIS ROSEMARY | 1-GAL. | 3' O.C. 3' HT. X 3' SPR. | LOW+ |
| 15 | (Symbol) | RAPHIOLEPIS INDICA INDIA HAWTHORN | 1-GAL. | 4' O.C. 3' HT. X 4' SPR. | MED |
| 14 | (Symbol) | SALVIA GREGGII CHERRY SAGE | 1-GAL. | 3' O.C. 3' HT. X 3' SPR. | MED |
| 14 | (Symbol) | SEDUM TELEPHIUM AUTUMN JOY SEDUM | 1-GAL. | 2' O.C. 2' HT. X 2' SPR. | LOW+ |
| 14 | (Symbol) | ZINNIA GRANDIFLORA DESERT ZINNIA | 1-GAL. | 2' O.C. 8' HT. X 16" SPR. | LOW+ |
| ORNAMENTAL GRASSES | | | | | |
| 22 | (Symbol) | MULHENSBERGIA RIGENS DEER GRASS | 5-GAL. | 4' O.C. 4' HT. X 4' SPR. | MED |
| 23 | (Symbol) | PENNISETUM ALOEPECUROIDES HARDY FOUNTAIN GRASS | 5-GAL. | 3' O.C. 3' HT. X 3' SPR. | MED |
| DESERT ACCENTS | | | | | |
| 5 | (Symbol) | DASYLIRION WHEELERI BLUE SOTOL | 5-GAL. | 5' O.C. 5' HT. X 5' SPR. | LOW+ |
| 15 | (Symbol) | NOLINA TEXANA BEARGRASS | 1-GAL. | 4' O.C. 4' HT. X 4' SPR. | LOW |







E1 SOUTH ELEVATION
1/8" = 1'-0"




E3 SOUTH ELEVATION
1/8" = 1'-0"




D1 EAST ELEVATION BUILDING II
1/8" = 1'-0"



C1 WEST ELEVATION BUILDING I
1/8" = 1'-0"



B1 WEST ELEVATION BUILDING II
1/8" = 1'-0"



A1 EAST ELEVATION - BUILDING I
1/8" = 1'-0"

514 CENTRAL SW
ALBUQUERQUE
NEW MEXICO
8 7 1 0 2
505/766 6968
FAX/243 4508

GARRETT SMITH LTD
DESIGN, ARCHITECTURE & DEVELOPMENT

STAMP


CONSULTANT

NewLife Homes - Luna Lodge (Ubuntu)
EXTERIOR ELEVATIONS -
EXISTING CONSTRUCTION

| MARK | DATE | DESCRIPTION |
|------|------|-------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |


ISSUE: DRB
PROJECT NUMBER:
FILE: A-405
DRWN. BY: CMW
CHKD BY: GS
DATE: August 6, 2010

A-405




C1 BUILDING IV - NORTH EXTERIOR ELEVATION
 1/4" = 1'


NOTE:
 1. ALL EXTERIOR COLORS, FOR NEW CONSTRUCTION, SHALL MATCH HISTORIC PRECEDENTS IN PLACE.



B1 BUILDING IV - SOUTH EXTERIOR ELEVATION
 1/4" = 1'



A1 BUILDING IV - WEST EXTERIOR ELEVATION
 1/4" = 1'



A3 BUILDING IV - EAST EXTERIOR ELEVATION
 1/4" = 1'

STAMP

CONSULTANT

NewLife Homes - Luna Lodge (Ubuntu)
 EXTERIOR ELEVATIONS -
 NEW CONSTRUCTION

| MARK | DATE | DESCRIPTION |
|------|------|-------------|
| | | |
| | | |
| | | |

ISSUE: DRB
 PROJECT NUMBER:
 FILE: A-406
 DRWN. BY: CMW
 CHKD BY: GS
 DATE: August 6, 2010

A-406