## DRB CASE ACTION LOG - BLUE SHEET

This sheet <u>must</u> accompany your plat or site plan to obtain delegated signatures. Return sheet with site plan/plat once comments have been addressed.

<u>Site Plans</u>: It is the responsibility of the <u>applicant/agent/developer/owner</u> to insert the DRB approved Site Plan for Subdivision and/or Site Plan for Building Permit in <u>each</u> copy of building permit plan-sets. If the building permit then it is the responsibility of the <u>applicant/agent/developer/owner</u> to insert a copy of the signed-off, Subdivision and/or Site Plan for Building Permit in <u>each</u> copy of the building permit plan-sets.

Project# 1906865

18DRB-70062 MAJOR – SITE PLAN for BUILDING PERMIT

TIERRA WEST LLC agent(s) for ABQ COMANCHE RETAIL, LLC request(s) the above action(s) for all or a portion of Lot(s) 3, SRCC ALBUQUERQUE CARPENTERS TRAINING CENTER, zoned M-1, located east of I-25 and west of VASSAR DR NE and north of COMANCHE RD NE containing approximately 2.6023 acre(s). (G-15)

**Your request was approved on 3/4/2018	
delegation of signature(s) to the following departments - outstanding comments to be addressed as follows:	
☐ <u>Transportation</u> :	
□ ABCWUA:	
ABCWOA:	
☐ City Engineer:	
- Stey Engineer:	
☐ Parks and Recreation:	
X Planning: 9.19.18	
X Planning: 6.19.1	
□ Code Enforcement:	
PLATS:	
Planning must record this plat. Places and the	
a) Original plat and MYLAR copy for the County Clerk. b) Tax certificate from County T	
c) Recording fee (checks payable to County Or to County O	
d) Tax printout from the County Assessor.	
e) County Treasurer's signature must be obtained prior to recording of the plat with County Clerk.  Property Management's signature must be obtained prior to Planning Department's signature.	
AGIS DXF File approval required. Copy of recorded plat for Planning.	
PDF copy of the recorded plat (PLNDRS@cabq.gov).	
SITE PLANS:	
PDF copy of the approved site plan. Include all pages.	
) of the approved plans (PLNDRS@cabq.gov).	
Zipped files and files over 9 Megabytes will not get delivered via email.	