



C.O.A. STANDARD DETAIL 2405B - MAJOR LOCAL STREET SECTION
3" = 1'-0"







KEYED NOTES:

05500.02 #4 CONTINUOUS REBAR.

31200.08 FINISH GRADE.


31200.01 GRADE COMPACTED TO 95%.


03200.31 6" WIDE X 6" HIGH MIN., 8" HIGH MAX. CONCRETE HEADER CURB. SEE DETAIL D4 / AS-101.


32100.01 8" THICK AGGREGATE BASE COURSE (ABC) COMPACTED TO 95% MIN. DENSITY PER ASTM D-1557 OVER EXISTING


GRADE COMPACTED TO 95% MIN. IN LIEU OF ABC, CRUSHED RECYCLED CONCRETE MAY BE USED.











108 94th St. NW. Albuquerque, New Mexico 87121

| 100 0 Tall Ca. 1444, 7 abaquolquo, 14644 Moxico 07 12 I | | |
|---|------------|--------------|
| PROJECT ARCHITECT: | Project #: | |
| LEE GAMELSKY, AIA | Date: | 12 JUNE 2018 |
| SITE DEVELOPMENT PLAN FOR BUILDING PERMIT | | |

DRB PROJECT NO.: 1011638

SITE DETAILS

SITE DEVELOPMENT PLAN AS-101