ADMINISTRATI	VE AMENDMENT
FILE #PI	ROJECT #
· · ·	
APPROVED BY	DATE

# United supermarkets

**STORE #905** 2910 JUAN TABO N.E. ALBUQUERQUE, NM, 87711 1.4.2021 210P3273B



This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of the sign. Dimensions are approximate & may change due to construction factors or exact field conditions. Color shown are as close as printing will allow; Always follow written specifications. All rights reserved: This design has been created for you in connection with a project being planned for you by SSC Signs & Lighting. It may not be reproduced in any manner without prior consent.

## ILLUMINATED CHANNEL LETTERS

	SIGN SCHED		
OCATION	SIGN TYPE	QTY	
001	CL-FL/HL.01	1	CHANN



#### DULE

ITEM DESCRIPTION

NNEL LETTERS FRONT/HALO LIT



#### CLIENT

UNITED SUPERMARKETS STORE #905 ADDRESS

2910 Juan Tabo N.E. Albuquerque, NM, 87711

DATE 1.18.2021
DESIGNER - DAA
DRAWING NO.
213476B

REVISION

DATE

#### **APPROVAL DATE -**

**APPROVED BY -**

This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of the sign. Dimensions are approximate & may change due to construction factors or exact field conditions. Color shown areas close as printing will allow; Always follow written specifications. All rights reserved: This design has been created for you in connection with a project being planned for you by SSC Signs & Lighting. It may not be reproduced in any manner without prior consent.

PAGE 2 OF 4

WWW.SSCSIGNS.COM





66'-0" 5'-4" ىي 20'

**EXISTING ELEVATION** SCALE: NTS



#### **PROPOSED ELEVATION** SCALE: NTS

- TRIMCAP: MUSTARD 7548 RETURN: SHELL YELLOW	
- TRIMCAP: TEAL 3210 RETURN: PEPSI BLUE	
- TRIMCAP: DARK BLUE 2050 RETURN: SUNOCO BLUE	

FACE FINISH: TBD **RETURN DEPTH: 3**" TRIM CAP: 1" TRIM CREAM

.063 ALUMINUM RETURNS

1" TRIM CAP TO MATCH LOGO COLORS

FACES WITH VINYL APPLIED TO FIRST SURFACE

POLYCARBONATE BACK WITH DA SANDED FINISH FOR DIFFUSER EFFECT

WHITE LEDS

ELECTRICAL JUMP & LEADS THRU SEAL-TITE CONDUIT

1/4X20 RIVNUTS & STUD WITH SPACER PAINTED BLACK

REMOTE MOUNTED POWER SUPPLY Underwriters Laboratories Inc.



#### **SPECIFICATIONS**

**1. LOGO AND LETTERS:** FACE MATERIAL: 3/16" #2447 ACRYLIC **RETURN MATERIAL:** .040 ALUMINUM **RETURN FINISH: SEE COLOR CHART** (RETURN COLOR TO MATCH FACE) (TRIM CAP COLOR TO MATCH FACE) SPACED OFF WALL: 1-1/2" SPACER PAINTED TO MATCH SW 6113 INTERACTIVE

**BACK MATERIAL:** CLEAR POLYCARBONATE SANDED TO HAVE DIFFUSER EFFECT **ILLUMINATION: FRONT AND HALO LIT EVERYLITE 6500K PURE WHITE** 



- PAINT TO MATCH SW 6133 INTERACTIVE CREAM - AVERY 800 PUMPKIN ORANGE - 3M 3630-135 YELLOW ROSE - AVERY 800 PANTONE 321C - 3M 3630-187 INFINITY BLUE



CLIENT UNITED SUPERMARKETS STORE #905 ADDRESS

2910 Juan Tabo N.E. Albuquerque, NM, 87711

DATE 1.18.2021 **DESIGNER - DAA** DRAWING NO. 213476B

REVISION

DATE

**APPROVAL DATE -**

**APPROVED BY -**

This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of the sign. Dimensions are approximate & may change due to construction factors or exact field conditions. Color shown areas close as printing will allow; Always follow written specifications. All rights reserved This design has been created for you in connection with a project being planned for you by SSC Signs & Lighting. It may not be reproduced in any manner without prior consent.

PAGE 3 OF 4

WWW.SSCSIGNS.COM

### CLIENT, MANUFACTURING, AND INSTALLATION NOTES FOR ALL DESIGNS

#### **CLIENT NOTES:**

1) CLIENT TO PROVIDE VECTOR ARTWORK INCLUDING CORRECT FONTS.

2) CLIENT TO PROVIDE ALL COLORS FOR SIGNS WITHIN DESIGN INCLUDING RACEWAY COLORS. COLORS TO BE PROVIDED ARE TO BE IN A SHERWIN WILLIAMS OR PANTONE / PMS COLORS. CMYK COLORS ARE NOT USABLE.

3) CLIENT TO APPROVE AND INITIAL DESIGNS THEN RETURN TO SSC SIGNS & LIGHTING ONCE APPROVED.

4) CLIENT TO PROVIDE ELECTRICAL TO ALL ILLUMINATED SIGNS. ELECTRICAL TO BE WITHIN 5'-0" OF SIGNAGE PRIOR TO INSTALL DATE.

5) ALL ELECTRICAL SCOPE TO BE INSTALLED BY TENANT CONTRACTOR

#### **MANUFACTURING NOTES:**

1) IF SIGN NEEDS TO BE PERMITTED, MANUFACTURING WILL START AS SOON AS PERMITS ARE APPROVED BY CITY.

- 2) MANUFACTURING TO SUPPLY ALL NEEDED HARDWARE AND ELECTRICAL COMPONENTS NEEDED FOR INSTALLATION OF SIGN.
- 3) A MINIMUM OF 6'-0" WHIPS FROM THE BACK OF EACH CHANNEL LETTERS FOR INSTALLATION WHEN NEEDED.

#### **INSTALLATION NOTES:**

1) INSTALLER TO INSPECT SIGN UPON RECEIPT AND REPORT ANY ISSUES OR DAMAGED ITEMS. INSTALLER WILL BE HELD LIABLE FOR ANY DAMAGES OR ISSUES REPORTED AFTER DAY SIGN IS RECEIVED.

- 2) INSTALLER TO VERIFY WITH CLIENT THAT SIGN IS BEING INSTALLED IN CORRECT LOCATION.
- 3) INSTALLER TO VERIFY ALL SERVICE IS COMPLETE PRIOR TO LEAVING THE SITE FOR THAT DAY AND/OR NIGHT INCLUDING COMPLETION PHOTOS OF SIGNS INSTALLED AND ILLUMINATED.

4) INSTALLER TO CLEAN UP ALL TRASH AND DEBRIS. ALSO, CLEAN ALL SIGNS AS NEEDED INCLUDING FACES.



CLIENT

UNITED SUPERMARKETS STORE #905 ADDRESS

2910 Juan Tabo N.E. Albuquerque, NM, 87711

DATE 1.18.2021 DESIGNER - DAA DRAWING NO. 213476B

REVISION

DATE

**APPROVAL DATE -**

**APPROVED BY -**

This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code and/or other applicable local codes. Thi ncludes proper grounding and <u>bon</u>ding of the sign. Dimensions <u>are approximate & may change</u> due to construction factors or exact field conditions. Color <u>shown areas close as printing</u> will allow: Always follow written specifications. All rights reserved This design has been created for ou in connection with a project being planned for you by SSC Signs & Lighting. It may not be reproduced in any manner without prior consent.

PAGE 4 OF 4

WWW.SSCSIGNS.COM