


DATE	DESCRIPTION
02/26/21	COORDINATION SET
03/19/21	PERMIT SET
04/09/21	SITE PLAN
04/14/21	PERMIT RESPONSE
04/30/21	PERMIT RESPONSE



PROFESSIONAL IN CHARGE
MICHAEL HAAS
PROFESSIONAL ENGINEER
LICENSE NO. 28056

PROJECT MANAGER
EDWARD GOSS

QUALITY CONTROL
EDWARD GOSS

DRAWN BY
MITCH HEFFERNAN

PROJECT NAME
TEXAS
ROADHOUSE

ALBUQUERQUE
NEW MEXICO
10000 COORS BYPASS NW
ALBUQUERQUE, NM 87114



PROJECT NUMBER
20182050.0

SHEET TITLE
CONSTRUCTION
DETAILS

SHEET NUMBER

C7.2




R5-1 DO NOT ENTER
SIGN DETAIL
NOT TO SCALE



R6-2L ONE WAY (ARROW)
(LEFT) SIGN DETAIL
NOT TO SCALE



R6-2R ONE WAY (ARROW)
(RIGHT) SIGN DETAIL
NOT TO SCALE




NOTES:

1. TRAFFIC SIGN POSTS SHALL BE LOCATED 2' FROM BACK OF CURB AND SIGNS SHALL BE INSTALLED WITH A MINIMUM HEIGHT OF FIVE (5) FEET ABOVE FINISHED PAVEMENT OR GRADE ELEVATION UNLESS OTHERWISE DIRECTED BY LOCAL BUILDING CODES.
2. TRAFFIC SIGNS SHALL BE IN FURNISHED IN ACCORDANCE WITH THE LATEST U.S. DEPARTMENT OF TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES."

TRAFFIC SIGN DETAIL - GRASS AREA

NOT TO SCALE




NOTES:

1. TRAFFIC SIGN POSTS SHALL BE LOCATED 2' FROM BACK OF CURB AND SIGNS SHALL BE INSTALLED WITH A MINIMUM HEIGHT OF FIVE (5) FEET ABOVE FINISHED PAVEMENT OR GRADE ELEVATION UNLESS OTHERWISE DIRECTED BY LOCAL BUILDING CODES.
2. TRAFFIC SIGNS SHALL BE IN FURNISHED IN ACCORDANCE WITH THE LATEST U.S. DEPARTMENT OF TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES."

SIGN, POST & BOLLARD DETAIL -PAVED AREAS

NOT TO SCALE




NOTES:

1. MOTORCYCLE PARKING SIGNS SHALL BE CENTERED AT THE FRONT OF EACH PARKING STALL AND ALL ATTACHED SIGNS SHALL BE A MINIMUM HEIGHT OF FIVE (5) FEET ABOVE FINISHED PAVEMENT OR GRADE ELEVATION UNLESS OTHERWISE DIRECTED BY LOCAL BUILDING CODES.


MOTORCYCLE PARKING SIGN DETAIL

NOT TO SCALE



TAPPING SLEEVE, VALVE &
VALVE VAULT DETAIL

SCALE: NONE




NOTES:

1. SERVICE PIPE TO BE WEAVED IN TRENCH TO ALLOW AT LEAST ONE (1) FOOT EXTRA LENGTH
2. UPON COMPLETION OF WATER SERVICE CONSTRUCTION ALL BOXES ARE TO BE FULLY EXTENDED AND LEFT PROTRUDING ABOVE THE PROPOSED GRADE.
3. GRANULAR BACKFILL TO BE PLACED UNDER PAVEMENT AS SPECIFIED.
4. JET ALL TRENCHES.

WATER SERVICE DETAIL

SCALE: NONE




BIKE RACK DETAIL

NOT TO SCALE

NOTES:

1. THE BIKE RACK IS 36.625" IN HEIGHT WHICH EXCEEDS THE 30" HEIGHT MINIMUM.
2. THE BIKE RACK IS 19.25" WIDE WHICH EXCEEDS THE 18" MINIMUM.
3. THE BIKE RACK IS SUPPORTED HORIZONTALLY IN TWO PLACES.
4. THE BIKE RACK SUPPORTS BICYCLES IN AN UPRIGHT POSITION.
5. THE BIKE RACK ALLOWS VARYING BICYCLE FRAME SIZES AND STYLES TO BE ATTACHED.
6. THE USER IS NOT REQUIRED TO LIFT THE BICYCLE TO LOCK IT TO THE RACK.
7. EACH BICYCLE PARKING SPACE IS ACCESSIBLE WITHOUT MOVING ANOTHER BICYCLE.
8. THE BIKE RACK WILL BE ANCHORED TO A CONCRETE PAD.



DETAIL - 1' WIDE DEPRESSED CURB

NOT TO SCALE