## Notification of the Public via Written Statement of Findings

- \* FEMA regulations and procedures for *E.O.* 11988 must incorporate the development and issuance of a written statement of findings and public explanation which includes the following items as articulated in E.O. 11988:
- 1. A description of why the proposed action must be located in the floodplain.
- 2. A description of all significant facts considered in making the determination, including alternative sites and actions.
- 3. A statement indicating whether the actions conform to applicable State or local floodplain protection standards.

Section 2(a)(4) of E.O. 11988 requires the same public notice procedures as E.O. 11514 for actions in the floodplain even though impacts are not significant enough to require the public review required for preparation of an environmental impact statement (EIS).

Reference Document: Guidelines for Implementing Executive Order 11988, Floodplain Management, Establishing a Federal Flood Risk Management Standard and a Process for Further Soliciting and Considering Stakeholder Input, October 8, 2015, Federal Emergency Management Agency. <a href="https://www.fema.gov/media-library-data/1444319451483-f7096df2da6db2adfb37a1595a9a5d36/FINAL-Implementing-Guidelines-for-EO11988-13690\_08Oct15\_508.pdf">https://www.fema.gov/media-library-data/1444319451483-f7096df2da6db2adfb37a1595a9a5d36/FINAL-Implementing-Guidelines-for-EO11988-13690\_08Oct15\_508.pdf</a>

I respectfully ask City Staff to consider these issues and regulations per IDO 1-8(B) in their assessment of appropriateness of the possible issuance of a building permit for Project PR 2019-002184, 4909 Juan Tabo Blvd. NE.

Sincerely,

Janie McGuigan

B.A., M.C.R.P. (Masters in City and Regional Planning)
Member of the Oso Grande Neighborhood Association

4924 Purcell Dr. NE Albuquerque, NM 87111

Jane Mi Housen

janiemc07@gmail.com

505-918-1884

Attachment: Oso Grande FEMA National Flood Hazard Layer Map