



**Development Facilitation Team (DFT) – Review Comments**

---

**Reviewer: David G. Gutierrez, P.E. | Phone: 505-289-3381 | [dggutierrez@abcwua.org](mailto:dggutierrez@abcwua.org)**

---

**DRB Project No: PR-2020-003484 Date: 06/28/2023 Agenda Item: #9 Zone Atlas Page: E-10**

**Legal Description: Lots 2 & 3 Block 12 unit 3, Volcano Cliffs SUBD**

**Location: Mojave St NW between Unser Blvd and Tesuque Dr.**

**Application For: SD-2023-00048 – PRELIMINARY PLAT (DHO)**

---

1. No objection

DEVELOPMENT HEARING OFFICER

TRANSPORTATION DEVELOPMENT

DRB Project Number: 2020-003484  
6341 Mojave

AGENDA ITEM NO: 9

SUBJECT: Preliminary Plat

ENGINEERING COMMENTS:

1. All comments have been addressed. No objection.

. If new or revised information is submitted, additional comments may be provided by Transportation Development.

FROM: Ernest Armijo, P.E.  
Transportation Development  
505-924-3991 or [earmijo@cabq.gov](mailto:earmijo@cabq.gov)

DATE: June 28, 2023

---

ACTION:

APPROVED \_\_; DENIED \_\_; DEFERRED \_\_; COMMENTS PROVIDED \_\_; WITHDRAWN \_\_

DELEGATED: \_\_\_\_\_ TO: (TRANS) (HYD) (WUA) (PRKS) (CE) (PLNG)

**DEVELOPMENT FACILITATIVE TEAM - HYDROLOGY SECTION**  
 Renée Brissette, PE, Senior Engineer | 505-924-3995 [rbrissette@cabq.gov](mailto:rbrissette@cabq.gov)

---

DRB Project Number: 2020-003484 Hearing Date: **06-28-2023**  
 Project: Mojave Ridge Subdivision Agenda Item No: **9**

|   |   |   |  |
|---|---|---|--|
| <input type="checkbox"/> Sketch Plat            | <input type="checkbox"/> Minor Preliminary / Final Plat | <input checked="" type="checkbox"/> Preliminary Plat  | <input type="checkbox"/> Final Plat                      |
| <input type="checkbox"/> Temp Sidewalk Deferral | <input type="checkbox"/> Sidewalk Waiver/Variance       | <input type="checkbox"/> Site Plan for Bldg. Permit<br><input type="checkbox"/> Site Plan for Subdivision | <input type="checkbox"/> Bulk Land Plat                  |
| <input type="checkbox"/> SIA Extension          | <input type="checkbox"/> DPM Variance                   | <input type="checkbox"/> Vacation of Public Easement  | <input type="checkbox"/> Vacation of Public Right of Way |

**ENGINEERING COMMENTS:**

- Hydrology has an approved Revised Grading & Drainage Plans (E10D024) with engineer's stamp date of 05/15/23.
- Hydrology needs approvals from National Parks and Open Space.

**RESOLUTION/COMMENTS:**

Water:

Code Enforcement:

Parks:

Transportation:

Planning:

APPROVED  
 DENIED

DELEGATED TO:  TRANS  HYD  WUA  PRKS  PLNG  
 Delegated For: \_\_\_\_\_  
 SIGNED:  I.L.  SPSD  SPBP  FINAL PLAT  
 DEFERRED TO \_\_\_\_\_

# DEVELOPMENT HEARING OFFICER

## Code Enforcement Comments

*Disclaimer: Comments provided are based upon information received from applicant/agent. If new or revised information is submitted, additional comments may be provided by Planning staff.*

Jeff Palmer-Code Enforcement Supervisor  
Planning Department  
[jppalmer@cabq.gov](mailto:jppalmer@cabq.gov)

**DATE:** 6/28/2023

**AGENDA ITEM NO:** 9

**DHO PROJECT NUMBER:**

**PR-2020-003484**

**SD-2023-00048 – PRELIMINARY PLAT**

SKETCH PLAT 1-11-23 (DFT)

IDO - 2021

**PROJECT NAME:**

**THE GROUP | RON HENSLEY** agent for **NAFEESA PASHTOON** requests the aforementioned action(s) for all or a portion of: **LOTS 2 & 3 BLOCK 12 UNIT 3, VOLCANO CLIFFS SUBD** zoned **R1-D** located on **MOJAVE ST NW between UNSER BLVD and TESUQUE DR** containing approximately **4.25** acre(s). (E-10) [Deferred from 4/12/23, 4/26/23b, 5/10/23b, 5/24/23b, 6/14/23]

**PROPERTY OWNERS:** PASHTOON NAFEESA

**REQUEST:** CREATE 19 LOTS FROM EXISTING TRACTS

**COMMENTS:**

1. Property is located within 330 feet of a Major Public Open Space, and it appears to meet the buffer requirements for the proposed development as per IDO 5-2(J)(2)(a)(1). However, since the IDO indicates these buffers must be approved by the Open Space Superintendent, Code Enforcement would like to confirm Parks is in agreement with this determination. These required landscape buffer areas should be clearly marked and noted on the plat, as discussed in 5/10/23 Hearing.
2. CE has no further comments or objections.



## Development Hearing Officer Planning - Case Comments

**Meeting Date:** 6/28/23 -- **DHO AGENDA ITEM #9**

**Project Number:** PR-2020-003484

**Application Number:** SD-2032-00048

**Project Name:** 6341 Mojave St NW

**Request:**

*Preliminary Plat for 19 residential lots.*

---

*\*These are preliminary Planning comments. Additional reviews and/or revised comments may be needed for any modifications and/or supplemental submittals.*

**Items in red need to be addressed for the application to move forward.**


**COMMENTS:**

Planning recommends deferral of this application to first be processed as an 'extraordinary facility' per the IDO.

**1. Items that Need to be Completed or Corrected:**

- **Updated 6.28.23:** Planning staff, Open Space Staff, NPS Staff, the agent and the applicant did a field visit on 6.15.23. It was clarified in the field visit that the connection to the sewer line could be a small disturbance if a 6-8 feet wide trench extending 6-8 feet into PNM. The only visible part would be a manhole and there are two similar manholes in the corridor. The other change reviewed was if the drainage pond were to overflow into the PNM land, then it would be a sheet of water rather than an outflow. This seemed to be more acceptable to NPS and City Open Space.
- **Processes required for approval by the National Park Service and City Open Space remain undefined.** A new issue was raised when Parks and Recreation identified that the Facility Plan for Major Public Open Space defines infrastructure, even if not visible on the ground, as an 'Extraordinary Facility.' (see excerpt below) **Under this interpretation, the subdivision technically must wait for approval by the Open Space Advisory Board and the Environmental Planning Commission.**

*\*(See additional comments on next page)*



The IDO outlines the process for approving an extraordinary facility (see below):

*\*(See additional comments on next page)*

2-5(F)(3)(b) **Sub-zone B: Major Public Open Space**

1. Uses and development standards specified in a Resource Management Plan or Master Plan approved or amended by the Open Space Division of the City Parks and Recreation Department for each facility or in the Rank 2 Major Public Open Space Facility Plan prevail over IDO standards and may be reflected in Site Plans approved pursuant to this IDO.
2. For facilities without a Resource Management Plan or Master Plan, allowable uses other than those specified in Table 4-2-1 or the Major Public Open Space Facility Plan may be approved pursuant to Subsection 14-16-6-6(J) (Site Plan – EPC).
3. Any facility that is not an Extraordinary Facility pursuant to the Rank 2 Major Public Open Space Facility Plan or renovations of a facility previously approved as an Extraordinary Facility shall be reviewed and decided pursuant to Subsection 14-16-6-5(G)(1)(f)13 (Site Plan – Administrative).
4. Otherwise, any Extraordinary Facility shall be reviewed and decided pursuant to Subsection 14-16-6-6(J) (Site Plan – EPC).

- Updated 6.14.23: ~~Planning recommends a deferral of the application to June 28<sup>th</sup> pending an on-site meeting requested by the National Park Service (NPS) and City Open Space to determine future construction impacts resulting from this subdivision. Based on information gleaned in this meeting, the NPS will determine the federal approval process they sense is warranted.~~ The applicant has provided a new plat that moves the scour wall 6 feet into the private parcel. This should allow scour wall construction that does not affect the National Monument. However, the issue of connecting the subdivision sewer line to the sewer line in the Boca Negra Arroyo has not been discussed and there is a lack of the agreement between the applicant and NPS/City Open Space. The NPS had asked for general construction documents to show details of trenching, etc. and the applicant did not provide that information. The NPS has requested an on-site meeting to give clarity to the construction needs and to determine the federal approval process that would be warranted.

As of 5.9.23: The applicant and staff of the NPS, City Open Space, City Planning and the City Engineer met circa 4.21.23. Both the NPS and COA Open Space clearly explained a private party would need to ask permission for a scour wall, a sewer connection, and/or an outflow from a drainage pond to the Boca Negra Arroyo drainage area.

*\*(See additional comments on next page)*

In the resubmittal, the applicant reworked the scour wall so that is on the private property side of the property line with the Arroyo. The applicant has not provided any documentation of having requested permission from the NPS or COA Open Space regarding the location of that scour wall, the connection to the sewer, and the outflow from the drainage pond to the Arroyo. Planning staff cannot recommend proceeding with the review and approval of this subdivision because of the IDO indicates that outside agencies have review rights and federal law must be followed. **See the following IDO provisions:**

**1-8(D)** If any regulation in this IDO conflicts with other applicable laws or regulations of the City, or conflicts with applicable State or federal law, the more restrictive provision shall prevail, unless the provisions of State or federal law, as interpreted by the courts, prevent that result.

**6-4(J) REFERRALS TO COMMENTING AGENCIES**

Following a determination that the application is complete, the Planning Director, ZEO, or any City staff designated to review applications in Table 6-1-1 shall refer applications for comment to the following departments or agencies, as noted below. Any comments received within 15 calendar days after such a referral shall be considered with the application materials in any further review and decision-making procedures.

**6-4(J)(1) General**

City departments or agencies or other governmental or quasi-governmental agencies whose services, properties, facilities, interests, or operations may be affected.

**6-4(J)(6) Development within 660 feet of the Petroglyph National Monument**

**6-4(J)(6)(a)** National Park Service.

**6-4(J)(6)(b)** Open Space Division of the City Parks and Recreation Department.

- **Updated 6.26.23** The Infrastructure list 'Notes/Drainage' needs to add the word "Standard" in front of "specification ."
- **Updated 5.9.23:** Landscaping is to follow Standard Specification 1013 and is noted on the Infrastructure List.  
~~Tract A: Is there a landscaping Plan for Tract A? Any Landscape Plans must be sealed and signed by a Landscape Architect licensed in the State of New Mexico.~~  
**Updated 6.23.23** Change the maintenance note of Tract A (pond) to be the Homeowner's Association, not just 'owner'; city maintenance is not provided for Tract A. The landscape buffer in the northwest corner of the subdivision should be in a separate tract with a note as shown on the next page.
- **Updated 5.9.23:** The meeting with the NPS and City Open Space indicated that they feel strongly that pre and post construction meetings need to be held to ensure that the environmental integrity of the Open Space is not compromised during construction. Notes may need to be added to the plat.

*\*(See additional comments on next page)*




These standards come from a draft Construction Mitigation Program for Development adjacent to MPOS. Items #1 and #2 will be findings of the plat approval and the NOD must accompany the site plan for building permit.

The Construction Team shall adhere to the following:

1. Standards of Construction
  - a. Protective measures shall be implemented during the actual construction phase of the project to ensure protection of MPOS property.
  - b. Notifications
    - i. Proposed construction report shall be provided to the MPOS Owner by e-mail or mail. (CoA Open Space Tricia Keefer and Petroglyph National Monument, Nancy Hendricks)
    - ii. Include the following information in the notification:
      1. The name of the project
      2. Dates of construction
      3. The contact information for the person responsible for mitigation
      4. Construction plan showing buffer and placement of **protection fencing**
  - c. Pre- construction meeting with MPOS representatives
    - i. Contractor and MPOS representatives will perform pre- and post-construction site meetings to discuss and agree to access and staging needs, work hours, proposed impacts and restoration plans, safety, noise and vibration impacts, and project timelines. Any access points, routes and access to and across the MPOS and buffer area shall be mutually agreed upon prior to construction-related activities.
  - d. The following actions are prohibited within MPOS and buffer zone:
    - i. Vehicular traffic or parking.
    - ii. Storage of construction materials, debris, or excavated material.
    - iii. Dumping of refuse or chemicals, or liquids.
    - iv. Puddling or continuous running water.
    - v. Diesel or gasoline equipment running adjacent to protection zone.
    - vi. Foot traffic.
    - vii. Erection of sheds or structures.
    - viii. Mixing or washing of concrete or any other cementitious products.
2. Final Clean Up and Inspection
  - a. Before final acceptance, the area along the MPOS and buffer zone shall be cleaned of all rubbish, excess materials, temporary structures, and equipment; and all parts of the work shall be left in an acceptable condition.

*\*(See additional comments on next page)*

- b. A post-construction meeting shall be held with MPOS and City representatives to verify the buffer zone, sensitive land feature, or MPOS has been adequately protected during construction.
  - c. Any damaged areas noted shall be restored per contractor expense.
- **Updated 6.26.23** 5-2 (J)(2)(a) Lot 5 is abutting the Boca Negra arroyo. Add a note to the plat indicating that the 45 feet buffer abutting the Petroglyph National Monument must have plant approval and location per the Open Space Superintendent.



Future Required Final Plat:

- The project and application numbers need to be added to the Final Plat.
- Utility and AMAFCA signatures will be required for the Final Plat, and must be obtained and included with the Final Plat application submittal prior to acceptance of the Final Plat and placement on a DHO agenda.
- For the Final Plat, the DXF file must be approved by AGIS, and the approval email from AGIS must be submitted prior to final sign-off of the Final Plat from Planning should the Plat be approved by the DHO.

*\*(See additional comments on next page)*

- For the Final Plat, Hydrology, Transportation, and Water Authority staff must all sign Form S and ensure that any application submittals required in association with the Final Plat application are approved prior to their signatures on Form S. Form S must be signed by Hydrology, Transportation, and Water Authority staff prior to the acceptance of the Final Plat application and placement on a DHO agenda.
- The Final Plat is required to be submitted within one year of Preliminary Plat approval.
- A recorded IIA based on the Infrastructure List included with the Preliminary Plat submittal will be required with the Final Plat, and must be obtained and included with the Final Plat application submittal prior to the acceptance of the Final Plat and placement on a DHO agenda.

## 2. Standard Subdivision Comments and Items in Compliance:

### 5-2(C) Site Design to Avoid Sensitive Lands.

#### Updated 4/10/23:

- Applicant completed a Sensitive Lands Analysis and no sensitive land features were identified. Please note that site slopes are 8% or less and the property is no longer in the 100 year flood plain.
- The drainage note for compliance with Section 1013 is added to the infrastructure list.

#### **Updated 6/12/23:**

- ✓ The applicant has shown height measurements from finished grade and natural grade and established maximum building heights that do not exceed 15 feet.

**IDO 3-6(E) The parcels are in the VPO-2 Height Restricted Sub Area. Identify the allowable structure height vis a vis grading plan.** 'Building and/or structure height shall not exceed 15 feet, as measured from natural grade.'


~~**\*Show height measurements from finished grade and natural grade. \*Clarify if standards are being met.**~~

*\*(See additional comments on next page)*

**3-6(E)(3) Building and Structure Height**

The following standards apply in the Height Restrictions Sub-area shown in the map above.

3-6(E)(3)(a) Building and/or structure height shall not exceed 15 feet, as measured from natural grade. (See figures below.)



**Updated 1/20/23:**

- **Staff determined after much discussion that this applicant can proceed with the lot sizes presented on the Sketch Plat for the Preliminary Plat.** They do meet the contextual standards of the IDO. While an argument could be made that the new subdivision is its own block and R1-D lot sizes are required, there is also an argument for contextual standards applying and that is the advice that was given in prior sketch plats.
  
- **Applicant met the public notice requirements Section 6-1, table 6-1-1 for public notice requirements (6-6-L Subdivision of Land-Major).** The application was sent to the Superintendent of Petroglyph National Monument for comment and PNM agreed with the Open Space Division comments. (IDO 5-2-(J)(2)(c) 1 for comment by external agencies.)

---

**3. Future Development Guidance**

- Please reference the following development standards from the IDO. Subject to change pending formal submittal and/or proposed development types/uses.
  - 3-6(E) Northwest Mesa Escarpment – VPO-2 and \*Height Restricted Sub-area.  
**Updated 4/10/23:** Please note that building height shall not exceed 15 feet, as measured from the natural grade. See IDO 3-6(E) for details, and dealing with undulating terrain.

*\*(See additional comments on next page)*

See also restrictions on Colors, Reflectivity, and roof-mounted equipment. Use yellow ochers, browns, dull reds, and greens with Light reflective value ranging from 20 to 50 percent.

Fully screen roof-mounted HVAC from public street and escarpment.

- 4-2 Allowed Uses, table 4-2-1. **\*Reference Use Specific Standards 4-3-B-1 Single Family Detached Dwelling.** Explain and demonstrate how all standards are being met.
- 5-1 Dimension Standards for R-1D and Area of Consistency. Calculations per Code Enforcement. 5-1-G Exceptions and Encroachments.  
\*Included setback measurements, and elevations with height measurements from finished grade and natural grade. \*Clarify if standards are being met.
- **5-2-K** Property is abutting Major Public Open Space to the North and within MPOS Edges. Also abutting the Boca Negra Canyon Arroyo-Drainage Easement. Standards exist for each. Up to and including 5-2-K.
- **5-3 Access & Connectivity requirements.**  
\*5-3(C)(3) Driveways, Drive Aisles, and Access 5-3(C)(3)(a) Development shall comply with the driveway, drive aisle, and access standards in the DPM.  
**5-3(C)(3)(b) For all low-density residential development, driveways accessed from the front or street side of the property shall be at least 20 feet long, exclusive of the sidewalk or drive pad.**
- 5-5 Parking & Loading requirements, Table 5-5-1.  
Dwelling, single-family detached 1 space / DU up to 2 BR, 2 spaces / DU with 3 or more BR.
- 5-6 Landscaping, Buffering, and Screening standards and requirements.

**Updated 4/10/23:**

- 5-7 Walls/Fences. (E)(4) . \*View fencing is required adjacent to Mayor Arroyos or Major Public Open Space. \*Development requires separate permitting.  
  
5-2(J)(2)(a). \*Special wall provisions adjacent to MPOS.

*\*(See additional comments on next page)*

10. Locate and design all walls, fences, retaining walls, and combinations of those site features facing the Major Public Open Space in compliance with all applicable standards in Section 14-16-5-7(E)(4) (Walls Adjacent to Major Arroyos or Major Public Open Space).

- 5-11 Building and façade design requirements. 5-11-C for Low-Density Residential. \*Demonstrate and explain how standards and requirements are being met.
- 7-1 Development, dwelling, and use definitions. \*Reference definitions for Low-Density Residential and Single Family Detached.



*Disclaimer: The comments provided are based upon the information received from the applicant/agent. If new or revised information is submitted, additional comments may be provided by Planning.*

FROM: Jolene Wolfley/Robert Webb/Leila Shadabi  
Planning Department

DATE: 6/27/23

---

*\*(See additional comments on next page)*



**Development Facilitation Team (DFT) – Review Comments**

---

**Reviewer: David G. Gutierrez, P.E. | Phone: 505-289-3381 | [dggutierrez@abcwua.org](mailto:dggutierrez@abcwua.org)**

---

**DRB Project No: PR-2020-003484 Date: 06/28/2023 Agenda Item: #9 Zone Atlas Page: E-10**

**Legal Description: Lots 2 & 3 Block 12 unit 3, Volcano Cliffs SUBD**

**Location: Mojave St NW between Unser Blvd and Tesuque Dr.**

**Application For: SD-2023-00048 – PRELIMINARY PLAT (DHO)**

---

1. No objection

DEVELOPMENT HEARING OFFICER

TRANSPORTATION DEVELOPMENT

DRB Project Number: 2020-003484  
6341 Mojave

AGENDA ITEM NO: 9

SUBJECT: Preliminary Plat

ENGINEERING COMMENTS:

1. All comments have been addressed. No objection.

. If new or revised information is submitted, additional comments may be provided by Transportation Development.

FROM: Ernest Armijo, P.E.  
Transportation Development  
505-924-3991 or [earmijo@cabq.gov](mailto:earmijo@cabq.gov)

DATE: June 28, 2023

---

ACTION:

APPROVED \_\_; DENIED \_\_; DEFERRED \_\_; COMMENTS PROVIDED \_\_; WITHDRAWN \_\_

DELEGATED: \_\_\_\_\_ TO: (TRANS) (HYD) (WUA) (PRKS) (CE) (PLNG)



**DEVELOPMENT FACILITATIVE TEAM - HYDROLOGY SECTION**  
 Renée Brissette, PE, Senior Engineer | 505-924-3995 [rbrissette@cabq.gov](mailto:rbrissette@cabq.gov)

---

DRB Project Number: 2020-003484 Hearing Date: **06-28-2023**  
 Project: Mojave Ridge Subdivision Agenda Item No: **9**

|   |   |   |  |
|---|---|---|--|
| <input type="checkbox"/> Sketch Plat            | <input type="checkbox"/> Minor Preliminary / Final Plat | <input checked="" type="checkbox"/> Preliminary Plat  | <input type="checkbox"/> Final Plat                      |
| <input type="checkbox"/> Temp Sidewalk Deferral | <input type="checkbox"/> Sidewalk Waiver/Variance       | <input type="checkbox"/> Site Plan for Bldg. Permit<br><input type="checkbox"/> Site Plan for Subdivision | <input type="checkbox"/> Bulk Land Plat                  |
| <input type="checkbox"/> SIA Extension          | <input type="checkbox"/> DPM Variance                   | <input type="checkbox"/> Vacation of Public Easement  | <input type="checkbox"/> Vacation of Public Right of Way |

**ENGINEERING COMMENTS:**

- Hydrology has an approved Revised Grading & Drainage Plans (E10D024) with engineer's stamp date of 05/15/23.
- Hydrology needs approvals from National Parks and Open Space.

**RESOLUTION/COMMENTS:**

Water:

Code Enforcement:

Parks:

Transportation:

Planning:

APPROVED  
 DENIED

DELEGATED TO:  TRANS  HYD  WUA  PRKS  PLNG  
 Delegated For: \_\_\_\_\_  
 SIGNED:  I.L.  SPSD  SPBP  FINAL PLAT  
 DEFERRED TO \_\_\_\_\_

# DEVELOPMENT HEARING OFFICER

## Code Enforcement Comments

*Disclaimer: Comments provided are based upon information received from applicant/agent. If new or revised information is submitted, additional comments may be provided by Planning staff.*

Jeff Palmer-Code Enforcement Supervisor  
Planning Department  
[jppalmer@cabq.gov](mailto:jppalmer@cabq.gov)

DATE: 6/28/2023

### **AGENDA ITEM NO: 9**

### **DHO PROJECT NUMBER:**

**PR-2020-003484**

### **SD-2023-00048 – PRELIMINARY PLAT**

SKETCH PLAT 1-11-23 (DFT)

IDO - 2021

### **PROJECT NAME:**

**THE GROUP | RON HENSLEY** agent for **NAFEESA PASHTOON** requests the aforementioned action(s) for all or a portion of: **LOTS 2 & 3 BLOCK 12 UNIT 3, VOLCANO CLIFFS SUBD** zoned **R1-D** located on **MOJAVE ST NW between UNSER BLVD and TESUQUE DR** containing approximately **4.25** acre(s). (E-10) [Deferred from 4/12/23, 4/26/23b, 5/10/23b, 5/24/23b, 6/14/23]

**PROPERTY OWNERS:** PASHTOON NAFEESA

**REQUEST:** CREATE 19 LOTS FROM EXISTING TRACTS

### **COMMENTS:**

1. Property is located within 330 feet of a Major Public Open Space, and it appears to meet the buffer requirements for the proposed development as per IDO 5-2(J)(2)(a)(1). However, since the IDO indicates these buffers must be approved by the Open Space Superintendent, Code Enforcement would like to confirm Parks is in agreement with this determination. These required landscape buffer areas should be clearly marked and noted on the plat, as discussed in 5/10/23 Hearing.
2. CE has no further comments or objections.



## Development Hearing Officer Planning - Case Comments

**Meeting Date:** 6/28/23 -- **DHO AGENDA ITEM #9**

**Project Number:** PR-2020-003484

**Application Number:** SD-2032-00048

**Project Name:** 6341 Mojave St NW

**Request:**

*Preliminary Plat for 19 residential lots.*

---

*\*These are preliminary Planning comments. Additional reviews and/or revised comments may be needed for any modifications and/or supplemental submittals.*

**Items in red need to be addressed for the application to move forward.**


**COMMENTS:**

Planning recommends deferral of this application to first be processed as an 'extraordinary facility' per the IDO.

**1. Items that Need to be Completed or Corrected:**

- **Updated 6.28.23:** Planning staff, Open Space Staff, NPS Staff, the agent and the applicant did a field visit on 6.15.23. It was clarified in the field visit that the connection to the sewer line could be a small disturbance if a 6-8 feet wide trench extending 6-8 feet into PNM. The only visible part would be a manhole and there are two similar manholes in the corridor. The other change reviewed was if the drainage pond were to overflow into the PNM land, then it would be a sheet of water rather than an outflow. This seemed to be more acceptable to NPS and City Open Space.
- **Processes required for approval by the National Park Service and City Open Space remain undefined.** A new issue was raised when Parks and Recreation identified that the Facility Plan for Major Public Open Space defines infrastructure, even if not visible on the ground, as an 'Extraordinary Facility.' (see excerpt below) **Under this interpretation, the subdivision technically must wait for approval by the Open Space Advisory Board and the Environmental Planning Commission.**

*\*(See additional comments on next page)*



The IDO outlines the process for approving an extraordinary facility (see below):

*\*(See additional comments on next page)*

2-5(F)(3)(b) **Sub-zone B: Major Public Open Space**

1. Uses and development standards specified in a Resource Management Plan or Master Plan approved or amended by the Open Space Division of the City Parks and Recreation Department for each facility or in the Rank 2 Major Public Open Space Facility Plan prevail over IDO standards and may be reflected in Site Plans approved pursuant to this IDO.
2. For facilities without a Resource Management Plan or Master Plan, allowable uses other than those specified in Table 4-2-1 or the Major Public Open Space Facility Plan may be approved pursuant to Subsection 14-16-6-6(J) (Site Plan – EPC).
3. Any facility that is not an Extraordinary Facility pursuant to the Rank 2 Major Public Open Space Facility Plan or renovations of a facility previously approved as an Extraordinary Facility shall be reviewed and decided pursuant to Subsection 14-16-6-5(G)(1)(f)13 (Site Plan – Administrative).
4. Otherwise, any Extraordinary Facility shall be reviewed and decided pursuant to Subsection 14-16-6-6(J) (Site Plan – EPC).

- Updated 6.14.23: ~~Planning recommends a deferral of the application to June 28<sup>th</sup> pending an on-site meeting requested by the National Park Service (NPS) and City Open Space to determine future construction impacts resulting from this subdivision. Based on information gleaned in this meeting, the NPS will determine the federal approval process they sense is warranted.~~ The applicant has provided a new plat that moves the scour wall 6 feet into the private parcel. This should allow scour wall construction that does not affect the National Monument. However, the issue of connecting the subdivision sewer line to the sewer line in the Boca Negra Arroyo has not been discussed and there is a lack of the agreement between the applicant and NPS/City Open Space. The NPS had asked for general construction documents to show details of trenching, etc. and the applicant did not provide that information. The NPS has requested an on-site meeting to give clarity to the construction needs and to determine the federal approval process that would be warranted.

As of 5.9.23: The applicant and staff of the NPS, City Open Space, City Planning and the City Engineer met circa 4.21.23. Both the NPS and COA Open Space clearly explained a private party would need to ask permission for a scour wall, a sewer connection, and/or an outflow from a drainage pond to the Boca Negra Arroyo drainage area.

*\*(See additional comments on next page)*

In the resubmittal, the applicant reworked the scour wall so that is on the private property side of the property line with the Arroyo. The applicant has not provided any documentation of having requested permission from the NPS or COA Open Space regarding the location of that scour wall, the connection to the sewer, and the outflow from the drainage pond to the Arroyo. Planning staff cannot recommend proceeding with the review and approval of this subdivision because of the IDO indicates that outside agencies have review rights and federal law must be followed. **See the following IDO provisions:**

**1-8(D)** If any regulation in this IDO conflicts with other applicable laws or regulations of the City, or conflicts with applicable State or federal law, the more restrictive provision shall prevail, unless the provisions of State or federal law, as interpreted by the courts, prevent that result.

**6-4(J) REFERRALS TO COMMENTING AGENCIES**

Following a determination that the application is complete, the Planning Director, ZEO, or any City staff designated to review applications in Table 6-1-1 shall refer applications for comment to the following departments or agencies, as noted below. Any comments received within 15 calendar days after such a referral shall be considered with the application materials in any further review and decision-making procedures.

**6-4(J)(1) General**

City departments or agencies or other governmental or quasi-governmental agencies whose services, properties, facilities, interests, or operations may be affected.

**6-4(J)(6) Development within 660 feet of the Petroglyph National Monument**

**6-4(J)(6)(a)** National Park Service.

**6-4(J)(6)(b)** Open Space Division of the City Parks and Recreation Department.

- **Updated 6.26.23** The Infrastructure list 'Notes/Drainage' needs to add the word "Standard" in front of "specification ."
- **Updated 5.9.23:** Landscaping is to follow Standard Specification 1013 and is noted on the Infrastructure List.  
~~Tract A: Is there a landscaping Plan for Tract A? Any Landscape Plans must be sealed and signed by a Landscape Architect licensed in the State of New Mexico.~~  
**Updated 6.23.23** Change the maintenance note of Tract A (pond) to be the Homeowner's Association, not just 'owner'; city maintenance is not provided for Tract A. The landscape buffer in the northwest corner of the subdivision should be in a separate tract with a note as shown on the next page.
- **Updated 5.9.23:** The meeting with the NPS and City Open Space indicated that they feel strongly that pre and post construction meetings need to be held to ensure that the environmental integrity of the Open Space is not compromised during construction. Notes may need to be added to the plat.

*\*(See additional comments on next page)*


These standards come from a draft Construction Mitigation Program for Development adjacent to MPOS. Items #1 and #2 will be findings of the plat approval and the NOD must accompany the site plan for building permit.

The Construction Team shall adhere to the following:

1. Standards of Construction
  - a. Protective measures shall be implemented during the actual construction phase of the project to ensure protection of MPOS property.
  - b. Notifications
    - i. Proposed construction report shall be provided to the MPOS Owner by e-mail or mail. (CoA Open Space Tricia Keefer and Petroglyph National Monument, Nancy Hendricks)
    - ii. Include the following information in the notification:
      1. The name of the project
      2. Dates of construction
      3. The contact information for the person responsible for mitigation
      4. Construction plan showing buffer and placement of **protection fencing**
  - c. Pre- construction meeting with MPOS representatives
    - i. Contractor and MPOS representatives will perform pre- and post-construction site meetings to discuss and agree to access and staging needs, work hours, proposed impacts and restoration plans, safety, noise and vibration impacts, and project timelines. Any access points, routes and access to and across the MPOS and buffer area shall be mutually agreed upon prior to construction-related activities.
  - d. The following actions are prohibited within MPOS and buffer zone:
    - i. Vehicular traffic or parking.
    - ii. Storage of construction materials, debris, or excavated material.
    - iii. Dumping of refuse or chemicals, or liquids.
    - iv. Puddling or continuous running water.
    - v. Diesel or gasoline equipment running adjacent to protection zone.
    - vi. Foot traffic.
    - vii. Erection of sheds or structures.
    - viii. Mixing or washing of concrete or any other cementitious products.
2. Final Clean Up and Inspection
  - a. Before final acceptance, the area along the MPOS and buffer zone shall be cleaned of all rubbish, excess materials, temporary structures, and equipment; and all parts of the work shall be left in an acceptable condition.

*\*(See additional comments on next page)*

- b. A post-construction meeting shall be held with MPOS and City representatives to verify the buffer zone, sensitive land feature, or MPOS has been adequately protected during construction.
  - c. Any damaged areas noted shall be restored per contractor expense.
- **Updated 6.26.23** 5-2 (J)(2)(a) Lot 5 is abutting the Boca Negra arroyo. Add a note to the plat indicating that the 45 feet buffer abutting the Petroglyph National Monument must have plant approval and location per the Open Space Superintendent.



Future Required Final Plat:

- The project and application numbers need to be added to the Final Plat.
- Utility and AMAFCA signatures will be required for the Final Plat, and must be obtained and included with the Final Plat application submittal prior to acceptance of the Final Plat and placement on a DHO agenda.
- For the Final Plat, the DXF file must be approved by AGIS, and the approval email from AGIS must be submitted prior to final sign-off of the Final Plat from Planning should the Plat be approved by the DHO.

*\*(See additional comments on next page)*



- For the Final Plat, Hydrology, Transportation, and Water Authority staff must all sign Form S and ensure that any application submittals required in association with the Final Plat application are approved prior to their signatures on Form S. Form S must be signed by Hydrology, Transportation, and Water Authority staff prior to the acceptance of the Final Plat application and placement on a DHO agenda.
  - The Final Plat is required to be submitted within one year of Preliminary Plat approval.
  - A recorded IIA based on the Infrastructure List included with the Preliminary Plat submittal will be required with the Final Plat, and must be obtained and included with the Final Plat application submittal prior to the acceptance of the Final Plat and placement on a DHO agenda.
- 

## 2. Standard Subdivision Comments and Items in Compliance:

### 5-2(C) Site Design to Avoid Sensitive Lands.

#### Updated 4/10/23:

- Applicant completed a Sensitive Lands Analysis and no sensitive land features were identified. Please note that site slopes are 8% or less and the property is no longer in the 100 year flood plain.
- The drainage note for compliance with Section 1013 is added to the infrastructure list.

#### Updated 6/12/23:

- ✓ The applicant has shown height measurements from finished grade and natural grade and established maximum building heights that do not exceed 15 feet.

**IDO 3-6(E) The parcels are in the VPO-2 Height Restricted Sub Area. Identify the allowable structure height vis a vis grading plan.** 'Building and/or structure height shall not exceed 15 feet, as measured from natural grade.'


~~**\*Show height measurements from finished grade and natural grade. \*Clarify if standards are being met.**~~

*\*(See additional comments on next page)*

**3-6(E)(3) Building and Structure Height**

The following standards apply in the Height Restrictions Sub-area shown in the map above.

3-6(E)(3)(a) Building and/or structure height shall not exceed 15 feet, as measured from natural grade. (See figures below.)



**Updated 1/20/23:**

- **Staff determined after much discussion that this applicant can proceed with the lot sizes presented on the Sketch Plat for the Preliminary Plat.** They do meet the contextual standards of the IDO. While an argument could be made that the new subdivision is its own block and R1-D lot sizes are required, there is also an argument for contextual standards applying and that is the advice that was given in prior sketch plats.
  
- **Applicant met the public notice requirements Section 6-1, table 6-1-1 for public notice requirements (6-6-L Subdivision of Land-Major).** The application was sent to the Superintendent of Petroglyph National Monument for comment and PNM agreed with the Open Space Division comments. (IDO 5-2-(J)(2)(c) 1 for comment by external agencies.)

---

**3. Future Development Guidance**

- Please reference the following development standards from the IDO. Subject to change pending formal submittal and/or proposed development types/uses.
  - 3-6(E) Northwest Mesa Escarpment – VPO-2 and \*Height Restricted Sub-area.  
**Updated 4/10/23:** Please note that building height shall not exceed 15 feet, as measured from the natural grade. See IDO 3-6(E) for details, and dealing with undulating terrain.

*\*(See additional comments on next page)*

See also restrictions on Colors, Reflectivity, and roof-mounted equipment. Use yellow ochers, browns, dull reds, and greens with Light reflective value ranging from 20 to 50 percent.

Fully screen roof-mounted HVAC from public street and escarpment.

- 4-2 Allowed Uses, table 4-2-1. **\*Reference Use Specific Standards 4-3-B-1 Single Family Detached Dwelling.** Explain and demonstrate how all standards are being met.
- 5-1 Dimension Standards for R-1D and Area of Consistency. Calculations per Code Enforcement. 5-1-G Exceptions and Encroachments.  
\*Included setback measurements, and elevations with height measurements from finished grade and natural grade. \*Clarify if standards are being met.
- **5-2-K** Property is abutting Major Public Open Space to the North and within MPOS Edges. Also abutting the Boca Negra Canyon Arroyo-Drainage Easement. Standards exist for each. Up to and including 5-2-K.
- **5-3 Access & Connectivity requirements.**  
\*5-3(C)(3) Driveways, Drive Aisles, and Access 5-3(C)(3)(a) Development shall comply with the driveway, drive aisle, and access standards in the DPM.  
**5-3(C)(3)(b) For all low-density residential development, driveways accessed from the front or street side of the property shall be at least 20 feet long, exclusive of the sidewalk or drive pad.**
- 5-5 Parking & Loading requirements, Table 5-5-1.  
Dwelling, single-family detached 1 space / DU up to 2 BR, 2 spaces / DU with 3 or more BR.
- 5-6 Landscaping, Buffering, and Screening standards and requirements.

**Updated 4/10/23:**

- 5-7 Walls/Fences. (E)(4) . \*View fencing is required adjacent to Mayor Arroyos or Major Public Open Space. \*Development requires separate permitting.  
  
5-2(J)(2)(a). \*Special wall provisions adjacent to MPOS.

*\*(See additional comments on next page)*

10. Locate and design all walls, fences, retaining walls, and combinations of those site features facing the Major Public Open Space in compliance with all applicable standards in Section 14-16-5-7(E)(4) (Walls Adjacent to Major Arroyos or Major Public Open Space).

- 5-11 Building and façade design requirements. 5-11-C for Low-Density Residential. \*Demonstrate and explain how standards and requirements are being met.
- 7-1 Development, dwelling, and use definitions.  
\*Reference definitions for Low-Density Residential and Single Family Detached.



*Disclaimer: The comments provided are based upon the information received from the applicant/agent. If new or revised information is submitted, additional comments may be provided by Planning.*

FROM: Jolene Wolfley/Robert Webb/Leila Shadabi  
Planning Department

DATE: 6/27/23

---

*\*(See additional comments on next page)*



## DEVELOPMENT HEARING OFFICER (DHO)

### Parks and Recreation Department

<https://www.cabq.gov/parksandrecreation>

#### **PR-2020-003484**

SD-2023-00048 – PRELIMINARY PLAT

SKETCH PLAT 1-11-23 (DFT)

IDO - 2021

THE GROUP | RON HENSLEY agent for NAFEESA PASHTOON requests the aforementioned action(s) for all or a portion of: LOTS 2 & 3 BLOCK 12 UNIT 3, VOLCANO CLIFFS SUBD zoned R1-D located on MOJAVE ST NW between UNSER BLVD and TESUQUE DR containing approximately 4.25 acre(s). (E-10) [Deferred from 4/12/23, 4/26/23b, 5/10/23b, 5/24/23b, 6/14/23b]

PROPERTY OWNERS: PASHTOON NAFEESA

REQUEST: CREATE 19 LOTS FROM EXISTING TRACTS

#### **Comments:**

##### 06-28-2023

As defined in the Major Public Open Space Facility Plan, an adopted Rank 2 Plan. The proposed sewer connection and drainage into the arroyo would be considered Extraordinary Facilities – which require approval by OSAB and an application for Site Plan – EPC. There may be additional ROW requirements by the National Park Service, City of Albuquerque ROW permitting, if approved. PRD requests that this application be deferred until the EPC process has been completed.

Comments provided by Whitney Phelan, Senior Planner, CABQ Parks & Recreation Department. Please contact via [wphelan@cabq.gov](mailto:wphelan@cabq.gov) or 505-768-5378 with questions or concerns.