

GENERAL SITE NOTES:

1. CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS PRIOR TO COMMENCEMENT OF CONSTRUCTION.
2. CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING SAFE AND ADEQUATE WORKING CONDITIONS THROUGHOUT THE DURATION OF CONSTRUCTION OF THE PROPOSED SITE IMPROVEMENTS.
3. CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFICATION OF ALL SITE SETBACKS, EASEMENTS AND DIMENSIONS PRIOR TO COMMENCEMENT OF CONSTRUCTION.
4. ALL CONSTRUCTION MATERIALS AND WORKMANSHIP SHALL BE IN ACCORDANCE WITH THE LATEST STATE AND LOCAL GOVERNMENT CONSTRUCTION STANDARDS AND SPECIFICATIONS.
5. ALL HANDICAP ACCESSIBLE SITE IMPROVEMENTS SHALL BE CONSTRUCTED IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL CODES AND REQUIREMENTS.
6. IF DURING THE COURSE OF CONSTRUCTION THE CONTRACTOR FINDS ANY DISCREPANCIES OR CONFLICTS BETWEEN THE PROPOSED SITE IMPROVEMENTS INDICATED ON THE PLANS AND THE PHYSICAL CONDITIONS OF THE SITE, OR ANY ERRORS OR OMISSIONS WITHIN THE PLANS OR IN THE SITE LAYOUT AS PROVIDED BY THE ENGINEER, IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO IMMEDIATELY NOTIFY THE ENGINEER. UNTIL AUTHORIZED TO PROCEED, ANY WORK PERFORMED BY THE CONTRACTOR AFTER SUCH A DISCOVERY WILL BE AT THE CONTRACTOR'S SOLE RISK AND EXPENSE.
7. CONTRACTOR SHALL COORDINATE ALL SITE IMPROVEMENTS WITH ARCHITECTURAL PLANS. ARCHITECTURAL PLANS SHALL BE USED FOR BUILDING STAKEOUT.
8. CONTRACTOR SHALL COORDINATE ALL LANDSCAPE IMPROVEMENTS, INCLUDING NEW PLANTINGS AND TURF AREA RESTORATION REQUIREMENTS, WITH LANDSCAPE PLANS.
9. CONSTRUCTION SURVEY AND STAKEOUT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.
10. ALL DIMENSIONS SHOWN ARE MEASURED FROM FACE OF CURB TO FACE OF CURB OR EDGE OF PAVEMENT TO EDGE OF PAVEMENT UNLESS OTHERWISE NOTED.
11. ALL CURB RADII ARE MEASURED AT THE FACE OF CURB UNLESS OTHERWISE NOTED.
12. ALL NEW ASPHALT AND/OR CONCRETE PAVING SHALL MATCH EXISTING PAVEMENTS FLUSH.
13. CONTRACTOR SHALL RESTORE ALL DISTURBED AREAS OUTSIDE OF CONSTRUCTION LIMITS TO ORIGINAL CONDITION OR BETTER.
14. CONTRACTOR SHALL REPAIR AT HIS EXPENSE ANY DAMAGE TO EXISTING ASPHALT, CONCRETE, CURBS, SIDEWALKS, ETC. RESULTING FROM CONSTRUCTION TRAFFIC AND/OR OPERATIONS. REPAIRS SHALL BE MADE TO THE SATISFACTION OF THE OWNER AND/OR ENGINEER.
15. ALL FIRE ACCESS LANES WITHIN THE PROJECT AREA SHALL REMAIN IN SERVICE, CLEAN OF DEBRIS, AND ACCESSIBLE FOR USE BY EMERGENCY VEHICLES.
16. ALL DETECTABLE WARNING PLATES SHALL BE PREFORMED PLASTIC INSERTS UNLESS OTHERWISE NOTED.
17. SEE GENERAL NOTES SHEET FOR ADDITIONAL INFORMATION AND REQUIREMENTS.

SITE PLAN NOTES:

1. REFER TO THE GEOTECHNICAL ENGINEERING REPORT PREPARED BY TERRACON CONSULTANTS, INC. AND DATED FEBRUARY 17TH, 2020 FOR ADDITIONAL INFORMATION REGARDING THE EXISTING SOIL CONDITIONS AND SUBGRADE PREPARATION REQUIREMENTS AND PROPOSED PAVEMENT RECOMMENDATIONS (TERRACON PROJECT NO. 66145007).
2. SEE CONSTRUCTION DETAILS SHEET C7.0 FOR PAVEMENT SECTION DETAILS.
3. SEE GENERAL NOTES SHEET C1.0 FOR EXISTING LEGEND.

PAVEMENT HATCH LEGEND:

- S6A** PROPOSED CONCRETE SIDEWALK
5" PORTLAND CEMENT CONCRETE
4" AGGREGATE BASE
- S6B** PROPOSED INTEGRAL BLACK CONCRETE SIDEWALK
5" PORTLAND CEMENT CONCRETE
4" AGGREGATE BASE
- S7A** PROPOSED CONCRETE LANDING
6" PORTLAND CEMENT CONCRETE
(SEE STRUCTURAL PLANS FOR REINFORCEMENT, AGGREGATE, AND SUBGRADE REQUIREMENTS)
- S7B** PROPOSED INTEGRAL BLACK COLORED CONCRETE LANDING
6" PORTLAND CEMENT CONCRETE
(SEE STRUCTURAL PLANS FOR REINFORCEMENT, AGGREGATE, AND SUBGRADE REQUIREMENTS)
- S8** PROPOSED HEAVY DUTY INTEGRAL BLACK COLORED CONCRETE
7" PORTLAND CEMENT CONCRETE
(SEE STRUCTURAL PLANS FOR REINFORCEMENT, AGGREGATE, AND SUBGRADE REQUIREMENTS)
- S9** PROPOSED HEAVY DUTY INTEGRAL BLACK COLORED CONCRETE SLAB
6" PORTLAND CEMENT CONCRETE
6" AGGREGATE BASE
(SEE GEOTECHNICAL REPORT)
- S10** PROPOSED ASPHALT PAVEMENT
2" ASPHALT SURFACE COURSE
6" AGGREGATE BASE
(SEE GEOTECHNICAL REPORT)
- S11** PROPOSED HEAVY DUTY ASPHALT PAVEMENT
3" ASPHALT SURFACE COURSE
6" AGGREGATE BASE
(SEE GEOTECHNICAL REPORT)
- S13** PROPOSED LANDSCAPE AREA
(SEE LANDSCAPE PLANS FOR ADDITIONAL INFORMATION AND DETAILS)

PROJECT INFORMATION:

| | |
|------------------------------|---|
| SITE AREA: | ±1.03 ACRES |
| ZONED: | MX-M - MIXED-USE-MODERATE INTENSITY ZONE DISTRICT |
| PROPOSED BUILDING AREA: | 7,575 SQ. FT. |
| PROPOSED USE: | RESTAURANT |
| BUILDING HEIGHT: | 25'-6" |
| PARKING REQUIRED: | 61 STALLS (1 STALL PER 1,000 SF TIMES 8, 7,575/1000*8 = 60.6) |
| PARKING PROVIDED: | 66 STALLS ON SITE (INCLUDING 6 ADA STALLS) |
| BICYCLE PARKING REQUIRED: | 7 STALLS (10% OF REQUIRED OFF-STREET PARKING SPACES = 0.1*61 = 6.1 => 7) |
| BICYCLE PARKING PROVIDED: | 10 STALLS (2 STALLS PER RACK) |
| MOTORCYCLE PARKING REQUIRED: | 3 (SITES THAT ARE REQUIRED TO PROVIDE BETWEEN 51-100 PARKING SPACES WILL BE REQUIRED TO PROVIDE 3-MOTORCYCLE, MOPED, OR SCOOTER PARKING SPACES) |
| MOTORCYCLE PARKING PROVIDED: | 3 |

Approved for access by the Solid Waste Department
Herman Gallegos 04-22-21
Hazard Route Only

Recycle dumpster is to be placed on the north side of the building's proposed trash enclosure.

PROPOSED LEGEND:

- PROPERTY LINE
- ===== PROPOSED CONCRETE CURB AND GUTTER
- ===== PROPOSED REVERSE PITCH CURB AND GUTTER
- ===== PROPOSED DEPRESSED CURB AND GUTTER
- 7 PROPOSED PARKING STALL COUNT
- PROPOSED CONCRETE WHEEL STOP
- PROPOSED SIGN
- PROPOSED PYLON SIGN
- PROPOSED LIGHT POLE
- PROPOSED STORM SEWER STRUCTURES
- PROPOSED STORM SEWER GREASE INTERCEPTOR
- PROPOSED SANITARY SEWER STRUCTURES
- PROPOSED SANITARY SEWER GREASE INTERCEPTOR
- PROPOSED FIRE HYDRANT
- PROPOSED FIRE DEPARTMENT CONNECTION (FDC)
- PROPOSED WATER SERVICE TAP
- PROPOSED TRANSFORMER PAD AND STEEL BOLLARDS
- PROPOSED GAS METER
- PROPOSED ELECTRIC METER, CT CABINET AND DISCONNECT

NOTE: SEE SHEET C1.0 FOR EXISTING LEGEND

SITE KEY NOTES:

- S1 PROPOSED BUBBA'S 33 BUILDING (SEE ARCHITECTURAL AND STRUCTURAL PLANS FOR ADDITIONAL INFORMATION AND DETAILS)
- S2 PROPOSED TRASH ENCLOSURE (SEE ARCHITECTURAL AND STRUCTURAL PLANS FOR ADDITIONAL INFORMATION AND DETAILS)
- S3A PROPOSED CONCRETE CURB AND GUTTER (SEE DETAIL ON SHEET C7.0)
- S3B PROPOSED 1.5" WIDE CONCRETE SWALE (SEE DETAIL ON SHEET C7.1)
- S5 PROPOSED MONOLITHIC CONCRETE CURB AND SIDEWALK (SEE DETAIL ON C7.0)
- S6A PROPOSED CONCRETE SIDEWALK (SEE DETAIL ON SHEET C7.0)
- S6B PROPOSED INTEGRAL BLACK CONCRETE SIDEWALK (SEE DETAIL ON SHEET C7.0)
- S7A PROPOSED CONCRETE LANDING (SEE STRUCTURAL PLANS FOR ADDITIONAL INFORMATION AND DETAILS)
- S7B PROPOSED INTEGRAL BLACK COLORED CONCRETE LANDING (SEE STRUCTURAL PLANS FOR ADDITIONAL INFORMATION AND DETAILS)
- S8 PROPOSED HEAVY DUTY INTEGRAL BLACK COLORED CONCRETE (SEE STRUCTURAL PLANS FOR ADDITIONAL INFORMATION AND DETAILS)
- S9 PROPOSED HEAVY DUTY INTEGRAL BLACK COLORED CONCRETE SLAB (SEE GEOTECHNICAL REPORT FOR ADDITIONAL INFORMATION AND DETAILS)
- S10 PROPOSED ASPHALT PAVEMENT (SEE GEOTECHNICAL REPORT FOR ADDITIONAL INFORMATION AND DETAILS)
- S11 PROPOSED HEAVY DUTY ASPHALT PAVEMENT (SEE GEOTECHNICAL REPORT FOR ADDITIONAL INFORMATION AND DETAILS)
- S13 PROPOSED LANDSCAPE AREA (SEE LANDSCAPE PLANS FOR ADDITIONAL INFORMATION AND DETAILS)
- S15 PROPOSED PRECAST CONCRETE WHEEL STOP (TYP. OF 12, SEE DETAIL ON SHEET C7.1)
- S16 PROPOSED 4" WHITE PAVEMENT STRIPING PER LOCAL CODE
- S19 PROPOSED HANDICAP ACCESSIBLE PARKING SIGN PER LOCAL CODE, 66-7-352.4C NMSA 1978 (TYP. OF 6, SEE DETAIL ON SHEET C7.0)
- S20 PROPOSED BLUE HANDICAP ACCESSIBLE PARKING STALL STRIPING AND SYMBOL PER LOCAL CODE, 66-1-4.1.B NMSA 1978 (TYP., SEE DETAIL ON SHEET C7.0)
- S21 PROPOSED HANDICAP ACCESSIBLE CURB RAMP AT 12:1 MAXIMUM SLOPE PER LOCAL CODES
- S22 PROPOSED CONCRETE TRANSFORMER PAD WITH STEEL BOLLARD PROTECTION (CONTRACTOR SHALL COORDINATE CONCRETE TRANSFORMER PAD LOCATION, SIZE AND THICKNESS WITH ELECTRIC COMPANY PRIOR TO INSTALLATION)
- S25 PROPOSED MAGLUN MBR501 BIKE RACKS WITH BLACK POWDER COATED FINISH (TOTAL OF 5 BIKE RACKS PROVIDING 10 BICYCLE PARKING SPACES - SEE DETAIL ON SHEET C7.2)
- S31 PROPOSED 8" THICK CONCRETE COLLAR (SEE STORM SEWER STRUCTURE DETAILS ON SHEET C7.1)
- S32 PROPOSED CURB TRANSITION (SEE STORM SEWER STRUCTURE DETAILS ON SHEET C7.1)
- S33 PROPOSED MOTORCYCLE PARKING SIGN PER THE CITY OF ALBUQUERQUE ZONING CODE (TYP. OF 3)
- S34 PROPOSED MOTORCYCLE PARKING STALLS TO HAVE "MC" PAINTED IN WHITE AT THE REAR OF THE PARKING STALLS PER THE CITY OF ALBUQUERQUE ZONING CODE (TYP. OF 3).
- S40 EXISTING ASPHALT PAVEMENT TO REMAIN
- S41A EXISTING CONCRETE CURB AND GUTTER TO REMAIN
- S43 EXISTING LIGHT POLE TO REMAIN
- S44 EXISTING PAVEMENT STRIPING TO REMAIN

PROJECT TEAM

COPYRIGHT NOTICE
This drawing is the property of the above referenced Professional and is not to be used for any purpose other than the specific project and site named herein, and cannot be reproduced in any manner without the express written permission from the Professional

ISSUE/REVISION RECORD

| DATE | DESCRIPTION |
|----------|------------------|
| 02/26/21 | COORDINATION SET |
| 03/19/21 | PERMIT SET |
| 04/09/21 | SITE PLAN |
| 04/14/21 | PERMIT RESPONSE |

Proj. 20182050

MICHAEL E. HAAS

NEW MEXICO

26056

PROFESSIONAL ENGINEER

Na Haas

expires 12/31/22

date 4/14/21

PROFESSIONAL IN CHARGE

MICHAEL HAAS

PROFESSIONAL ENGINEER

LICENSE NO. 26056

PROJECT MANAGER

EDWARD GOSS

QUALITY CONTROL

EDWARD GOSS

DRAWN BY

MITCH HEFFERNAN

PROJECT NAME

TEXAS

ROADHOUSE

ALBUQUERQUE

NEW MEXICO

10000 COORS BYPASS NW

ALBUQUERQUE, NM 87114



PROJECT NUMBER

20182050.0

SHEET TITLE

SITE

PLAN

SHEET NUMBER

C3.0