

KEYED NOTES

- EXISTING CONCRETE CURB AND GUTTER.
- EXISTING ASPHALT PAVEMENT.
- EXISTING GRAVEL SURFACING.
- REMOVE & DISPOSE EXISTING CURB & GUTTER. CONSTRUCT CONCRETE VALLEY GUTTER WITH ACCESSIBLE RAMP. SEE COA STD DWGS 2420 & 2426.
- CONSTRUCT 6" PUBLIC SIDEWALK. SEE COA STD DWG 2430.
- REMOVE & DISPOSE EXISTING ASPHALT CURB TO LIMITS SHOWN. CONSTRUCT 6-INCH CONCRETE CURB. SEE DETAIL B/C004.
- REMOVE & DISPOSE EXISTING ASPHALT PAVEMENT TO LIMITS SHOWN. CONSTRUCT ASPHALT PAVEMENT. SEE DETAIL A/C004.
- CONSTRUCT 6-INCH CONCRETE CURB. SEE DETAIL B/C004.
- CONSTRUCT TURNDOWN SIDEWALK. SEE DETAIL C/C004.
- CONSTRUCT 6" CONCRETE PEDESTRIAN CONNECTION TO NUNZIO AVENUE.
- CONSTRUCT CONCRETE SIDEWALK.
- CONSTRUCT HANDICAP RAMP TYPE-1. SEE DETAIL D/C004.
- CONSTRUCT HANDICAP RAMP TYPE-2. SEE DETAIL E/C004.
- INSTALL HANDICAP PARKING SIGNAGE. SEE DETAIL F/C004.
- CONSTRUCT MOTOR CYCLE PARKING SIGN. SEE DETAIL G/C004.
- PROVIDE STRIPING AT ACCESSIBLE AREA PER CODE.
- INSTALL CONCRETE TIRE STOPS.
- CONSTRUCT ASPHALT PAVEMENT. SEE DETAIL A/C004.
- CONSTRUCT RETAINING WALL. DETAIL BY OTHERS.
- CHILD PLAY AREA.
- CONSTRUCT NEW REFUSE ENCLOSURE.
- INSTALL NEW BICYCLE RACK - 3 SPACES MINIMUM.
- CONSTRUCT PVC FENCING AND GATES.
- NEW LANDSCAPING. SEE LANDSCAPE PLAN.
- CONSTRUCT 4" DIA TYPE 'C' MANHOLE AT EXISTING 24" SD PER COA STD DWG 2101.
- CONSTRUCT 12" STORM DRAIN.
- CONSTRUCT SINGLE TYPE 'D' STORM INLET PER COA STD DWG 2206.
- CONSTRUCT 8" STORM DRAIN.
- CONSTRUCT 4" STORM DRAIN.
- CONSTRUCT CLEANOUT. SEE DETAIL G/C004.
- CONSTRUCT 4" PVC ROOF DRAIN UNDER SIDEWALK. PENETRATE THRU TURN DOWN SIDEWALK.
- CONSTRUCT 6" PVC ROOF DRAIN UNDER SIDEWALK. CONNECT TO 8" STORM DRAIN.
- REMOVE & DISPOSE EXISTING SD PLUG.
INSTALL:
1-45° 18" RCP BEND
6-18" RCP CLASS III
INV 94.50
- CONSTRUCT 24" STORM DRAIN.
INSTALL 18" PLUG.
- CONSTRUCT: 2-24" 45° ELBOWS
1-24" MANHOLE TEE
INV 91.00
- INSTALL 24" SD PLUG.
- CONSTRUCT TEMPORARY BERM/SWALE. SEE SECTION J/C004.
- EDGE OF PAVEMENT. NO CURB.



REVISED 09/16/2020
CPESC Stamp

LEGEND

TEMPORARY EROSION AND SEDIMENT CONTROL PLAN

PB -PB -PB -PB PROJECT PERIMETER & DISTURBED AREA

SF - SF - SF SILT FENCE

MULCH SOCKS

FLOW DIRECTION

STAGING AREA

STABILIZED CONSTRUCTION ENTRANCE

TRASH RECEPTACLE

CHEMICAL TOILET

CONCRETE WASHOUT

RETENTION POND

RIP RAP

CHECK DAM

DROP INLET PROTECTION

OUTFALL

POSTING SIGN

PRESERVED VEGETATION

RECEIVING WATERS: ONSITE POND AND 3" DEPRESSION AREAS

CRITICAL HABITAT: CRITERION "A"; NO CRITICAL HABITATS WITHIN PROJECT AREA

GPS LOCATION: 35.1822, -106.6759

TLE @ PASEO AND EAGLE RANCH

PROJECT TITLE

ALBUQUERQUE, BERNALILLO COUNTY, NM


CITY, COUNTY, STATE

REVISED 09/16/2020 DATE

C. DURKIN DRAWN BY

INSPECTIONS PLUS

INLET PROTECTION



BMP Objectives

- Sediment Control
- Sheet Flow Runoff Control

SILT FENCE



BMP Objectives

- Sediment Control
- Sheet Flow Runoff Control
- Wind Erosion Control

SEDIMENT TRACK OUT CONTROL



BMP Objectives

- Sediment Control

MULCH SOCK/STRAW WATTLE



BMP Objectives

- Sediment Control
- Reduce Runoff Velocity
- Inlet Protection

BERMS AND SWALES




BMP Objectives

- Runoff Control
- Run-on Diversion

EROSION CONTROL NOTES
ESC Plan Standard Notes (2020-06-03)

- 1.All Erosion and Sediment Control (ESC) work on these plans, except as otherwise stated or provided hereon shall be permitted, constructed, inspected, and maintained in accordance with:
- a.The City Ordinance § 14-5-2-11, the ESC Ordinance,
 - b.The EPA's 2017 Construction General Permit (CGP), and
 - c.The City Of Albuquerque Construction BMP Manual.
- 2.All BMP's must be installed prior to beginning any earth moving activities except as specified hereon in the Phasing Plan. Construction of earthen BMP's such as sediment traps, sediment basins, and diversion berms shall be completed and inspected prior to any other construction or earthwork. Self-inspection is required after installation of the BMPs and prior to beginning construction.
- 3.Self-inspections - At a minimum a routine compliance self-inspection is required to review the project for compliance with the Construction General Permit once every 14 days and after any precipitation event of 1/4 inch or greater until the site construction has been completed and the site determined as stabilized by the city. Reports of these inspections shall be kept by the person or entity authorized to direct the construction activities on the site.
- 4.BMPs shall be inspected and maintained until all disturbed areas are stabilized in accordance with the Final Stabilization Criteria (CGP 2.2.14.b). Generally, all disturbed areas, other than structures, must have uniform perennial vegetation that provides 70 percent or more of the cover provided by native vegetation or seed the disturbed area and provide non-vegetative mulch that provides cover for at least three years without active maintenance. Final stabilization must be documented on prior to removal of BMPs and discontinuation of inspections.

<div></div> <div>REVISED 09/16/2020</div> <div>CPESC Stamp</div>	TLE @ PASEO AND EAGLE RANCH	
	PROJECT TITLE	
	ALBUQUERQUE, BERNALILLO COUNTY, NM	
	CITY, COUNTY, STATE	
	REVISED 09/16/2020	DATE
C. DURKIN	DRAWN BY	