HYDROLOGY

D17/D26

1 PLAN

NO DOCUMENTS

No Documents

1 Plan

D17/D26



NOTES.

1. THE REMOVAL & RELOCATION OF LUMINAIRES AND POLES, AND THE INSTALLATION OF UNDERGROUND ELECTRICAL CONDUIT SHALL BE PERFORMED PRIOR TO PAVING.
2. THE ASPHALT SURFACE COURSE CAN BE PLACED IN TWO LIFTS OF NOT LESS THAN 1" EACH IN LIEU OF THE 3" LIFT REQUIRED BELOW. IF TWO LIFTS ARE PLACED, TACK COAT MUST BE APPLIED BETWEEN LIFTS AT NO EXTRA COST TO THE OWNER



TYPICAL PAVING SECTION
NO SCALE

APPROVED FOR DRAINAGE
4/13/81
DATE
SIGNATURE
ADVISE DRAINAGE INSPECTOR WHEN GRADING EXECUTED

NO.	REVISION	BY	DATE

SCALE		FOR	
DRAWN	P.D.		
DATE	2/19/81		
DESIGNED	T.T.M.	TITLE	
	2/23/81		
APPROVED			
JOB NO.		DRAWING NO.	

Goldberg - Mann & Associates, Inc.
Engineers - Planners
811 Dallas St., N.E. Albuquerque, New Mexico 87110