


CITY OF ALBUQUERQUE

Planning Department
Suzanne Lubar, Director



Mayor Richard J. Berry

October 19, 2017

Jackie McDowell, PE
McDowell Engineering, Inc.
7820 Beverly Hills Ave NE
Albuquerque, NM 87121

RE: **Lot 1 Block 2 Unser Cliffs, S.A.D. 227**
6600 Rim Rock NW
Grading and Drainage Plan
Engineers Stamp Date 10-12-17 (D10D011)
Pad Certification Dated 10/12/17

Dear Ms. McDowell,

Based upon the information provided in your submittal received 10/16/17, this plan is approved for Building Permit.

Please have the owner/builder attach a copy of this approved plan, to the construction sets in the permitting process prior to sign-off by Hydrology.

Reiterate to the Owner/Contractor that a separate permit for a garden/retaining wall must be obtained, with the approved G&D plan dated 10/12/17.

Prior to Certificate of Occupancy release, Engineer Certification per the DPM checklist of this plan will be required.

If you have any questions, please contact me at 924-3695 or Rudy Rael at 924-3977.

Sincerely,

Dana Peterson, P.E.
Senior Engineer, Hydrology
Planning Department

RR/DP
C: File



City of Albuquerque

Planning Department

Development & Building Services Division

DRAINAGE AND TRANSPORTATION INFORMATION SHEET

(REV 02/2013)

Project Title: _____ Building Permit #: _____ City Drainage #: _____

DRB#: _____ EPC#: _____ Work Order#: _____

Legal Description: _____

City Address: _____

Engineering Firm: _____ Contact: _____

Address: _____

Phone#: _____ Fax#: _____ E-mail: _____

Owner: _____ Contact: _____

Address: _____

Phone#: _____ Fax#: _____ E-mail: _____

Architect: _____ Contact: _____

Address: _____

Phone#: _____ Fax#: _____ E-mail: _____

Surveyor: _____ Contact: _____

Address: _____

Phone#: _____ Fax#: _____ E-mail: _____

Contractor: _____ Contact: _____

Address: _____

Phone#: _____ Fax#: _____ E-mail: _____

TYPE OF SUBMITTAL:

- _____ DRAINAGE REPORT
- _____ DRAINAGE PLAN 1st SUBMITTAL
- _____ DRAINAGE PLAN RESUBMITTAL
- _____ CONCEPTUAL G & D PLAN
- _____ GRADING PLAN
- _____ EROSION & SEDIMENT CONTROL PLAN (ESC)
- _____ ENGINEER'S CERT (HYDROLOGY)
- _____ CLOMR/LOMR
- _____ TRAFFIC CIRCULATION LAYOUT (TCL)
- _____ ENGINEER'S CERT (TCL)
- _____ ENGINEER'S CERT (DRB SITE PLAN)
- _____ ENGINEER'S CERT (ESC)
- _____ SO-19
- _____ OTHER (SPECIFY) **PAD CERTIFICATION**

CHECK TYPE OF APPROVAL/ACCEPTANCE SOUGHT:

- _____ SIA/FINANCIAL GUARANTEE RELEASE
- _____ PRELIMINARY PLAT APPROVAL
- _____ S. DEV. PLAN FOR SUB'D APPROVAL
- _____ S. DEV. FOR BLDG. PERMIT APPROVAL
- _____ SECTOR PLAN APPROVAL
- _____ FINAL PLAT APPROVAL
- _____ CERTIFICATE OF OCCUPANCY (PERM)
- _____ CERTIFICATE OF OCCUPANCY (TCL TEMP)
- _____ FOUNDATION PERMIT APPROVAL
- _____ BUILDING PERMIT APPROVAL
- _____ GRADING PERMIT APPROVAL
- _____ PAVING PERMIT APPROVAL
- _____ WORK ORDER APPROVAL
- _____ GRADING CERTIFICATION
- _____ SO-19 APPROVAL
- _____ ESC PERMIT APPROVAL
- _____ ESC CERT. ACCEPTANCE
- _____ OTHER (SPECIFY) **PAD CERTIFICATION**

WAS A PRE-DESIGN CONFERENCE ATTENDED: _____ Yes _____ No _____ Copy Provided

DATE SUBMITTED: _____ By: **Jackie McDowell**

Requests for approvals of Site Development Plans and/or Subdivision Plats shall be accompanied by a drainage submittal. The particular nature, location, and scope to the proposed development defines the degree of drainage detail. One or more of the following levels of submittal may be required based on the following:

1. **Conceptual Grading and Drainage Plan:** Required for approval of Site Development Plans greater than five (5) acres and Sector Plans
2. **Drainage Plans:** Required for building permits, grading permits, paving permits and site plans less than five (5) acres
3. **Drainage Report:** Required for subdivision containing more than ten (10) lots or constituting five (5) acres or more
4. **Erosion and Sediment Control Plan:** Required for any new development and redevelopment site with 1-acre or more of land disturbing area, including project less than 1-acre that are part of a larger common plan of development

STANDARD GRADING NOTE: THE MAXIMUM GRADED SIDE SLOPE SHALL NOT EXCEED 3 FEET (HORIZONTALLY) TO 1 FOOT (VERTICALLY). AREAS DISTURBED BY GRADING WHICH WILL NOT BE TREATED WITH LANDSCAPING SHALL BE SEEDED.

STANDARD WALL AND PAD CERTIFICATION NOTES:
ALL PERMITER GARDEN WALLS SHALL BE PERMITTED SEPARATELY.
A PAD CERTIFICATION IS REQUIRED BEFORE THE BUILDING PERMIT IS RELEASED.

This is the plan to be used for any garden walls and any openings in the walls shall be placed 3" above final grade in the rear yard to allow for cross lot drainage from west to east (upstream to downstream).

PROPERTY LINE WALLS AND GARDEN WALLS SHALL HAVE TURNED BLOCKS OR WEEP HOLES FOR DRAINAGE. ALL OPENINGS IN THE WALLS SHALL BE 3" ABOVE GRADE.

In accordance with the Volcano Cliffs Property Owners Association, Inc. Architectural Control Committee Rules, Regulations and By-Laws, this plan shows minimal cut and fill and the grading of existing ground surface, since cross-lot drainage is allowed. Over 30% of the lot area is private open space.

LEGAL DESCRIPTION

Lot numbered One (1) in Block numbered Two (2) of UNSER CLIFFS SUBDIVISION, as the same is shown and designated on the Plat thereof, filed in the Office of the County Clerk of Bernalillo County, New Mexico, on August 12, 2004, in Book 2004C, Page 238.




SURVEY NOTES:

- 1) Bearings and distances shown are record and measured. All distances shown are ground.
- 2) Elevations shown hereon are NAVD 88 values GPS derived. OPUS solution using geoid 12B.
- 3) Any underground structure not shown is not a part of this survey.
- 4) This property is subject to pertinent easements, matters of Zoning, Covenants, Restrictions and Reservations of Record.
- 5) This Plat shows only those easements apparent on the ground and those disclosed by the Plat of Record. No Title Search was performed by the Surveyor.

KEYED BOUNDARY COURSES

KEY			
tc	top curb		
fl	flow line		
CL	center line		
bw	back walk		

L1	N 27°17'20" W	17.97
L2	S 64°32'28" W	52.70
C1	L=79.51	R=1752.00
C2	L=37.34	R=25.00
C3	L=39.66	R=150.00



	LEGEND	
	EXISTING	PROPOSED
CONTOUR	--- 6045 ---	— 6045 —
PROPERTY LINE	---	---
ROAD	---	---
SETBACK	---	---
RETAINING WALL	---	---
SPOT ELEVATION	X 5333.53	* XXX

GENERAL DRAINAGE PLAN NOTES:

1. It is recommended that the Owner obtain a Geotechnical Evaluation of the on-site soils prior to foundation/structural design.
2. This plan recommends positive drainage away from all structures to prohibit ponding of runoff adjacent to the structure. Future alterations of the grades next to the structures are not recommended.
3. Irrigation within 10 feet of any proposed structure is not recommended. Irrigation water adjacent to the structures could cause settlement.
4. This plan establishes on-site drainage and assumes no responsibility for subsurface analysis, foundation or structural design, or utility design.
5. Local codes may require all footings to be placed in natural undisturbed soil. If the contractor plans to place footings on engineered fill, a certification by a registered Professional Engineer is recommended.
6. It is recommended that the Owner obtain the services of a Geotechnical Engineer to test and inspect all earthwork aspects of the project.
7. The property boundary shown on this plan is given for information only to describe the project limits. Property boundary information shown hereon does not constitute a boundary survey.
8. All work shall be constructed in accordance with the City of Albuquerque Standard Specifications for Public Works Construction with updates.
9. All work on this project shall be performed in accordance with applicable Federal, State, and Local laws, rules, and regulations concerning construction safety and health.
10. Contactor shall ensure that no site soils/sediment or silt enters the right-of-ways during construction.
11. Areas disturbed due to construction shall be restored per City of Albuquerque Spec. 1012 native seed mix.

DRAINAGE PLAN

SCOPE:

Pursuant to the latest City of Albuquerque and Bernalillo County Ordinances, the Drainage Plan shown hereon outlines the drainage management criteria for controlling developed runoff on and exiting the project site. A single family home is proposed for the site with associated parking, access, landscaping, and utility improvements.

EXISTING CONDITIONS:

Presently, the 0.33 acre site is undeveloped. The site is bounded on the northwest and northeast by private property, on the southwest by Rim Rock Circle NW, and on the southeast by Rim Rock Circle NW. The site is level. As shown on FEMA Panel #111G, the site is not located in a 100 year flood plain.

PROPOSED CONDITIONS:

Per the SAD 227 Drainage Report by Wilson & Company, drainage from the lots have been master planned to be intercepted by drainage features downstream of the properties for developments than do not exceed 36% impervious, which this development meets, therefore, no ponding is required. As shown by the plan, the building is located in the center of the lot. No off-site flows enter the site due to existing grades on adjacent lots. On site flows will drain around the structure to existing grades. All roof drainage will discharge from the roof to the lot and be directed around the structure to the drainage paths.

Supplemental calculations are shown as part of this Grading and Drainage plan.

CALCULATIONS:

The calculations shown hereon define the 100 year-6 hour design storm falling within the project area under existing and developed conditions. The Hydrology is per "Section 22.2, Hydrology of the Development Process Manual, Volume 2, Design Criteria, for the City of Albuquerque, New Mexico in cooperation with Bernalillo County, New Mexico and the Albuquerque Metropolitan Arroyo Flood Control Authority.

PROPERTY ADDRESS:

6600 Rim Rock Circle NW

TOPOGRAPHY:

Topographic information provided by Christopher Dehler dated October4, 2017.

ZONE 1

Areas: (acres)	Existing	Proposed
Treatment A	0.33	0.05
Treatment B	0.00	0.08
Treatment C	0.00	0.08
Treatment D	0.00	0.12
Total (acres) =	0.33	0.33

PERCENT IMPERVIOUS:
0.12/0.33 = 36%

Volume	100 year Existing	100 year Proposed	10 year Existing	10 year Proposed	2 year Existing	2 year Proposed
Volume (acre-feet) =	0.012	0.033	0.002	0.017	0.000	0.008
Volume (cubic feet) =	527	1,420	96	746	0	351

SAD 227 MAXIMUM IMPERVIOUS AREA WITHOUT PONDING REQUIREMENTS IS 36% WHICH THIS MEETS

Total Q(p), cfs:	100 year Existing Q(p)*A	100 year Proposed Q(p)*A	10 year Existing Q(p)*A	10 year Proposed Q(p)*A	2 year Existing Q(p)*A	2 year Proposed Q(p)*A
Treatment A	0.43	0.06	0.08	0.01	0.00	0.00
Treatment B	0.00	0.16	0.00	0.06	0.00	0.00
Treatment C	0.00	0.23	0.00	0.12	0.00	0.04
Treatment D	0.00	0.52	0.00	0.35	0.00	0.20
Total Q (cfs) =	0.43	0.98	0.08	0.54	0.00	0.24

PAD CERTIFICATION:
The existing ground, based upon the topographic survey, is within one foot of the proposed finished floor and after taking into consideration a 4" floor slab, it is within 8" of the proposed pad, therefore, this plan should also qualify for a pad certification.



ENGINEER'S CERTIFICATION:

I, Jackie S. McDowell, hereby certify that I personally inspected the site shown on this plan on October 10, 2017 and as of that date it appeared that no filling, grading, or excavation had occurred thereon since completion of the topographic survey used to prepare this plan.

CITY OF ALBUQUERQUE, BERNALILLO COUNTY		NEW MEXICO			
LOT 1, BLOCK 2 UNSER CLIFFS SUBDIVISION					
LANG -- MONDAY -- GRADING & DRAINAGE PLAN					
McDowell Engineering, Inc. 7820 BEVERLY HILLS AVE. NE • ALBUQUERQUE, NM 87122 TELE: 505-828-2430 • FAX: 505-821-4857					
Designed JSM	Drawn STAFF	Checked JSM	Sheet of		
File LANO217L	Date OCTOBER,2017	1	1		