



LEGEND	
	PROJECT PERIMETER & DISTURBED AREA
	SILT FENCE
	MULCH SOCKS
	FLOW DIRECTION
	STAGING AREA
	STABILIZED CONSTRUCTION ENTRANCE
	TRASH RECEPTACLE
	CHEMICAL TOILET
	CONCRETE WASHOUT
	RETENTION POND
	RIP RAP
	CHECK DAM
	DROP INLET PROTECTION
	OUTFALL
	POSTING SIGN
	GRAVEL MULCH
	PAVEMENT

Gravel Mulch Stabilization:
7/16th to 1" Fractured Face Gravel, 2" deep
(350 Tons)



 11/02/2020 CPESC Stamp	RECEIVING WATER: DOMINGO BACA WATER QUALITY POND CRITICAL HABITAT: CRITERION "A": NO CRITICAL HABITATS WITHIN PROJECT AREA GPS LOCATION: 35.1718, -106.5883
	ALLASO JOURNAL CENTER PROJECT TITLE
	ALBUQUERQUE, BERNALILLO COUNTY, NM CITY, COUNTY, STATE
	11/02/2020 C. DURKIN DATE DRAWN BY INSPECTIONS ALUS

INLET PROTECTION



- BMP Objectives**
- Sediment Control
 - Sheet Flow Runoff Control

SILT FENCE



- BMP Objectives**
- Sediment Control
 - Sheet Flow Runoff Control
 - Wind Erosion Control

MULCH SOCK/STRAW WATTLE



- BMP Objectives**
- Sediment Control
 - Reduce Runoff Velocity
 - Inlet Protection

EROSION CONTROL NOTES ESC Plan Standard Notes (2020-06-03)

- All Erosion and Sediment Control (ESC) work on these plans, except as otherwise stated or provided hereon shall be permitted, constructed, inspected, and maintained in accordance with:
 - The City Ordinance § 14-5-2-11, the ESC Ordinance,
 - The EPA's 2017 Construction General Permit (CGP), and
 - The City Of Albuquerque Construction BMP Manual.
- All BMP's must be installed prior to beginning any earth moving activities except as specified hereon in the Phasing Plan. Construction of earthen BMP's such as sediment traps, sediment basins, and diversion berms shall be completed and inspected prior to any other construction or earthwork. Self-inspection is required after installation of the BMP's and prior to beginning construction.
- Self-inspections - At a minimum a routine compliance self-inspection is required to review the project for compliance with the Construction General Permit once every 14 days and after any precipitation event of 1/4 inch or greater until the site construction has been completed and the site determined as stabilized by the city. Reports of these inspections shall be kept by the person or entity authorized to direct the construction activities on the site.
- BMP's shall be inspected and maintained until all disturbed areas are stabilized in accordance with the Final Stabilization Criteria (CGP 2.2.14.b). Generally, all disturbed areas, other than structures, must have uniform perennial vegetation that provides 70 percent or more of the cover provided by native vegetation or seed the disturbed area and provide non-vegetative mulch that provides cover for at least three years without active maintenance. Final stabilization must be documented on prior to removal of BMP's and discontinuation of inspections.

SEDIMENT TRACK OUT CONTROL



- BMP Objectives**
- Sediment Control

BERMS AND SWALES



- BMP Objectives**
- Runoff Control
 - Run-on Diversion

RECEIVING WATERS: DOMINGO BACA WATER QUALITY POND	
CRITICAL HABITAT: CRITERION "A"; NO CRITICAL HABITATS WITHIN PROJECT AREA	
GPS LOCATION: 35.1718, -106.5803	
ALLASO JOURNAL CENTER PROJECT TITLE	
ALBUQUERQUE, BERNALILLO COUNTY, NM CITY, COUNTY, STATE	
11/02/2020 DATE	INSPECTIONS PLUS
C. DURKIN DRAWN BY	



11/02/2020
CPESC Stamp





Final Stabilization Photos of Allaso Journal
11/20/2023