CITY OF ALBUQUERQUE



Planning Department Transportation Development Services

September 16, 2015

Asa Nilsson-Weber Isaacson & Arfman, P.A. 128 Monroe St., NE Albuquerque, NM 87108

Re:

Broadstone Promenade, Tract 1, Santa Monica Place Bldg. 20 & 22

San Pedro Blvd., NE

Certificate of Occupancy – Transportation Development Engineer's/Architect's Stamp dated 6-19-14 (D18-D54A)

Certification dated 9-10-15

Dear Ms. Nilsson-Weber,

PO Box 1293

Based upon the information provided in your submittal received 9-11-15, Transportation Development has no objection to the issuance of a <u>Permanent Certificate of Occupancy</u>. This letter serves as a "green tag" from Transportation Development for a <u>Permanent Certificate of Occupancy</u> to be issued by the Building and Safety Division.

Albuquerque

If you have any questions, please contact Gary Sandoval at (505) 924-3675 or me at (505) 924-3991.

New Mexico 87103

Sincerely,

www.cabq.gov

Racquel M. Michel, P.E.

Traffic Engineer, Planning Dept. Development Review Services

\gs

via: email

C:

CO Clerk, File



City of Albuquerque

Planning Department

Development & Building Services Division

DRAINAGE AND TRANSPORTATION INFORMATION SHEET

(REV 02/2013)

Project Title: Broadstone Promenade, Tract 1, Santa Me	onica Place Building Permit #: City Drainage #: D18-D05	4A
DRB#: EPC#:	Work Order#:	
Legal Description: Tract 1, Santa Monica Place		
City Address:		
Engineering Firm: Isaacson & Arfman, P.A.	Contact: Asa Nilsson-Weber/Genny Don	art
Address: 128 Monroe Street NE - Albuquerque, NM 8	7108	ai t
	E-mail: asaw@iacivil.com/gennyd@iacivil.c	om
Owner: DRI TSM, LLC - c/o Titan Development Comp		_
Address: 6300 Riverside Plaza Lane NW, Suite 200 - A		
Phone#: (303) 996-0103	E-mail:	_
Architect:	Contact:	
Address:		
Phone#: Fax#:	E-mail:	_
Surveyor: Surv-Tek, Inc.	Contact: Russ P. Hugg	
Address: 9384 Valley View Drive - Albuquerque, NM	87114	
	E-mail:	_
	Contact:	
Address: Phone#: Fax#:	E mail:	
Γάλπ	E-man.	_
TYPE OF SUBMITTAL:	CHECK TYPE OF APPROVAL/ACCEPTANCE SOUGHT:	
DRAINAGE REPORT	SIA/FINANCIAL GUARANTEE RELEASE	
DRAINAGE PLAN 1st SUBMITTAL	PRELIMINARY PLAT APPROVAL S. DEV. PLAN FOR SUB'D APPROVAL S. D	П
DRAINAGE PLAN RESUBMITTAL	S. DEV. PLAN FOR SUB'D APPROMALES OF LEGIT APPROMALES	
CONCEPTUAL G & D PLAN GRADING PLAN	S. DEV. FOR BLDG. PERMIT APPROVAL SECTOR PLAN APPROVAL SEP 1 1 2015	
EROSION & SEDIMENT CONTROL PLAN (ESC)	SECTOR PLAN APPROVAL FINAL PLAT APPROVAL	
ENGINEER'S CERT (HYDROLOGY) Phases 3&5	X CERTIFICATE OF OCCUPANCY (PERNO) DEVELOPMENT SECTION	
CLOMR/LOMR	CERTIFICATE OF OCCUPANCY (TCL TEMP)	
TRAFFIC CIRCULATION LAYOUT (TCL)	FOUNDATION PERMIT APPROVAL	
X ENGINEER'S CERT (TCL)	BUILDING PERMIT APPROVAL	
ENGINEER'S CERT (DRB SITE PLAN)	GRADING PERMIT APPROVAL SO-19 APPROVAL	
ENGINEER'S CERT (ESC)	PAVING PERMIT APPROVAL ESC PERMIT APPROVAL	i
SO-19	WORK ORDER APPROVAL ESC CERT. ACCEPTANCE	
OTHER (SPECIFY)	GRADING CERTIFICATION OTHER (SPECIFY)	ند،
OTTLK (SPECIF1)	GRADING CERTIFICATION OTHER (SPECIFY)	
WAS A PRE-DESIGN CONFERENCE ATTENDED:	Yes No Copy Provided	
DATE SUBMITTED: September 10, 2015	By: <u>Genevieve Donart</u> Isaacson & Afrman, P.A.	

Requests for approvals of Site Development Plans and/or Subdivision Plats shall be accompanied by a drainage submittal. The particular nature, location, and scope to the proposed development defines the degree of drainage detail. One or more of the following levels of submittal may be required based on the following

- 1. Conceptual Grading and Drainage Plan: Required for approval of Site Development Plans greater than five (5) acres and Sector Plans
- 2. Drainage Plans: Required for building permits, grading permits, paving permits and site plans less than five (5) acres
- 3. Drainage Report: Required for subdivision containing more than ten (10) lots or constituting five (5) acres or more
- 4. Erosion and Sediment Control Plan: Required for any new development and redevelopment site with 1-acre or more of land disturbing area, including project less than 1-acre than are part of a larger common plan of development



Isaacson & Arfman, P.A.

Consulting Engineering Associates

Thomas O. Isaacson, PE (Ret.) & LS (Ret.) * Fred C. Arlman, PE * Asa Nilsson-Weber, PE

Project: Broadstone Promenade San Pedro Blvd, NE

Subject: Rolling TCL Certification; Building No(s).: 20 & 22

TRAFFIC CERTIFICATION

I, Genevieve L. Donart, PE, NMPE No. 15088, of the firm Isaacson & Arfman, PA, hereby certify that the portion of the site as identified and dated on the attached TCL plan is in substantial compliance with and in accordance with the design intent of the TCL Plan dated June 19, 2014. The record information edited onto the original design document has been obtained by Russ Hugg of the firm of Surv-Tek, Inc. I further certify that I or someone under my direct supervision has personally visited the project on September 10, 2015, and have determined by visual observations that the survey data provided is representative of actual site conditions and is true and correct to the best of my knowledge and belief. This certification is submitted in support of a request for a

Areas of modification:

Permanent Certificate of Occupancy.


- Driveway entrance from Derickson on the eastern end of Phase 3. The entire
 driveway shall be completed prior to certification of any future buildings, except
 Buildings 20 & 22.
- 2. Curbs within the parking area. Gaps within the curb shall be completely constructed prior to certification of any future buildings, except Buildings 20 & 22.
- 3. Parking striping within Phase 5. Striping shall be completed prior to certification of any future buildings, except Buildings 20 & 22.

The record information presented hereon is not necessarily complete and intended only to verify substantial compliance of the traffic aspects of this project. Those relying on the record document are advised to obtain independent verification of its accuracy before using it for any other purpose.

Genevieve L. Donart, PE No. 15088

Mellono.

Date



Point

13

14

1543208.8252

1543201.0576


1543084.4120

1543201.0851

1543580.1306

1543579.6041

1543609.3578



COORDINATE/CONTROL POINTS:

POINTS ARE SITUATED AT THE ACCESS ISLE CENTERLINE INTERSECTION, CENTERLINE INTERSECTION OR THE ENTRIES WITH THE PROJECT BOUNDARY AND AT THE DEAD-END ACCESS ISLE CENTERLINE INTERSECTION WITH THE FACE OF CURB AT THE ISLE TERMINUS

20

NMSP COORDINATE TABLE

25

27

28

29

1515541.5685

1515636.1291

1515636.8077

1515642.6291

1515640.4238

1515549.9254

1515640.2538

1543896.6392

1543897.1819

1543788.9432

1543754.7137

1543459.7070

1543460.2858

1543206.7751

1515361.7578

1515455.0504


1515362.3843

1515329.0829

1515330.7992

1515430.2975

1515332.2707



NMSP COORDINATE PAIR/BEARING-DISTANCE EXHIBIT

- 1. ENTRANCE VALLEY GUTTER & PAVING BY PUBLIC WORK
- 2. PCC PINNED CURB, SEE DETAIL SHEET CP5.1.
- 3. 6' COLORED PCC SIDEWALK, COLOR PER ARCHITECTURAL PLANS.

KEYED NOTES

- 4. HEADER CURB (COLORED), SEE DETAIL SHEET CP5.1.
- 5. REFUSE ENCLOSURE W/ SET PAVING PER
- ARCHITECTURAL.
- 6. 6' CONCRETE SIDEWALK, SEE DETAIL SHEET CP5.1.
- 7. 6' CONCRETE SIDEWALK W/ TURN-DOWN EDGE, PER ARCHITECTURAL.
- 8. ADA RAMP, SEE ARCHITECTURAL PLANS.

PHASING NOTES

PHASE A PAVING, SIDEWALKS, RAMPS, DUMPSTERS SHALL BE CONSTRUCTED PRIOR TO CERTIFICATION FOR THE FOLLOWING BUILDINGS (PHASES):

BUILDING NOS. 1-5, 19-22 (PHASES 1-8)

PHASE B PAVING, SIDEWALKS, RAMPS, DUMPSTERS SHALL BE CONSTRUCTED PRIOR TO CERTIFICATION

FOR THE FOLLOWING BUILDINGS (PHASES): BUILDING NOS. 6-18 (PHASES 9-21)

CONCRETE PAVERS, SEE CONCRETE PAVERS SECTION SHEET CP5.1.

LIGHT DUTY ASPHALT, SEE PAVEMENT SECTION SHEET CP5.1.

LEGEND

HEAVY DUTY ASPHALT, SEE PAVEMENT SECTION SHEET CP5.1.

CONCRETE PAVING, SEE PCC PAVEMENT SECTION SHEET CP5.1.

BUILDING PHASE LINE

PAVING CONSTRUCTION PHASE LINE PHASE A

SCALE 1"=40'

- C. FOR IRRIGATION DETAILS, SEE IRRIGATION DRAWINGS AND

				STANDARD	ACCESS
			REQUIRED:	331	12
DTAL	PARKING	SPACES	PROVIDED:	357	12

TOTAL BICYCLE SPACES REQUIRED: TOTAL BICYCLE SPACES PROVIDED:

GENERAL NOTES

A. CONTRACTOR SHALL COORDINATE WITH OWNER FOR ALLOWABLE STAGING AREAS DURING CONSTRICTION.

B. FOR DRAINAGE DETAILS, SEE CIVIL DRAWINGS AND SPECIFICATIONS.

SPECIFICATIONS.

D. FOR ADDITIONAL INFORMATION ON SITE FEATURES SEE ARCHITECTURAL SITE PLAN.

PARKING SPACE TABLE

DATE: JUNE, 2014

6400 SAN PEDRO DRIVE NE Albuquerque, New Mexico

World HQ@ORBArch.com

ALLIANCE

RESIDENTIAL COMPANY

ISAACSON &

ARFMAN, P.A.

Consulting Engineering Associates

Ph. 505-268-8828 www.iacivil.com

2025 CP 1.1.dwg Jun 19,2014

Contractor must verify all dimensions at project before proceeding with this work.


Do not reproduce these drawings and specifications without the expressed written permission of the Architect. The drawings and specifications are instruments of service and shall remain the property of the Architect whether the project for which they are made is executed or not. These drawings and specifications shall not be used by anyone on any other projects, for additions to this project, or for completion of this project by others except by the expressed written permission of the Architect.


© ORB Architecture, LLC 2013

REVISIONS

ORB # 13-220

SITE PAVING PLAN






GENERAL NOTES

- A. BASIS OF BEARINGS: PLAT OF LOTS 1-4, SANTA MONICA PLACE; (BK. 2012C, PG. 0002; REC: 01-06-2012).
- B. COORDINATE PAIRS ARE NEW MEXICO STATE PLANE COORDINATES, CENTRAL ZONE.
- C. SEE ARCHITECTURAL DETAIL SHEET, A1.20 FOR SITE STRIPING AND ACCESSIBILITY DETAILS.
- D. ALL STANDARD PARKING SPACES ARE 9'-0" WIDE BY 16'-0" DEEP UNLESS OTHERWISE NOTED.
- E. ALL ACCESSIBLE PARKING STALLS ARE 11'-0" WIDE BY 18'-0"
- F. ALL DIMENSIONING IS TO FACE OF CURB/EDGE OF TURNDOWN SIDEWALKS/ENTRANCE OF PARKING STALLS.
- REMOVE ALL UNUSED CURB CUTS WITHIN THE PUBLIC ROW AND REPLACE WITH COA STD CURB & GUTTER AND PCC SIDEWALKS AS SHOW ON THE PUBLIC WORK ORDER DRAWINGS.
- H. ALL IMPROVEMENTS SHOWN IN THE PUBLIC ROW TO BE CONSTRUCTED PER PUBLIC WORK ORDER DRAWINGS.
- . ALL ONSITE SIDEWALKS ARE 4' IN WIDTH UNLESS OTHERWISE NOTED/DIMENSIONED.



6400 SAN PEDRO DRIVE NE Albuquerque, New Mexico



World HQ@ORBArch.com



○ KEYED NOTES

- 1. PAVED AREAS, SEE PAVING PLAN FOR LIMITS AND TYPE OF PAVING.
- 2. ADA RAMP, SEE DETAIL ON ARCHITECTURAL PLANS.
- ACCESSIBLE PARKING SIGN, SEE DETAIL ON ARCHITECTURAL PLANS.
- 4. ACCESSIBLE PARKING STALL, SEE DETAILS ON
- ARCHITECTURAL PLANS.

 5. SINGLE TRASH ENCLOSURE.
- 6. DOUBLE TRASH ENCLOSURE.
- 7. ADA ACCESSIBLE RAMP WITH TRUNCATED DOME MATS, SEE PUBLIC WORK ORDER DRAWINGS.



ISAACSON & ARFMAN, P.A.

Consulting Engineering Associates
Ph. 505-268-8828 www.iacivil.com
2025 CP 1.2 THRU 1.4.dwg Jun 19,2014

Contractor must verify all dimensions at project before proceeding with this work.

Do not reproduce these drawings and specifications without the expressed written permission of the Architect. The drawings and specifications are instruments of service and shall remain the property of the Architect whether the project for which they are made is executed or not. These drawings and specifications shall not be used by anyone on any other projects, for additions to this project, or for completion of this project by others except by the expressed written permission of the Architect.

© ORB Architecture, LLC 2013

REVISIONS

LEGEND


4" WIDE PAINTED (BLUE) PARKING STRIPES, 3' ON CENTER.

PAINT CURB RED & STENCIL WHITE TEXT

"FIRE LANE NO PARKING", 4" HIGH LETTERS,

1/2" STROKE.

TRAFFIC CONTROL SHEET KEY



DATE: JUNE, 2014 0

CPI.3

MIDDLE TRAFFIC CONTROL LAYOUT