PUBLIC WORKS/HYDROLOGY

E18/D33

0000 0000 2234

E18/D33

25×10

0000 0000 2235

Wendy's

TO DR

INTERIM DRAINAGE PERMIT
FOR
SINGLE PARCELS UNDER

20,000 SQUARE FEET

Dec 78

Date received _____

Applicant's Name: Will Knox

Address: 6400 Uptown Blvd. #476

Alb.,N.M.

Telephone No.: 883-5285

Signature of Applicant: [signature] (For Will Knox)

LOCATION OF PARCEL TO BE DEVELOPED

Lot _____ Block Tract 3-B of land of D.R.G. Assoc. Alb., N.M.

Subdivision _____

Street address 6204 San Mateo Blvd. N.E.

Current zoning classification C-2

CALCULATIONS FOR SIZING OF RETENTION POND

Area of parcel 32,500 square feet

Volume of retention pond storage = 0.1 x Area = 0.1 x 32,500 = 3250 cub.ft.

ATTACHMENTS

1. Copy of page E-18 of zoning atlas (color in parcel).
2. Print of drainage plan (show bench marks referenced to mean sea level, existing contours and proposed contours, spot elevations and dimensions to verify adequacy of ponds and swales, and to insure site storm drainage is properly conveyed to the retention area, proposed improvements, and nearest storm drainage facilities.)
3. Does any storm water from adjacent properties now or in the future enter this parcel?

   _____ yes x no If answer is "yes" attach an explanation of how off site flows will be handled.

E18-033

25x10

0000 0000 2236

PLANS/PLATS ON FILE

FILE DESC: E18/D33

PLANS/PLATS 1

25 × 10

0000 0000 2237