I. ALL WORK DETAILED ON THESE PLANS AND PERFORMED UNDER THIS CONTRACT SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS AND THE PROJECT GEOTECHNICAL REPORT. WHERE APPLICABLE, CITY OF ALBUQUERQUE PUBLIC WORKS STANDARDS SHALL APPLY.

2. THE CONTRACTOR SHALL ABIDE BY ALL LOCAL, STATE, AND FEDERAL LAWS, RULES AND REGULATIONS WHICH APPLY TO THE CONSTRUCTION OF THESE IMPROVEMENTS, INCLUDING EPA REQUIREMENTS WITH RESPECT TO STORM WATER

3. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL FIELD VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL POTENTIAL OBSTRUCTIONS INCLUDING ALL UNDERGROUND UTILITIES. SHOULD A CONFLICT EXIST, THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION OBSERVER OR ENGINEER SO THAT THE CONFLICT CAN BE RESOLVED WITH A MINIMUM AMOUNT OF DELAY,

4. TWO (2) WORKING DAYS PRIOR TO ANY EXCAVATION, THE CONTRACTOR SHALL CONTACT LINE LOCATING SERVICE FOR LOCATION OF EXISTING UTILITIES.

AND APPURTENANCES ENCOUNTERED DURING CONSTRUCTION THAT REQUIRE relocation, shall be coordinated with that utility. The contractor shall BE RESPONSIBLE FOR COORDINATION OF ALL NECESSARY UTILITY ADJUSTMENTS. NO ADDITIONAL COMPENSATION WILL BE ALLOWED FOR DELAYS OR INCONVENIENCES CAUSED BY UTILITY COMPANY WORK CREWS. THE CONTRACTOR MAY BE REQUIRED TO RESCHEDULE HIS ACTIVITIES TO ALLOW UTILITY CREWS TO PERFORM THEIR

6. THE CONTRACTOR IS RESPONSIBLE FOR PROTECTING ALL EXISTING UTILITY LINES within the construction area. Any damage to existing facilities caused by construction activity shall be repaired or replaced at the contractor's expense and approved by the construction observer.

. CONSTRUCTION ACTIVITY SHALL BE LIMITED TO THE PROPERTY AND/OR PROJECT LIMITS. ANY DAMAGE TO ADJACENT PROPERTIES RESULTING FROM THE CONSTRUCTION PROCESS SHALL BE REPAIRED OR REPLACED AT THE CONTRACTOR'S

8. OVERNIGHT PARKING OF CONSTRUCTION EQUIPMENT SHALL NOT OBSTRUCT DRIVEWAYS OR DESIGNATED TRAFFIC LANES. THE CONTRACTOR SHALL NOT STORE ANY EQUIPMENT OR MATERIAL WITHIN THE PUBLIC RIGHT-OF-WAY.

9. THE CONTRACTOR SHALL OBTAIN ALL THE NECESSARY PERMITS FOR THE PROJECT PRIOR TO COMMENCING CONSTRUCTION (I.E., BARRICADING, TOPSOIL DISTURBANCE, EXCAVATION PERMITS, EPA STORM WATER PERMITS, ETC.).

10. ALL PROPERTY CORNERS DESTROYED DURING CONSTRUCTION SHALL BE replaced at the contractor's expense. All property corners must be RESET BY A REGISTERED LAND SURVEYOR.

11. THE CONTRACTOR SHALL PREPARE A CONSTRUCTION TRAFFIC CONTROL AND SIGNING PLAN AND OBTAIN APPROVAL OF SUCH PLAN FROM THE CITY OF ALBUQUERQUE, TRAFFIC ENGINEERING DEPARTMENT, PRIOR TO BEGINNING ANY CONSTRUCTION WORK ON OR ADJACENT TO EXISTING STREETS.

12. ALL BARRICADES AND CONSTRUCTION SIGNING SHALL CONFORM TO APPLICABLE SECTIONS OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" (MUTCD), US DEPARTMENT OF TRANSPORTATION, LATEST EDITION.

13. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY THE PROPER LOCATION OF ALL BARRICADING AT THE END AND BEGINNING OF EACH DAY.

4. THE CONTRACTOR SHALL TAKE ALL STEPS NECESSARY TO CONFORM WITH EPA REQUIREMENTS, INCLUDING COMPLIANCE WITH NPDES PHASE 2 REQUIREMENTS

KEYED NOTES

- 1. EXISTING CURB & GUTTER TO REMAIN.
- 2. EXISTING CURB & CUTTER TO BE REMOVED. SEE DEMOLITION PLAN.
- 3. EXISTING TRUCK DOCK AREA TO BE REMOVED. SEE DEMOLITION PLAN.
- 4. EXISTING LANDING & STEPS TO REMAIN.
- 5. NEW RAMP AT 12:1 MAX SLOPE. SEE ARCH FOR DETAILS.
- 6. NEW SIDEWALK TO MATCH EXISTING TO GRADE. 7. MATCH NEW CURB & GUTTER TO EXISTING.
- 8. NEW GREASE TRAP. SEE PLUMBING PLANS.
- NEW SIDEWALK SET AT 0.04' BELOW FF ON BLDG SIDE AND SLOPE AT 2% AWAY FROM BLDG.

10. NEW 3' WIDE CONCRETE VALLEY GUTTER PER COA STD DWG 2421.

ENSURE POSITIVE DRAINAGE AWAY FROM BUILDING. 11. NEW RETAINING WALL. SEE ARCH/STRUCT FOR DETAILS.

BENCH MARK DATA: (ACS AND PROJECT)

THE STATION MARK IS A 3 1/4" ALUMINUM CAP SET FLUSH IN THE CURB STAMPED "9-F18" LOCATED ON THE SOUTHEAST CORNER OF SAN MATEO BOULEVARD AND SAN MATEO LANE N.E.

ELEVATION IN FEET = 5209.56 (1929)

DRAINAGE CERTIFICATION

I, BRUCE J. STIDWORTHY, NMPE 14523, OF THE FIRM BOHANNAN HUSTON

NC., HEREBY CERTIFY THAT THIS PROJECT HAS BEEN GRADED AND WILL

DRAIN IN SUBSTANTIAL COMPLIANCE WITH AND IN ACCORDANCE WITH THE DESIGN INTENT OF THE APPROVED PLAN DATED 10/21/2005. THE RECORD

INFORMATION EDITED ONTO THE ORIGINAL DESIGN DOCUMENT HAS BEEN OBTAINED BY ROBERT GROMATZKY, NMPS 16469, OF THE FIRM BOHANNAN

HUSTON INC. I FURTHER CERTIFY THAT I HAVE PERSONALLY VISITED THE

INSPECTION THAT THE SURVEY DATA PROVIDED IS REPRESENTATIVE OF

ACTUAL SITE CONDITIONS AND IS TRUE AND CORRECT TO THE BEST OF MY

KNOWLEDGE AND BELIEF. THIS CERTIFICATION IS SUBMITTED IN SUPPORT

PROJECT SITE ON 07/31/2006 AND HAVE DETERMINED BY VISUAL

OF A REQUEST FOR PERMANENT CERTIFICATE OF OCCUPANCY.

THE DRAINAGE SCHEME ON THE EAST SIDE OF THE BUILDING WAS MODIFIED FROM A VALLEY GUTTER TO DROP INLETS AND AN 8" STORM DRAIN.

COMPLETE AND INTENDED ONLY TO VERIFY SUBSTANTIAL COMPLIANCE OF

THE GRADING AND DRAINAGE ASPECTS OF THIS PROJECT. THOSE RELYING ON THIS RECORD DOCUMENT ARE ADVISED TO OBTAIN INDEPENDENT VERIFICATION OF ITS ACCURACY BEFORE USING IT FOR ANY OTHER

THE RECORD INFORMATION PRESENTED HEREON IS NOT NECESSARILY

LEGEND


o	EXIST CLEAN OUT	
	EXIST DROP INLET	
8	EXIST FIRE HYDRANT	
C	EXIST GAS METER	
SD	EXIST STORM DRAIN MH	


EXIST WATER MH

EXIST WATER VALVE

--- SAW CUT LINE, MATCH EXISTING PAVEMENT

DRAINAGE CERTIFICATE LEGEND FL56.85 DESIGN GRADE





ZONE ATLAS PAGE F-17-Z LEGAL DESC: TRACT C-1 MONTGOMERY PLAZA

GRADING NOTES

1. EXCEPT AS PROVIDED HEREIN, GRADING SHALL BE PERFORMED AT THE ELEVATIONS AND IN ACCORDANCE WITH THE DETAILS SHOWN ON THIS PLAN.

2. THE COST FOR REQUIRED CONSTRUCTION DUST AND EROSION CONTROL MEASURES SHALL BE INCIDENTAL TO THE PROJECT COST.

3. ALL WORK RELATIVE TO FOUNDATION CONSTRUCTION, SITE PREPARATION, AND PAVEMENT INSTALLATION, AS SHOWN ON THIS PLAN, SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE "GEOTECHNICAL INVESTIGATION," AS PROVIDED BY THE ARCHITECT OR OWNER. ALL OTHER WORK SHALL, UNLESS OTHERWISE STATED OR PROVIDED FOR HEREON, BE CONSTRUCTED IN ACCORDANCE WITH THE PROJECT, (FIRST PRIORITY) SPECIFICATIONS, AND/OR THE CITY OF ALBUQUERQUE (COA) STANDARD SPECIFICATIONS FOR PUBLIC WORKS (SECOND PRIORITY).

4. EARTH SLOPES SHALL NOT EXCEED 3 HORIZONTAL TO 1 VERTICAL UNLESS SHOWN

5. IT IS THE INTENT OF THESE PLANS THAT THIS CONTRACTOR SHALL NOT PERFORM ANY WORK OUTSIDE OF THE PROPERTY BOUNDARIES EXCEPT AS REQUIRED BY THIS PLAN.

6. THE CONTRACTOR IS TO ENSURE THAT NO SOIL ERODES FROM THE SITE ONTO ADJACENT PROPERTY OR PUBLIC RIGHT-OF-WAY. THIS SHOULD BE ACHIEVED BY CONSTRUCTING TEMPORARY BERMS OR SILT FENCE AT THE PROPERTY LINES AND WETTING THE SOIL TO PROTECT IT FROM WIND EROSION.

7. A DISPOSAL SITE FOR ANY & ALL EXCESS EXCAVATION MATERIAL, AND UNSUITABLE MATERIAL AND/OR A BORROW SITE CONTAINING ACCEPTABLE FILL MATERIAL SHALL BE OBTAINED BY THE CONTRACTOR IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL REGULATIONS AND APPROVED BY THE OBSERVER. ALL COSTS INCURRED IN OBTAINING A DISPOSAL OR BORROW SITE AND HAUL TO OR FROM SHALL BE CONSIDERED INCIDENTAL TO THE PROJECT AND NO SEPARATE MEASUREMENT OR PAYMENT SHALL BE MADE.

8. PAVING AND ROADWAY GRADES SHALL BE +/- 0.1' FROM PLAN ELEVATIONS. PAD ELEVATION SHALL BE +/- 0.05' FROM BUILDING PLAN ELEVATION.

9. ALL PROPOSED CONTOURS REFLECT TOP OF PAVEMENT ELEVATIONS IN THE PARKING AREA AND MUST BE ADJUSTED FOR MEDIANS AND ISLANDS.

10. VERIFY ALL ELEVATIONS SHOWN ON PLAN FROM BASIS OF ELEVATION CONTROL STATION PRIOR TO BEGINNING CONSTRUCTION.

DRAINAGE MANAGEMENT PLAN

I. INTRODUCTION

The purpose of this submittal is to provide a Drainage Management Plan for a proposed commercial development which involves the expansion of an existing building located on Tract C-1 of the Montgomery Plaza Site. The +/-7.55 acre site is located at the southwest corner of San Mateo and Lumber Avenue in Northeast Albuquerque.


II. EXISTING HYDROLOGIC CONDITIONS

The fully developed site has a current approved Drainage Management Plan located in the City of Albuquerque Hydrology file number F17 – D002D. The site generally drains from east to west from San Mateo to Lumber Avenue.

II. PROPOSED HYDROLOGIC CONDITIONS Since the existing site is fully developed in its current state, the increase in the impervious area is minimal. We do not anticipate any negative impacts to the downstream drainage system west of the site.

IV. CONCLUSION

This submittal is made as an amendment to the original approved drainage management plan filed in City Hydrology file number F17-D002D. There will be a minimal increase to the impervious area of the site and there will be no negative impacts to the drainage of the site associated with this building expansion. With this submittal we are requesting approval of the final grading and drainage plan for Building Permit approval.



DRAWN BY REVIEWED BY

6801 Jefferson ME Suite 100

505 761-9700 fex 761-4222

dps Odpsabq.com

Albuquerque, NH 87109

GRADING \$ DRAINAGE PLAN

DATE

PROJECT NO.

10/20/05

060126

SHEET NO.

CONTROL POINT #060126-22

PKNAIL W/WASHER

N=5000.000

E=4725.840 ELEV-5188.89

Center INV: 5181.19

Center INV: 5183.55

North INV: 5186.05

Center INV: 5179.52

GENERAL NOTES

1. ALL WORK DETAILED ON THESE PLANS AND PERFORMED UNDER THIS CONTRACT SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS AND THE PROJECT GEOTECHNICAL REPORT. WHERE APPLICABLE, CITY OF ALBUQUERQUE PUBLIC WORKS STANDARDS SHALL APPLY.

2. THE CONTRACTOR SHALL ABIDE BY ALL LOCAL, STATE, AND FEDERAL LAWS, RULES AND REGULATIONS WHICH APPLY TO THE CONSTRUCTION OF THESE IMPROVEMENTS, INCLUDING EPA REQUIREMENTS WITH RESPECT TO STORM WATER DISCHARGE

3. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL FIELD VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL POTENTIAL OBSTRUCTIONS INCLUDING ALL UNDERGROUND UTILITIES. SHOULD A CONFLICT EXIST, THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION OBSERVER OR ENGINEER SO THAT THE CONFLICT CAN BE RESOLVED WITH A MINIMUM AMOUNT OF DELAY.

4. TWO (2) WORKING DAYS PRIOR TO ANY EXCAVATION, THE CONTRACTOR SHALL CONTACT LINE LOCATING SERVICE FOR LOCATION OF EXISTING UTILITIES.

5. ALL ELECTRICAL, TELEPHONE, CABLE TV, GAS AND OTHER UTILITY LINES, CABLES, AND APPURTENANCES ENCOUNTERED DURING CONSTRUCTION THAT REQUIRE RELOCATION, SHALL BE COORDINATED WITH THAT UTILITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATION OF ALL NECESSARY UTILITY ADJUSTMENTS. NO ADDITIONAL COMPENSATION WILL BE ALLOWED FOR DELAYS OR INCONVENIENCES CAUSED BY UTILITY COMPANY WORK CREWS. THE CONTRACTOR MAY BE REQUIRED TO RESCHEDULE HIS ACTIVITIES TO ALLOW UTILITY CREWS TO PERFORM THEIR

6. THE CONTRACTOR IS RESPONSIBLE FOR PROTECTING ALL EXISTING UTILITY LINES WITHIN THE CONSTRUCTION AREA. ANY DAMAGE TO EXISTING FACILITIES CAUSED BY CONSTRUCTION ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE CONTRACTOR'S EXPENSE AND APPROVED BY THE CONSTRUCTION OBSERVER.

7. CONSTRUCTION ACTIVITY SHALL BE LIMITED TO THE PROPERTY AND/OR PROJECT LIMITS. ANY DAMAGE TO ADJACENT PROPERTIES RESULTING FROM THE CONSTRUCTION PROCESS SHALL BE REPAIRED OR REPLACED AT THE CONTRACTOR'S EXPENSE.

8. OVERNIGHT PARKING OF CONSTRUCTION EQUIPMENT SHALL NOT OBSTRUCT DRIVEWAYS OR DESIGNATED TRAFFIC LANES. THE CONTRACTOR SHALL NOT STORE ANY EQUIPMENT OR MATERIAL WITHIN THE PUBLIC RIGHT—OF—WAY.

9. THE CONTRACTOR SHALL OBTAIN ALL THE NECESSARY PERMITS FOR THE PROJECT PRIOR TO COMMENCING CONSTRUCTION (I.E., BARRICADING, TOPSOIL DISTURBANCE, EXCAVATION PERMITS, EPA STORM WATER PERMITS, ETC.).

10. ALL PROPERTY CORNERS DESTROYED DURING CONSTRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ALL PROPERTY CORNERS MUST BE RESET BY A REGISTERED LAND SURVEYOR.

11. THE CONTRACTOR SHALL PREPARE A CONSTRUCTION TRAFFIC CONTROL AND SIGNING PLAN AND OBTAIN APPROVAL OF SUCH PLAN FROM THE CITY OF ALBUQUERQUE, TRAFFIC ENGINEERING DEPARTMENT, PRIOR TO BEGINNING ANY CONSTRUCTION WORK ON OR ADJACENT TO EXISTING STREETS.

12. ALL BARRICADES AND CONSTRUCTION SIGNING SHALL CONFORM TO APPLICABLE SECTIONS OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" (MUTCD), US DEPARTMENT OF TRANSPORTATION, LATEST EDITION.

13. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY THE PROPER LOCATION OF ALL BARRICADING AT THE END AND BEGINNING OF EACH DAY.

14. THE CONTRACTOR SHALL TAKE ALL STEPS NECESSARY TO CONFORM WITH EPA REQUIREMENTS, INCLUDING COMPLIANCE WITH NPDES PHASE 2 REQUIREMENTS

KEYED NOTES

- EXISTING CURB & GUTTER TO REMAIN.
- EXISTING CURB & GUTTER TO BE REMOVED. SEE DEMOLITION PLAN.
 EXISTING TRUCK DOCK AREA TO BE REMOVED. SEE DEMOLITION PLAN.
- 4. EXISTING LANDING & STEPS TO REMAIN.
- 5. NEW RAMP AT 12:1 MAX SLOPE. SEE ARCH FOR DETAILS:
- 6. NEW SIDEWALK TO MATCH EXISTING TC GRADE.
- 7. MATCH NEW CURB & GUTTER TO EXISTING.
- 8. NEW GREASE TRAP. SEE PLUMBING PLANS.
- 9. NEW SIDEWALK SET AT 0.04' BELOW FF ON BLDG SIDE
- AND SLOPE AT 2% AWAY FROM BLDG.
- 10. NEW 3' WIDE CONCRETE VALLEY GUTTER PER COA STD DWG 2421.
 ENSURE POSITIVE DRAINAGE AWAY FROM BUILDING.

 11. NEW RETAINING WALL. SEE ARCH/STRUCT FOR DETAILS.


BENCH MARK DATA: (ACS AND PROJECT)

THE STATION MARK IS A 3 1/4" ALUMINUM CAP SET FLUSH IN THE CURB STAMPED "9-F18" LOCATED ON THE SOUTHEAST CORNER OF SAN MATEO BOULEVARD AND SAN MATEO LANE N.E.

ELEVATION IN FEET = 5209.56 (1929)

LEGEND

	SAW CUT LINE, MATCH EXISTING PAVEMENT
0	EXIST CLEAN OUT
	EXSIT DROP INLET
	EXIST FIRE HYDRANT
G	EXIST GAS METER
SD	EXIST STORM DRAIN MH
\bigcirc	EXIST WATER MH
	EXIST WATER VALVE



ZONE ATLAS PAGE F-17-Z

LEGAL DESC: TRACT C-1 MONTGOMERY PLAZA

250 0 750 1000

GRADING NOTES

1. EXCEPT AS PROVIDED HEREIN, GRADING SHALL BE PERFORMED AT THE ELEVATIONS AND IN ACCORDANCE WITH THE DETAILS SHOWN ON THIS PLAN.

2. THE COST FOR REQUIRED CONSTRUCTION DUST AND EROSION CONTROL MEASURES SHALL BE INCIDENTAL TO THE PROJECT COST.

3. ALL WORK RELATIVE TO FOUNDATION CONSTRUCTION, SITE PREPARATION, AND PAVEMENT INSTALLATION, AS SHOWN ON THIS PLAN, SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE "GEOTECHNICAL INVESTIGATION," AS PROVIDED BY THE ARCHITECT OR OWNER. ALL OTHER WORK SHALL, UNLESS OTHERWISE STATED OR PROVIDED FOR HEREON, BE CONSTRUCTED IN ACCORDANCE WITH THE PROJECT, (FIRST PRIORITY) SPECIFICATIONS, AND/OR THE CITY OF ALBUQUERQUE (COA) STANDARD SPECIFICATIONS FOR PUBLIC WORKS (SECOND PRIORITY).

4. EARTH SLOPES SHALL NOT EXCEED 3 HORIZONTAL TO 1 VERTICAL UNLESS SHOWN OTHERWISE.

5. IT IS THE INTENT OF THESE PLANS THAT THIS CONTRACTOR SHALL NOT PERFORM ANY WORK OUTSIDE OF THE PROPERTY BOUNDARIES EXCEPT AS REQUIRED BY THIS PLAN.

6. THE CONTRACTOR IS TO ENSURE THAT NO SOIL ERODES FROM THE SITE ONTO ADJACENT PROPERTY OR PUBLIC RIGHT-OF-WAY. THIS SHOULD BE ACHIEVED BY CONSTRUCTING TEMPORARY BERMS OR SILT FENCE AT THE PROPERTY LINES AND WETTING THE SOIL TO PROTECT IT FROM WIND EROSION.

7. A DISPOSAL SITE FOR ANY & ALL EXCESS EXCAVATION MATERIAL, AND UNSUITABLE MATERIAL AND/OR A BORROW SITE CONTAINING ACCEPTABLE FILL MATERIAL SHALL BE OBTAINED BY THE CONTRACTOR IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL REGULATIONS AND APPROVED BY THE OBSERVER. ALL COSTS INCURRED IN OBTAINING A DISPOSAL OR BORROW SITE AND HAUL TO OR FROM SHALL BE CONSIDERED INCIDENTAL TO THE PROJECT AND NO SEPARATE MEASUREMENT OR PAYMENT SHALL BE MADE.

8. PAVING AND ROADWAY GRADES SHALL BE +/- 0.1' FROM PLAN ELEVATIONS. PAD ELEVATION SHALL BE +/- 0.05' FROM BUILDING PLAN ELEVATION.

9. ALL PROPOSED CONTOURS REFLECT TOP OF PAVEMENT ELEVATIONS IN THE PARKING AREA AND MUST BE ADJUSTED FOR MEDIANS AND ISLANDS.

10. VERIFY ALL ELEVATIONS SHOWN ON PLAN FROM BASIS OF ELEVATION CONTROL STATION PRIOR TO BEGINNING CONSTRUCTION.

DRAINAGE MANAGEMENT PLAN

I. INTRODUCTION

The purpose of this submittal is to provide a Drainage Management Plan for a proposed commercial development which involves the expansion of an existing building located on Tract C-1 of the Montgomery Plaza Site. The +/-7.55 acre site is located at the southwest corner of San Mateo and Lumber Avenue in Northeast Albuquerque.

I. EXISTING HYDROLOGIC CONDITIONS

The fully developed site has a current approved Drainage Management Plan located in the City of Albuquerque Hydrology file number F17 – D002D. The site generally drains from east to west from San Mateo to Lumber Avenue.

III. PROPOSED HYDROLOGIC CONDITIONS
Since the existing site is fully developed in its current state, the increase in the impervious area is minimal. We do not anticipate any negative impacts to the downstream drainage system west of the site.

V. CONCLUSION

This submittal is made as an amendment to the original approved drainage management plan filed in City Hydrology file number F17-D002D. There will be a minimal increase to the impervious area of the site and there will be no negative impacts to the drainage of the site associated with this building expansion. With this submittal we are requesting approval of the final grading and drainage plan for Building Permit approval.

Bohannan A Huston

Courtyard I 7500 Jefferson St. NE Albuquerque, NM 87109-4335

ENGINEERING & SPATIAL DATA & ADVANCED TECHNOLOGIES

Dekker Perich Sabatin

> 6801 Jefferson NE Suite 100 Albuquerque, NM 87109 505 761-9700 fax 761-4222 dps⊕dpsabq.com

ISSUED FOR

TODD WOOTH 16892

Montgomery Plaza Bldg. J 4595 San Mateo Boulevard, NE Albuquerque, New Mexico 87109

DRAWN BY
REVIEWED BY
JTW
DATE
10/20/05
PROJECT NO. 060126
DRAWING NAME


GRADING &


DRAINAGE PLAN


OCT 2 1 2005


HYDROLOGY SECTION


C101














DATE: FEBRUARY 18,2000

REVISIONS

PLAN (

GRADING & PAVING PLA


BJM DEVELOPMENT CONSULTANT
DESIGN — PLANNER
Albuquerque, New Mexico


Project Name

MONTGOMERY PLAZA

ALBUQUERQUE, NM

D FEB 2 8 2000 D
HYDROLOGY SECTION





FIRM PANEL 0139-D

GRADING/PAVING PLAN

The following items concerning the Montgomery Plaza Mall Grading/Paving Plan are contained hereon:

1. Vicinity Map

2. Grading/Paving Plan

EXISTING CONDITIONS


As shown by the vicinity map, the site is located at the northwest corner of the intersection of Montgomery Blvd. NE and San Mateo Blvd. NE. The shopping center is bordered by San Mateo Blvd. on the east, Montgomery Blvd. on the south, Lumber Avenue on the north, and developed Saint Joseph Hospital parking to the west. At present the site is fully developed as a shopping center. Furthermore, due to the developed nature of the site and the surrounding parcels, there are no off-site flows of concern in this analysis. According to the Flood Insurance Rate Map, Panel 0139—D, dated September 20, 1996, the site is not located within a designated flood zone.


PROPOSED CONDITIONS

As shown by this plan, the proposed improvements will not alter the existing drainage patterns. A majority of the existing asphalt areas are in poor condition and will be repaired and overlayed. Some areas will be totally removed and repaved. The existing grades will not be altered to a point that will require redesign. The majority of the handicap ramps and accessible parking spaces that don't meet ADÁ requirements will be regraded. Mr. John Rife Torkelson from Austin, Texas has been hired to evaluate these conditions. All existing developed run—off will be routed in its historical pattern, no swales, curb—cuts, inlets or any other drainage features will be altered. The original drainage concept will remain intact. No additional impervious or pervious areas will be created.

AREAS OF REPAIR


EXISTNG SPOT ELEVATION








GRADING/PAVING PLAN





LEGAL DESCRIPTION: TRACTS A, B, C, AND D-1 OF MONTGOMERY PLAZA AND TRACT 1-C OF ALLWOOD SUBDIVISION


PROJECT BENCHMARK:


BJM DEVELOPMENT CONSULTA

OMER

PLAN

GRADING,





JOB NO:


DATE: FEBRUARY 18,2000


REVISIONS


RADING & PAVING PLAN wn By: BJM Checked By:

BJM DEVELOPMENT CONSULTANT DESIGN — PLANNER Albuquerque, New Mexico

Project Name $MONTGOMERY\ PLAZA$







DATE: FEBRUARY 18,2000

REVISIONS


ING PLAN
ed By:


Sheet Title
GRADING & PAVING PLAI

Drawn By: BJM Checked By:

BJM DEVELOPMENT CONSULTANT
DESIGN - PLANNER
Albuquerque, New Mexico

MONTGOMERY PLAZA ALBUQUERQUE, NM







6801 Jefferson NE Suite 100 Albuquerque, NM 87109

architecture

planning

engineering

505 761-9700 fax 761-4222 dps@dpsabq.com ARCHITECT



ENGINEER

J E 09


10/31/05 GENERAL REVISIONS 11/14/05 PERMIT COMMENTS

\$2/15/06 OWNER REVISIONS

DRAWN BY SAS

REVIEWED BY 10/03/05 PROJECT NO. 05108 DRAWING NAME

SITE PLAN




GRADING & DRAINAGE PLAN



ENGINEERING . SPATIAL DATA . ADVANCED TECHNOLOGIES





DRAINAGE CERTIFICATION

I, BRUCE J. STIDWORTHY, NMPE 14523, OF THE FIRM BOHANNAN HUSTON INC., HEREBY CERTIFY THAT THIS PROJECT HAS BEEN GRADED AND WILL DRAIN IN SUBSTANTIAL COMPLIANCE WITH AND IN ACCORDANCE WITH THE DESIGN INTENT OF THE APPROVED PLAN DATED 10/21/2005. THE RECORD INFORMATION EDITED ONTO THE ORIGINAL DESIGN DOCUMENT HAS BEEN OBTAINED BY ROBERT GROMATZKY, NMPS 16469, OF THE FIRM BOHANNAN HUSTON INC. I FURTHER CERTIFY THAT I HAVE PERSONALLY VISITED THE PROJECT SITE ON 07/20/2006 AND HAVE DETERMINED BY VISUAL INSPECTION THAT THE SURVEY DATA PROVIDED IS REPRESENTATIVE OF ACTUAL SITE CONDITIONS AND IS TRUE AND CORRECT TO THE BEST OF MY OF A REQUEST FOR TEMPORARY CERTIFICATE OF OCCUPANCY.

THE DRAINAGE SCHEME ON THE EAST SIDE OF THE BUILDING WAS MODIFIED FROM A VALLEY GUTTER TO DROP INLETS AND AN 8" STORM DRAIN.

THE BUILDING AND NEAR THE NW CORNER OF THE BUILDING MUST BE COMPLETED.

PRIOR TO FINAL C.O., THE FINAL GRADING OF THE LANDSCAPE AREAS ON THE EAST SIDE OF

THE RECORD INFORMATION PRESENTED HEREON IS NOT NECESSARILY COMPLETE AND INTENDED ONLY TO VERIFY SUBSTANTIAL COMPLIANCE OF THE GRADING AND DRAINAGE ASPECTS OF THIS PROJECT. THOSE RELYING ON THIS RECORD DOCUMENT ARE ADVISED TO OBTAIN INDEPENDENT VERIFICATION OF ITS ACCURACY BEFORE USING IT FOR ANY OTHER

GENERAL NOTES

- 3. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL FIELD VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL POTENTIAL OBSTRUCTIONS INCLUDING ALL UNDERGROUND UTILITIES. SHOULD A CONFLICT EXIST, THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION OBSERVER OR ENGINEER SO THAT THE CONFLICT CAN BE RESOLVED WITH A MINIMUM AMOUNT OF DELAY.
- CONTACT LINE LOCATING SERVICE FOR LOCATION OF EXISTING UTILITIES.
- 5. ALL ELECTRICAL, TELEPHONE, CABLE TV, GAS AND OTHER UTILITY LINES, CABLES, AND APPURTENANCES ENCOUNTERED DURING CONSTRUCTION THAT REQUIRE RELOCATION, SHALL BE COORDINATED WITH THAT UTILITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATION OF ALL NECESSARY UTILITY ADJUSTMENTS. NO ADDITIONAL COMPENSATION WILL BE ALLOWED FOR DELAYS OR INCONVENIENCES CAUSED BY UTILITY COMPANY WORK CREWS. THE CONTRACTOR MAY BE REQUIRED TO RESCHEDULE HIS ACTIVITIES TO ALLOW UTILITY CREWS TO PERFORM THEIR required work.
- 6. THE CONTRACTOR IS RESPONSIBLE FOR PROTECTING ALL EXISTING UTILITY LINES WITHIN THE CONSTRUCTION AREA. ANY DAMAGE TO EXISTING FACILITIES CAUSED BY CONSTRUCTION ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE CONTRACTOR'S EXPENSE AND APPROVED BY THE CONSTRUCTION OBSERVER.
- 7. CONSTRUCTION ACTIVITY SHALL BE LIMITED TO THE PROPERTY AND/OR PROJECT LIMITS. ANY DAMAGE TO ADJACENT PROPERTIES RESULTING FROM THE CONSTRUCTION PROCESS SHALL BE REPAIRED OR REPLACED AT THE CONTRACTOR'S
- 8. OVERNIGHT PARKING OF CONSTRUCTION EQUIPMENT SHALL NOT OBSTRUCT DRIVEWAYS OR DESIGNATED TRAFFIC LANES. THE CONTRACTOR SHALL NOT STORE
- 9. THE CONTRACTOR SHALL OBTAIN ALL THE NECESSARY PERMITS FOR THE PROJECT PRIOR TO COMMENCING CONSTRUCTION (I.E., BARRICADING, TOPSOIL DISTURBANCE, EXCAVATION PERMITS, EPA STORM WATER PERMITS, ETC.).
- 10. ALL PROPERTY CORNERS DESTROYED DURING CONSTRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ALL PROPERTY CORNERS MUST BE RESET BY A REGISTERED LAND SURVEYOR.
- ALBUQUERQUE, TRAFFIC ENGINEERING DEPARTMENT, PRIOR TO BEGINNING ANY CONSTRUCTION WORK ON OR ADJACENT TO EXISTING STREETS.
- SECTIONS OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" (MUTCD), US DEPARTMENT OF TRANSPORTATION, LATEST EDITION.
- ALL BARRICADING AT THE END AND BEGINNING OF EACH DAY.
- 14. THE CONTRACTOR SHALL TAKE ALL STEPS NECESSARY TO CONFORM WITH EPA REQUIREMENTS, INCLUDING COMPLIANCE WITH NPDES PHASE 2 REQUIREMENTS

KEYED NOTES

- 1. EXISTING CURB & GUTTER TO REMAIN.
- 3. EXISTING TRUCK DOCK AREA TO BE REMOVED. SEE DEMOLITION PLAN.
- 4. EXISTING LANDING & STEPS TO REMAIN.

- 8. NEW GREASE TRAP. SEE PLUMBING PLANS.
- 9. NEW SIDEWALK SET AT 0.04' BELOW FF ON BLDG SIDE
- 10. NEW 3' WIDE CONCRETE VALLEY GUTTER PER COA STD DWG 2421. ENSURE POSITIVE DRAINAGE AWAY FROM BUILDING.

BENCH MARK DATA: (ACS AND PROJECT)

ELEVATION IN FEET = 5209.56 (1929)

--- SAW CUT LINE, MATCH EXISTING PAVEMENT

DRAINAGE CERTIFICATE LEGEND

FL56.85 DESIGN GRADE

ASBUILT GRADE

- 1. ALL WORK DETAILED ON THESE PLANS AND PERFORMED UNDER THIS CONTRACT SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS AND THE PROJECT GEOTECHNICAL REPORT. WHERE APPLICABLE, CITY OF ALBUQUERQUE PUBLIC WORKS STANDARDS SHALL APPLY.
- 2. THE CONTRACTOR SHALL ABIDE BY ALL LOCAL, STATE, AND FEDERAL LAWS, RULES AND REGULATIONS WHICH APPLY TO THE CONSTRUCTION OF THESE IMPROVEMENTS, INCLUDING EPA REQUIREMENTS WITH RESPECT TO STORM WATER
- 4. TWO (2) WORKING DAYS PRIOR TO ANY EXCAVATION, THE CONTRACTOR SHALL

- ANY EQUIPMENT OR MATERIAL WITHIN THE PUBLIC RIGHT-OF-WAY.
- 11. THE CONTRACTOR SHALL PREPARE A CONSTRUCTION TRAFFIC CONTROL AND SIGNING PLAN AND OBTAIN APPROVAL OF SUCH PLAN FROM THE CITY OF
- 12. ALL BARRICADES AND CONSTRUCTION SIGNING SHALL CONFORM TO APPLICABLE
- 13. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY THE PROPER LOCATION OF

- 2. EXISTING CURB & GUTTER TO BE REMOVED. SEE DEMOLITION PLAN.

- 5. NEW RAMP AT 12:1 MAX SLOPE. SEE ARCH FOR DETAILS.
- 6. NEW SIDEWALK TO MATCH EXISTING TO GRADE
- 7. MATCH NEW CURB & GUTTER TO EXISTING.
- AND SLOPE AT 2% AWAY FROM BLDG.
- 11. NEW RETAINING WALL. SEE ARCH/STRUCT FOR DETAILS.

THE STATION MARK IS A 3 1/4" ALUMINUM CAP SET FLUSH IN THE CURB STAMPED "9-F18" LOCATED ON THE SOUTHEAST CORNER OF SAN MATEO BOULEVARD AND SAN MATEO LANE N.E.

LEGEND

	•
	EXIST CLEAN OUT
	EXIST DROP INLET
•	EXIST FIRE HYDRANT
G	EXIST GAS METER
SD	EXIST STORM DRAIN MH
W	EXIST WATER MH
M	EXIST WATER VALVE

1. EXCEPT AS PROVIDED HEREIN, GRADING SHALL BE PERFORMED AT THE ELEVATIONS AND IN ACCORDANCE WITH THE DETAILS SHOWN ON THIS PLAN.

2. THE COST FOR REQUIRED CONSTRUCTION DUST AND EROSION CONTROL MEASURES SHALL BE INCIDENTAL TO THE PROJECT COST.

- 3. ALL WORK RELATIVE TO FOUNDATION CONSTRUCTION, SITE PREPARATION, AND PAVEMENT INSTALLATION, AS SHOWN ON THIS PLAN, SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE "GEOTECHNICAL INVESTIGATION," AS PROVIDED BY THE ARCHITECT OR OWNER. ALL OTHER WORK SHALL, UNLESS OTHERWISE STATED OR PROVIDED FOR HEREON, BE CONSTRUCTED IN ACCORDANCE WITH THE PROJECT, (FIRST PRIORITY) SPECIFICATIONS, AND/OR THE CITY OF ALBUQUERQUE (COA) STANDARD SPECIFICATIONS FOR PUBLIC WORKS (SECOND PRIORITY).
- 4. EARTH SLOPES SHALL NOT EXCEED 3 HORIZONTAL TO 1 VERTICAL UNLESS SHOWN
- 5. IT IS THE INTENT OF THESE PLANS THAT THIS CONTRACTOR SHALL NOT PERFORM ANY WORK OUTSIDE OF THE PROPERTY BOUNDARIES EXCEPT AS REQUIRED BY THIS PLAN.
- 6. THE CONTRACTOR IS TO ENSURE THAT NO SOIL ERODES FROM THE SITE ONTO ADJACENT PROPERTY OR PUBLIC RIGHT-OF-WAY. THIS SHOULD BE ACHIEVED BY CONSTRUCTING TEMPORARY BERMS OR SILT FENCE AT THE PROPERTY LINES AND WETTING THE SOIL TO PROTECT IT FROM WIND EROSION.
- 7. A DISPOSAL SITE FOR ANY & ALL EXCESS EXCAVATION MATERIAL, AND UNSUITABLE MATERIAL AND/OR A BORROW SITE CONTAINING ACCEPTABLE FILL MATERIAL SHALL BE OBTAINED BY THE CONTRACTOR IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL REGULATIONS AND APPROVED BY THE OBSERVER. ALL COSTS INCURRED IN OBTAINING A DISPOSAL OR BORROW SITE AND HAUL TO OR FROM SHALL BE CONSIDERED INCIDENTAL TO THE PROJECT AND NO SEPARATE MEASUREMENT OR PAYMENT SHALL BE MADE.
- 8. PAVING AND ROADWAY GRADES SHALL BE +/- 0.1' FROM PLAN ELEVATIONS. PAD ELEVATION SHALL BE $\pm/-$ 0.05' FROM BUILDING PLAN ELEVATION.
- 9. ALL PROPOSED CONTOURS REFLECT TOP OF PAVEMENT ELEVATIONS IN THE PARKING AREA AND MUST BE ADJUSTED FOR MEDIANS AND ISLANDS.
- 10. VERIFY ALL ELEVATIONS SHOWN ON PLAN FROM BASIS OF ELEVATION CONTROL STATION PRIOR TO BEGINNING CONSTRUCTION.

DRAINAGE MANAGEMENT PLAN

I. INTRODUCTION

The purpose of this submittal is to provide a Drainage Management Plan for a proposed commercial development which involves the expansion of an existing building located on Tract C-1 of the Montgomery Plaza Site. The +/-7.55 acre site is located at the southwest corner of San Mateo and Lumber Avenue in Northeast Albuquerque.

II. EXISTING HYDROLOGIC CONDITIONS

The fully developed site has a current approved Drainage Management Plan located in the City of Albuquerque Hydrology file number F17 – D002D. The site generally drains from east to west from San Mateo to Lumber Avenue.

III. PROPOSED HYDROLOGIC CONDITIONS

Since the existing site is fully developed in its current state, the increase in the impervious area is minimal. We do not anticipate any negative impacts to the downstream drainage system west of the site.

IV. CONCLUSION

This submittal is made as an amendment to the original approved drainage management plan filed in City Hydrology file number F17-D002D. There will be a minimal increase to the impervious area of the site and there will be no negative impacts to the drainage of the site associated with this building expansion. With this submittal we are requesting approval of the final grading and drainage plan for Building Permit approval.

GENERAL CONSTRUCTION NOTES

CONTRACTOR IS RESPONSIBLE FOR COTAINING ALL REQUIRED CONSTRUCTION PERMITS, INCLUDING A TOP SOIL DISTURBANCE PERMIT, PRIOR TO START OF CONSTRUCTION.

ALL WORK ON THIS PROJECT SHALL BE PERFORMED IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, AND REGULATIONS CONCERNING CONSTRUCTION SAFETY AND HEALTH.

REFERENCES MADE TO STANDARD SPECIFICATIONS AND STANDARD DRAWINGS REFER TO THE CITY OF ALBUQUERQUE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, 1986 EDITION WITH ALL UPDATES.

THE CONTRACTOR SHALL NOT INSTALL ITEMS AS SHOWN ON THESE PLANS WHEN IT IS OBVIOUS THAT FIELD CONDITIONS ARE DIFFERENT THAN SHOWN IN THE PLANS. SUCH CONDITIONS SHALL BE BROUGHT TO THE ATTENTION OF THE ENGINEER IN A TIMELY MANNER. IN THE EVENT THE CONTRACTOR DOES NOT NOTIFY THE EMEMBER IN A TIMELY MANNER, THE CONTRACTOR ASSUMES FULL RESPONSIBILITY AND EXPENSE FOR ANY REVISIONS NECESSARY, INCLUDING ENGINEERING DESIGN FEES.

EXISTING SITE IMPROVEMENTS WHICH ARE DAMAGED OR DISPLACED BY THE CONTRACTOR SHALL BE REMOVED AND REPLACED BY THE CONTRACTOR AT THE CONTRACTOR'S EXPENSE. REPAIRS SHALL BE APPROVED BY THE OWNER PRIOR TO CONSTRUCTION OF THE REPAIRS. REPAIRS SHALL BE ACCEPTED BY THE OWNER PRIOR TO FINAL

EXISTING FENCING THAT IS NOT DESIGNATED FOR REMOVAL SHALL NOT BE DISTURBED. ANY FENCING THAT IS DISTURBED OR ALTERED BY THE CONTRACTOR SHALL BE RESTORED TO ITS ORIGINAL CONDITION AT THE CONTRACTORS EXPENSE. IF THE CONTRACTOR DESIRES TO REMOVE FENCING TO ACCOMMODATE CONSTRUCTION ACTIVITIES. THE CONTRACTOR SHALL OBTAIN THE OWNER'S WRITTEN PERMISSION BEFORE THE FENCE IS REMOVED. CONTRACTOR SHALL RESTORE THE FENCE TO ITS ORIGINAL CONDITION AT THE EARLIEST OPPORTUNITY. WHILE ANY FENCING IS REMOVED, THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR SECURITY OF THE SITE UNTIL THE FENCE IS RESTORED.

WORK WITHIN ADJACENT RIGHT-OF-WAY

PRIOR TO BEGINNING ANY CONSTRUCTION ACTIVITIES WITHIN ADJACENT RIGHT-OF-WAYS OR WITHIN PROPERTY NOT OWNED BY THE OWNER OF THE PROJECT SITE, THE CONTRACTOR SHALL ASSURE THAT ALL PERMITS AND PERMISSIONS REQUIRED HAVE BEEN OBTAINED IN WRITING.

SURVEY MONUMENTS, PROPERTY CORNERS, BENCHMARKS

THE CONTRACTOR SHALL NOTIFY THE OWNER AT LEAST SEVEN DAYS BEFORE BEGINNING ANY CONSTRUCTION ACTIVITY THAT COULD DAMAGE OR DISPLACE SURVEY MONUMENTS, PROPERTY CORNERS, OR PROJECT BENCHMARKS SO THESE ITEMS MAY BE RELOCATED.

ANY SURVEY MONUMENTS. PROPERTY CORNERS. OR BENCHMARKS THAT ARE NOT IDENTIFIED FOR RELOCATION ARE THE RESPONSIBILITY OF THE CONTRACTOR TO PRESERVE AND PROTECT. RELOCATION OR REPLACEMENT OF THESE ITEMS SHALL BE DONE BY THE OWNER'S SURVEYOR AT THE EXPENSE OF THE CONTRACTOR.

DIMENSIONS

ALL DIMENSIONS TO CURBS ARE TO THE FLOWLINE UNLESS OTHERWISE NOTED.

ALL STATIONING IS TO THE CENTERLINE OF THE RIGHT-OF-WAY UNLESS OTHERWISE NOTED.

ALL SLOPES AND GRADES ARE IN PERCENT UNLESS OTHERWISE NOTED.

CURB ELEVATIONS ARE SHOWN AT THE FLOW LINE UNLESS OTHERWISE NOTED. SEE THE DETAIL SHEET TO DETERMINE THE CURB HEIGHT ABOVE FLOW LINE.

UNLESS OTHERWISE SPECIFIED, SUBGRADE, ENGINEERED FILL, AND STRUCTURAL FILL SHALL BE COMPACTED TO THE FOLLOWING SPECIFICATIONS OF THE ASTM D-1557 MAXIMUM DRY DENSITY.

MATERIAL A OCATION	PERCENT COMPACTO
STRUCTURAL FILL IN THE BUILDING AREA	95%
SUBBASE FOR SLAB SUPPORT	95%
MISCELLANEOUS BACKFILL BELOW STRUCTURAL	
FILL OR ROADWAY PAVEMENT	95%
MISCELLANEOUS BACKFILL BELOW UNPAVED,	
NON-BUILDING AREAS	90%
ROADWAY PAVEMENT SUBGRADE	95%
SIDEWALK SUBGRADE	90%
CURB AND GUTTER SUBGRADE	95%

RECORD BEARING AND DISTANCES

HWY R/W MARKER T RAIL

CORNER TO CORNER DIMENS.

RECORD BEARING AND DISTANCES

PAVENENT

WHEN ABUTTING NEW PAVEMENT TO EXISTING PAVEMENT, CUT EXISTING PAVEMENT EDGE TO A NEAT, STRAIGHT LINE AS NECESSARY TO REMOVE ANY BROKEN OR CRACKED PAVEMENT AND MATCH NEW PAVEMENT ELEVATION TO

ALL UTILITIES AND UTILITY SERVICE LINES SHALL BE INSTALLED AND APPROVED PRIOR TO PAVING.

ALL WATER VALVE BOXES AND ELECTRICAL, TELEPHONE, TELEVISION, AND SEWER MANHOLES IN THE CONSTRUCTION AREA SHALL BE ADJUSTED TO FINISHED GRADE BEFORE PAVING.

WHEN SIDEWALK OR CURB AND GUTTER IS REMOVED, IT SHALL BE REMOVED TO EXISTING CONSTRUCTION JOINTS. CUTTING OR BREAKING SHALL NOT BE ALLOWED.

DOWN GUY

LIGHT POLE

-----OT----- OVERHEAD TELEPHONE

BLOCK WALL

DRAINAGE SWALE

EX US WEST RISER

-----OE----- OVERHEAD ELECTRIC

UTILITY POLE WITH LIGHT

UTILITIES

IF ANY UTILITY LINES, PIPELINES, OR UNDERGROUND UTILITY LINES ARE SHOWN ON THESE DRAWINGS. THEY ARE SHOWN IN AN APPROXIMATE LOCATION ONLY BASED ON THE INFORMATION PROVIDED TO THE ENGINEER BY OTHERS. THIS INFORMATION MAY BE INACCURATE OR INCOMPLETE. ADDITIONALLY, UNDERGROUND LINES MAY EXIST THAT ARE NOT SHOWN. THE CONTRACTOR SHALL VERIFY THE LOCATION OF ANY UTILITY LINE, PIPELINE, OR UNDERGROUND UTILITY LINE IN OR NEAR THE AREA OF THE WORK IN ACCORDANCE WITH CHAPTER 62, ARTICLE 14-1, THROUGH 14-8, NMSA 1978.

THE CONTRACTOR SHALL CONTACT THE STATEWIDE UTILITY LOCATOR SERVICE AT 1-800-321-2537 AT LEAST TWO WORKING DAYS BEFORE BEGINNING CONSTRUCTION. AFTER THE UTILITIES ARE SPOTTED, THE CONTRACTOR SHALL EXPOSE ALL PERTINENT UTILITIES TO VERIFY THEIR VERTICAL AND HORIZONTAL LOCATION. IF A CONFLICT EXISTS BETWEEN EXISTING UTILITIES AND PROPOSED CONSTRUCTION, THE CONTRACTOR SHALL NOTIFY THE ENGINEER SO THAT THE CONFLICT CAN BE RESOLVED WITH MINIMAL DELAY.

THE CONTRACTOR SHALL EXERCISE DUE CARE TO AVOID DISTURBING ANY EXISTING UTILITIES, ABOVE OR BELOW GROUND. UTILITIES THAT ARE DAMAGED BY CARELESS CONSTRUCTION SHALL BE REPAIRED OR REPLACED AT THE CONTRACTOR'S EXPENSE.

THE CONTRACTOR SHALL COORDINATE ANY REQUIRED UTILITY INTERRUPTIONS WITH THE OWNER AND AFFECTED UTILITY COMPANY A MINIMUM OF THREE WORKING DAYS BEFORE THE INTERRUPTION.

THE CONTRACTOR SHALL MAINTAIN A RECORD DRAWING SET OF PLANS AND PROMPTLY LOCATE ALL UTILITIES, EXITING OR NEW, IN THEIR CORRECT LOCATION, HORIZONTAL AND VERTICAL. THIS RECORD SET OF DRAWINGS SHALL BE MAINTAINED ON THE PROJECT SITE AND SHALL BE AVAILABLE TO THE OWNER AND ENGINEER AT ANY TIME DURING CONSTRUCTION.

EROSION CONTROL ENVIRONMENTAL PROTECTION, AND STORM WATER POLLUTION PREVENTION PLAN

THE CONTRACTOR SHALL CONFORM TO ALL CITY, COUNTY, STATE, AND FEDERAL DUST AND EROSION CONTROL REGULATIONS. THE CONTRACTOR SHALL OBTAIN AND PREPARE ANY DUST CONTROL OR EROSION CONTROL PERMITS REQUIRED FROM THE REGULATORY AGENCIES.

THE CONTRACTOR SHALL PROMPTLY REMOVE ANY MATERIAL EXCAVATED WITH THE PUBLIC RIGHT-OF-WAY OR

THE CONTRACTOR SHALL ENSURE THAT NO SOIL ERODES FROM THE SITE ONTO ADJACENT PROPERTY BY CONSTRUCTION OF TEMPORARY EROSION CONTROL BERMS OR INSTALLING SILT FENCES AT THE PROPERTY LINES AND WETTING THE SOIL TO PREVENT IT FROM BLOWING.

WATERING, AS REQUIRED FOR CONSTRUCTION DUST CONTROL, SHALL BE CONSIDERED INCIDENTAL TO CONSTRUCTION AND NO MEASUREMENT OR PAYMENT SHALL BE MADE. CONSTRUCTION AREAS SHALL BE WATERED FOR DUST CONTROL IN COMPLIANCE WITH GOVERNMENT ORDINANCES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING AND SUPPLYING WATER AS REQUIRED.

ANY AREAS DISTURBED BY CONSTRUCTION AND NOT COVERED BY LANDSCAPING OR IMPERVIOUS SURFACES SHALL

THE CONTRACTOR SHALL PROPERLY HANDLE AND DISPOSE OF ALL ASPHALT REMOVED ON THE PROJECT BY

ALL WASTE PRODUCTS FROM THE CONSTRUCTION SITE, INCLUDING ITEMS DESIGNED FOR REMOVAL. CONSTRUCTION WASTE, CONSTRUCTION EQUIPMENT WASTE PRODUCTS (OIL, GAS, TIRES, ETC.), GARBAGE, GRUBBING, EXCESS CUT MATERIAL, VEGETATIVE DEBRIS, ETC.. SHALL BE APPROPRIATELY DISPOSED OF OFFSET AT NO ADDITIONAL COST TO THE OWNER. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO OBTAIN ANY PERMITS REQUIRED FOR HAUL OR DISPOSAL OF WASTE PRODUCTS, IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO ENSURE THAT THE WASTE DISPOSAL SITE COMPLIES WITH GOVERNMENT REGULATIONS REGARDING THE ENVIRONMENT, ENDANGERED SPECIES, AND ARCHAEOLOGICAL RESOURCES.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE CLEANUP AND REPORTING OF SPILLS OF HAZARDOUS MATERIALS ASSOCIATED WITH THE CONSTRUCTION SITE. HAZARDOUS MATERIALS INCLUDE GASOLINE, DIESEL FUEL. MOTOR OIL, SOLVENTS, CHEMICALS, PAINT, ETC. WHICH MAY BE A THREAT TO THE ENVIRONMENT. THE CONTRACTOR SHALL REPORT THE DISCOVERY OF PAST OR PRESENT SPILLS TO THE NEW MEXICO EMERGENCY RESPONSE AT 1-800-219-6157.

THE CONTRACTOR SHALL COMPLY WITH ALL APPLICABLE REGULATIONS CONCERNING SURFACE AND UNDERGROUND WATER. CONTACT WITH SURFACE WATER BY CONSTRUCTION EQUIPMENT AND PERSONNEL SHALL BE MINIMIZED. EQUIPMENT MAINTENANCE AND REFUELING OPERATIONS SHALL BE PERFORMED IN AN ENVIRONMENTALLY SAFE

HOURS OF OPERATION.

ALL SURFACES ALONG ACCESSIBLE ROUTES AND FOR HANDICAP RAMPS SHALL BE STABLE FIRM, SLIDE RESISTANT AND SHALL COMPLY WITH UNIFORM FEDERAL ACCESSIBILITY STANDARDS, PARAGRAPH 4.5.

LONGITUDINAL SLOPES ALONG ACCESSIBLE ROUTE SIDEWALKS, EXCEPT AT HANDICAP RAMPS, SHALL NOT BE STEEPER THAN 1:20. CROSS SLOPES ALONG ACCESSIBLE ROUTE SIDEWALKS EXCEPT AT HANDICAP RAMPS, SHALL NOT BE STEEPER THAN 1:48. SLOPES IN ACCESSIBLE PARKING SPACES, ACCESS AISLES, AND PASSENGER LOADING ZONES SHALL NOT BE STEEPER THAN 1:48 IN ALL DIRECTIONS.

THE SITE SHALL COMPLY WITH ANSI A117.1-1992, "ACCESSIBLE AND USABLE BUILDINGS AND FACILITIES".

CHANNELIZATION DEVICES, SIGN FRAMES AND ERECTION OF SUCH DEVICES SHALL CONFORM TO THE REQUIREMENTS OF "MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS" LATEST EDITION. PRIOR TO CONSTRUCTION, TRAFFIC CONTROL PLANS SHALL BE APPROVED BY THE GOVERNING AUTHORITY.

EX SD INLET

CONCRETE

EX SIGN

PLANTER

PROP SD INLET

EX WATER METER

PROPOSED TREE

EXIST. TREE

PROP WATER METER

A - AIR LINE AD = AREA DRAIN

MENENATIONS

BLDG - BUILDING

= BENCHMARK

- CLEAN OUT

CONC - CONCRETE

CL = CENTERLINE

DIA - DIAMETER

DTL = DETAIL

DWG - DRAWING

ELEC. = ELECTRIC

ELEV - ELEVATION

EX = EXISTING

E = ELECTRIC LINE

CATV = CABLE TELEVISION LINE

CMP - CORRUGATED METAL PIPE

COA = CITY OF ALBUQUERQUE

- DUCTILE IRON PIPE

FF = FINISHED FLOOR ELEVATION

CMPA - CORRUGATED METAL PIPE ARCH

- CAST IRON PIPE

- ABANDONED IN PLACE

FG = FINISHED GRADE

- FLOW LINE

= GAS PIPE

GM = GAS METER

GV - GATE VALVE

HI PT - HIGH POINT

LF = UNEAL FEET

LP = LIGHT POLE

L/S = LANDSCAPING

PP = POWER POLE

PROP = PROPOSED

RD = ROOF DRAIN

- NATURAL GROUND

- OVERHEAD ELECTRIC LINE

= ELECTRICAL PULL BOX

PVC = POLYVINYL CHLORIDE PIPE

RCP = REINFORCED CONCRETE PIPE

PCC = PORTLAND CEMENT CONCRETE

- OVERHEAD TELEPHONE LINE

INV - INVERT ELEVATION

R/W = RIGHT-OF-WAY

SAS - SANITARY SEWER

- SIDEWALK

= TOP OF ASPHALT PAVEMENT

TOP OF CRUSHER FINES (STABILIZED)

- TOP OF ASPHALT CURB

- TOP OF CONCRETE CURB

- TOP OF SIDEWALK

- TOP OF WALL

- TELEPHONE BOX

- WATER VALVE

- UNDERGROUND ELECTRIC

- UNDERGROUND TELEPHONE

EXISTING VALVES SHALL ONLY BE OPERATED BY THE UTILITY COMPANY. CONTRACTOR SHALL NOTIFY THE UTILITY A MINIMUM OF TWO WORKING DAYS BEFORE ANY VALVE, NEW OR EXISTING, NEEDS TO BE OPERATED.

ADJACENT PROPERTY TO KEEP IT FROM WASHING OFF THE PROJECT SITE.

BE REVEGETATED WITH RECLAMATION SEEDING.

HAULING IT TO AN APPROVED DISPOSAL SITE IN ACCORDANCE WITH THE REQUIREMENTS OF THE NEW MEXICO SOLID WASTE ACT.

MANNER IN COMPLIANCE WITH GOVERNMENT REGULATIONS.

THE CONTRACTOR SHALL COMPLY WITH ALL APPLICABLE REGULATIONS CONCERNING CONSTRUCTION NOISE AND

ACCESSIBLE FACILITIES

TRAFFIC CONTROL

GAS METER

EX FIRE HYDRANT

EX WATER VALVE

EX SD MANHOLE

PROP FIRE HYDRANT

PROP WATER VALVE

PROP SD MANHOLE

EX SAS MANHOLE


PROP SAS MANHOLE

THE CONTRACTOR SHALL PROVIDE ALL REQUIRED TRAFFIC CONTROL PLANS. ALL SIGNS, BARRICADES,

CIVIL GENERAL NOTES


THE JUNCTION BAR

ALBUQUERQUE, NEW MEXICO





LARRY READ & ASSOCIATES Civil Engineers

12836-B Lomas Blvd. NE Albuquerque, New Mexico 871 12 (505) 237-8421




REVISION	DATE	DESCRIPTION		
FILE NAME:	JUNCTI	ON_DT 04/0400	SHEET	C1 d





100-YEAR HYDROLOGIC CALCULATIONS



LOCATION & DESCRIPTION

THE PROPOSED INFILL SITE IS 1.92 ACRES LOCATED ON THE EAST SIDE OF JEFFERSON STREET BETWEEN I—25 AND MCLEOD ROAD (SEE VICINITY MAP ON SHEET C2). IT IS CURRENTLY DEVELOPED WITH THREE (3) BUILDINGS AS SHOWN ON SHEET C2. THE REMAINING PORTION OF THE LOT HAS BEEN USED HEAVILY FOR PARKING AND IS EITHER EXISTING ASPHALT AS INDICATED ON THE GRADING AND DRAINAGE SHEET OR GRAVEL. THE PROPOSED IMPROVEMENTS FOR THIS PROJECT INCLUDES RENOVATING THE INTERIOR OF THE EXISTING BUILDINGS AND INCREASING THE AREA OF ASPHALT PARKING. THE EAST END OF THE SITE IS SEPARATED BY A RETAINING WALL MAKING IT ABOUT 2.5' HIGHER THAN THE REST OF THE SITE AND WILL BE USED AS OVERFLOW PARKING. THE OVERFLOW PARKING WILL LEAVE THE EXISTING CONCRETE PAD SHOWN ON THE GRADING AND DRAINAGE PLAN AND FILL IN AROUND IT WITH BASE COURSE. THEREFORE, NO CHANGE IN DRAINAGE CHARACTERISTICS WILL OCCUR ON THIS PORTION OF THE PROPERTY AS A RESULT OF THIS DEVELOPMENT.

FLOODPLAIN STATUS

THIS PROJECT, AS SHOWN ON FEMA'S FLOOD INSURANCE RATE MAP 35001C0139 D, DATED SEPTEMBER 20, 1996 IS NOT WITHIN ANY DESIGNATED 100—YEAR FLOODPLAIN. A COPY OF THIS PANEL WITH THE SITE DESIGNATED IS ATTACHED TO THIS SHEET.

METHODOLOGY

THE HYDROLOGY FOR THIS PROJECT WAS ANALYZED USING THE QUICK CALCULATIONS OF THE JUNE 1997 RELEASE OF THE CITY OF ALBUQUERQUE DEVELOPMENT PROCESS MANUAL, SECTION 22.2.

PRECIPITATION

THE 100-YR 6-HR DURATION STORM WAS USED AS THE DESIGN STORM FOR THIS ANALYSIS. THIS SITE IS WITHIN ZONE 2 AS IDENTIFIED IN THE CITY OF ALBUQUERQUE DEVELOPMENT PROCESS MANUAL, SECTION 22.2. TABLES WITHIN THIS SECTION WERE USED TO ESTABLISH THE 6-HOUR PRECIPITATION, EXCESS PRECIPITATION, AND PEAK DISCHARGE.

EXISTING DRAINAGE


THE ENTIRE SITE DRAINS FROM EAST TO WEST AND IS COLLECTED IN TWO INLETS WITHIN THE JEFFERSON STREET RIGHT OF WAY. THESE INLETS ARE CONNECTED TOGETHER BY A 12" CORRUGATED METAL PIPE THAT DISCHARGES WEST OF FRUEHAUF TRAILERS DRIVEWAY INTO THE CHANNEL THAT FOLLOWS THE NORTH BOUND ACCESS RAMP FROM JEFFERSON TO I—25. THIS CHANNEL DISCHARGES INTO A 36" CMP CULVERT THAT GOES WEST UNDER I—25. IT IS ASSUMED THE CULVERT CONNECTS TO THE CONCRETE BOX CULVERT THAT DISCHARGES INTO THE VINEYARD CHANNEL. THIS CULVERT ALSO COLLECTS RUNOFF FROM THE PARCELS TO THE NORTH AND EAST INCLUDING THE WEST COAST SOUND BUILDING, GARDNER ZEMKE CONSTRUCTION YARD, AND NAVAJO (ABF) TRUCK TERMINAL YARDS. A COPY OF THE ZONE ATLAS PAGE IS SHOWN ON THIS SHEET THAT HAS THE APPROXIMATE OFF—SITE BASIN DELINEATED.


THE PARCEL EAST OF THIS SITE AND THE JOINT ACCESS DRIVE ALONG THE SOUTH PROPERTY LINE OF THIS SITE DRAIN TO AN EXISTING CONCRETE CHANNEL ALONG THE SOUTH PROPERTY LINE. THIS CHANNEL ALSO DISCHARGES TO THE SAME INLETS ALONG JEFFERSON THAT THE SUBJECT PROPERTY DISCHARGES TO. SINCE THE PROPERTY TO THE EAST DRAINS TO THIS CHANNEL. THERE IS NO OFFSITE DRAINAGE ENTERING THE SITE FROM THE EAST. THIS CHANNEL ELIMINATES ANY RUNOFF FROM ENTERING THE SITE FROM THE SOUTH AND A SHORT WALL ALONG THE NORTH PROPERTY LINE ENABLES THIS SITE TO BE ABOVE THE ADJACENT PROPERTY TO THE NORTH. UNDER EXISTING CONDITIONS, THE FRONT OF THE PROPERTY IS BELOW THE STREET GRADE OF JEFFERSON STREET WHICH ALLOWS FOR MINOR PONDING WITHIN THE JEFFERSON STREET RIGHT-OF-WAY. IN ORDER TO IMPROVE THE ACCESS TO THE SITE, THIS AREA WILL BE FILLED IN AS PART OF THIS PAVING PROJECT. A DRAINAGE SWALE WILL BE CONSTRUCTED TO CONVEY RUNOFF TO THE EXISTING INLETS, THEREFORE ELIMINATING THE PONDING IN THE JEFFERSON STREET RIGHT-OF-WAY.

DEVELOPED CONDITION


THE DEVELOPED CONDITIONS FOR THIS SITE DOES NOT ALTER THE DRAINAGE PATTERN THAT ALREADY EXISTS. THE BUILDING FOOTPRINTS STAY AS THEY CURRENTLY EXIST. THE ONLY CHANGES WILL BE RAISING THE GRAVEL SURFACE ON THE EAST END OF THE SITE TO MATCH THE EXISTING CONCRETE PAD IN ORDER TO USE THIS ARE AS OVERFLOW PARKING. THIS DOES NOT CHANGE THE DRAINAGE SINCE THIS AREA IS ALREADY GRAVEL. THE MAJOR CHANGES OCCUR IN THE CENTER OF THE LOT. THE PRIMARY PARKING AREA, ALONG THE NORTH-CENTRAL PART OF THE PROPERTY, WILL BE GRADED TO THE NORTHWEST IN ORDER TO IMPROVE ONSITE DRAINAGE. THIS GRAVEL PARING AREA WILL BE REPLACED WITH ASPHALT PAVEMENT. THE EXISTING LOADING DOCK RAMP ON THE EAST END OF THE PRIMARY BUILDING WILL BE REMOVED AND REPLACED WITH ASPHALT PARKING AND LANDSCAPE MATERIAL. IN ADDITION TO THESE CHANGES, STRIPING WILL BE ADDED ALONG THE SOUTH SIDE OF THE BUILDING TO DESIGNATE PARKING ON THE EXISTING ASPHALT AND A LANDSCAPED SWALE WILL BE CONSTRUCTED ALONG THE NORTH PROPERTY LINE TO DRAIN THE NEW ASPHALT PARKING AREA TO THE NORTH INLET IN THE JEFFERSON STREET RIGHT-OF-WAY. FINALLY, THE CENTER DRIVEWAY WILL BE REMOVED AND REPLACED WITH LANDSCAPE MATERIAL ALONG WITH RAISING THE GRADE WITHIN THE RIGHT-OF-WAY TO CREATE POSITIVE DRAINAGE TO THE EXISTING INLETS AND IMPROVE THE ENTRANCE CONDITIONS TO THIS SITE.

BY INCREASING LANDSCAPE AREAS, ONLY A MINOR INCREASE IN RUNOFF WILL OCCUR DUE TO THIS INFILL PAVING PROJECT. THE NET IMPERVIOUS AREA WILL BE INCREASED FROM 60% TO 75%. HOWEVER, THIS 15% INCREASE IN IMPERVIOUSNESS CREATES ONLY AN INCREASE IN 100—YEAR PEAK RUNOFF OF 0.45 CFS. THIS IS INSIGNIFICANT FOR AN INFILL SITE OF THIS SIZE SINCE, UNDER EXISTING CONDITIONS THE LAND TREATMENT IN THE PAVING AREA WAS ALREADY TYPE 'C'.





TOP OF CONCRETE



EXPANSION JOINT AT
IMMOVABLE OBJECT


N. T. S.

2 EXPANSION JOINT DETAIL
C3 N. T. S.

C3 N. T. S.

CONSTRUCTION NOTES:

- 1. PROVIDE 1/2" EXPANSION JOINTS AT 36' O.C., AT IMMOVABLE OBJECTS, AND AT THE BEGINNING AND END OF CURVES.
- 2. PROVIDE CONTRACTION JOINTS 6' O.C.
- 3. ALL EXPOSED CONCRETE CORNERS TO HAVE 3/4" RADII.




CONCRETE HEADER CURB DETAIL

N. T. S.


CONSTRUCTION NOTES:

1. PROVIDE 1/2" EXPANSION JOINTS AT 36' O.C., AT IMMOVABLE OBJECTS AND AT PERPENDICULAR CURBS PER DETAIL THIS SHEET


2. PROVIDE CONTRACTION JOINTS • 6' O.C. PER DETAIL THIS SHEET



5 CONCRETE VALLEY GUTTER
C3 N. T. S.



6 ASPHALT PAVEMENT SECTION
C3 N. T. S.



- 2. IRREGULAR BREAKAGE SHALL BE REMOVED AND REPAIRED.
- 3. LAY NEW ASPHALT PAVING ON EXIST. BASE COURSE AT JOINT.


7 PAVEMENT CUT AND PATCH DETAIL

C3 N. T. S.

CIVIL DETAILS


THE JUNCTION

ALBUQUERQUE, NEW MEXICO



LARRY READ & ASSOCIATES
Civil Engineers

12836-B Lomas Blvd. NE Albuquerque, New Mexico 87112 (505) 237-8421



REVISION DATE DESCRIPTION

FILE NAME: JUNCTION_DT 04/04/00 SHEET C3 of