


TABLE 1: BASIN SUMMARY RUNOFF TABLE SITE ANALYSIS					
BASIN	CONTRIBUTING BASIN ACREAGE	10-YR Qpeak (CFS)	100-YR Qpeak (CFS)	DESIGN POINT	DESIGN POINT COMM. FLOW 100-YR (cfs)
A1	0.16	0.46	0.70	2	0.70
A2	0.37	1.12	1.69	3	2.61
B	0.20	0.62	0.92	1	0.92
OS1	0.08	0.14	0.26	TRACT C-1	0.26
OS2	0.03	0.06	0.10	TRACT C-1	0.10
R	0.21	0.52	0.82	4	6.59
GC1	0.33	1.00	1.51	5	8.10
GC2	0.53	1.63	2.45	4	6.59
GC3	1.11	3.42	5.15	CURB CUTS	5.15
P	0.65	1.12	2.05	POND	15.95



NO.	DATE	REVISION
1	03/16/2015	BIDS & BUILDING PERMIT PLAN CHECK
2	04/20/2015	HYDROLOGY AND DBS COMMENTS
3	04/22/2015	BUILDING PERMIT COMM. RESPONSE
C	04/24/2015	ADDENDUM C
3	05/05/2015	HYDROLOGY FINAL COMMENTS

AMANDA M. O'CONNOR  
NEW MEXICO  
1998-1  
5-16-2015  
PROFESSIONAL ENGINEER

EES  
& ENGINEERING SOLUTIONS, INC.  
1000 West 1st Street  
Suite 1575  
Denver, CO 80202  
303-572-7997  
FIRM NO. F-14751

**DEL NORTE DIALYSIS CENTER**

5207 San Mateo Boulevard N.E.

**DRAINAGE AREA PLAN**

CIVIL CONSTRUCTION DOCUMENTS

PROJECT NO: DAV003.01

DESIGNED BY: KLR

DRAWN BY: KLR

DATE: 03/10/15

**C5.0**

SHEET 9 OF 12