



Stormwater Quality Plan Information Sheet and Inspection Fee Schedule

Project Name: _____

Project Location: (address or major cross streets/arroyo) _____

Plan Preparer Information:

Company: _____

Contact: _____

Address: _____

Phone Number: (O) _____ (Cell (optional)) _____

e-Mail: _____

Property Owner Information:

Company: _____

Contact: _____

Address: _____

Phone: _____

e-Mail: _____

I am submitting the ESC plan to obtain approval for:

___ Grading ___ Building Permit ___ Work Order Construction Plans

Note: More than one item can be checked for a submittal

Stormwater Quality Inspection fee: (based on development type and disturbed area)

Commercial	< 2 acres \$300 <input type="checkbox"/>	2 to 5 acres \$500 <input type="checkbox"/>	>5 acres \$800 <input type="checkbox"/>
Land/Infrastructure	< 5 acres \$300 <input type="checkbox"/>	5 to 40 acres \$500 <input type="checkbox"/>	>40 acres \$800 <input type="checkbox"/>
Multi - family	< 5 acres \$500 <input type="checkbox"/>	≥5 acres \$800 <input type="checkbox"/>	
Single Family Residential	<5 acres \$500 <input checked="" type="checkbox"/>	5 to 40 acres \$1000 <input type="checkbox"/>	> 40 acres \$1500 <input type="checkbox"/>

Plan Review fee is \$105 for the first submittal ☐ and \$75.00 for a resubmittal ☐

Total due equals the plan review fee plus the Stormwater Quality Inspection fee.

Total Due \$ _____

If you have questions, please contact Doug Hughes, Stormwater Quality 924-3420, jhughes@cabq.gov

Rev May 2019



Construction Erosion and Sediment Control (ESC) Permit

Project Title _____

Project Address _____

Property Owner:

Company or Owner Name: _____

Street: _____

City, State, Zip Code: _____

Responsible Person:

Name: _____

Phone Number: _____

E-mail: _____

-The person listed on the permit and/or the onsite representative will be contacted if any issues are observed during an inspection.

At a minimum a routine compliance self-inspection is required to review the project for compliance with the Construction General Permit once every 14 days and after any precipitation event of 1/4 inch or greater until the site construction has been completed and the site determined as stabilized by the city. Reports of these inspections shall be kept by the person or entity authorized to direct the construction activities on the site along with a copy of the CGP, the "stormwater team" contact sheet, and the approved ESC Plan. This permit expires the day after the "Project End Date" of the Low Erosivity Waver (LEW) or one year from the date signed below, whichever happens first.

For City personnel use only:

City Personnel Signature: _____ Date _____

Silt Fence Detail

Non-woven Silt Fence


A silt fence is a temporary sediment barrier consisting of a geotextile attached to supporting posts and trenched into the ground. Intended to retain sediment that has been dislodged by stormwater.

Use silt fence as a perimeter control particularly at lower or down slope edge of a disturbed area. Leave space for maintenance between slope and silt fence or roll. Trench in the silt fence on the uphill side (6 in deep by 6 in wide). Install stakes on the downhill side of the fence. Curve silt fence up-gradient to help it contain runoff.

To maintain remove sediment when it reaches one-third of the height of the fence. Replace the silt fence where it is worn, torn, or otherwise damaged. Retrench or replace any silt fence that is not properly anchored to the ground. If the silt fence cannot be toed in properly due to existing hard surface, place mulch filter sock at base to prevent sediment from leaving site.


8' max wood stake spacing and 10' max spacing for steel T-post.

Silt Fence Installation




Source: USEPA Guide for Construction Site

Cut-Back Curb Detail



VEHICLE TRACK-OUT CONTROL



- DIMENSIONS NOTED CAN BE SITE RESTRICTIVE.

ESC Plan Standard Notes (2021-03-24)

- All Erosion and Sediment Control (ESC) work on these plans, except as otherwise stated or provided hereon shall be permitted, constructed, inspected, and maintained in accordance with:
 - The City Ordinance § 14-5-2-11, the ESC Ordinance,
 - The EPA's 2017 Construction General Permit (CGP), and
 - The City Of Albuquerque Construction BMP Manual.
- All BMP's must be installed prior to beginning any earth moving activities except as specified hereon in the Phasing Plan. Construction of earthen BMP's such as sediment traps, sediment basins, and diversion berms shall be completed and inspected prior to any other construction or earthwork. Self-inspection is required after installation of the BMPs and prior to beginning construction.
- Self-inspections - At a minimum a routine compliance self-inspection is required to review the project for compliance with the Construction General Permit once every 14 days and after any precipitation event of 1/4 inch or greater until the site construction has been completed and the site determined as stabilized by the city. Reports of these inspections shall be kept by the person or entity authorized to direct the construction activities on the site and made available upon request.
- Corrective action reports must be kept by the person or entity authorized to direct the construction activities on the site and made available upon request.
- Stabilization reports must be kept by the person or entity authorized to direct the construction activities on the site and made available upon request. Reports should include records of weed removal per City Ordinance (§ 9-8-1), sterilization, soil test results and recommendation, materials and manufacturer's specifications for application rates, estimated functional longevity, methods of application, inspection and maintenance. The reduced self-inspection schedule in CGP 4.4.1 applies to stabilized area and any damaged or worn stabilization must be identified in the reports along with weed problems. Corrective actions for stabilization shall be documented in a stabilization report including actual rates and dates of stabilization, and the materials and manufacturer's specifications used.
- BMPs shall be inspected and maintained until all disturbed areas are stabilized in accordance with the Final Stabilization Criteria (CGP 2.2.14.b). Generally, all disturbed areas, other than structures and impervious surfaces, must have uniform perennial vegetation that provides 70 percent or more of the cover provided by native vegetation or seed the disturbed area and provide non-vegetative mulch that provides cover for at least three years without active maintenance. Final stabilization must be approved by the City of Albuquerque prior to removal of BMPs and discontinuation of inspections.



TYPICAL CONCRETE WASHOUT-BELOW GRADE



- Install appropriate signage to inform concrete equipment operators of the proper washout location.
- An appropriate stabilized entrance shall be installed where applicable. The length and width of the stabilized entrance may vary based on size and location of the washout.
- Washout facilities must be sized to contain washout water and solids.
- Typical dimensions are 10 feet long by 10 feet wide but may vary upon site limitations.
- Pit shall be delineated with Orange Filter Sock and A-Framed staked.
- The pit shall be lined with 10mil (minimum) polyethylene impermeable liner on the bottom and sides overlapping the top edges completing a leak-proof container.

Pond Stabilization per Sect. 1012

(Rev 03/30/21)

The landscape plan should show street trees along all street frontage, a 10'(min) level front yard next to the street, a drivepad and ramp down into the pond bottom, and irrigated landscaping of the entire pond per City of Albuquerque Standard Specification 1012.

- The Seed Mixture and Rate shall be per Section 1012.2.2 "Native Grasses and wildflower Meadows."
- Hydro-mulch shall be applied per 1012.2.3.1 and Aggregate Mulch per 1012.2.3.4 shall be used on any 3:1 slope.
- Soil Amendment shall be per 1012.2.4
- Execution shall be per 1012.3
- Maintenance shall be per 1012.3.9,
- Pest and Weed Control per section 1012.3.10
- Warranty required per 1012.3.11 Irrigation is required
- Reviews and observations per 1012.3.12 are required

Warranty and Maintenance shall continue until uniform perennial vegetation (ie. evenly distributed, without large bare areas) that provides 70% of native undisturbed ground cover per the EPA's Construction General Permit 2.2.14.b.i. and a minimum of 1 year.

ROLE	COMPANY	REPRESENTATIVE NAME	PHONE	EMAIL	
HOME-BUILDER	ROKU DEVELOPMENT	STEVE-CHAVEZ	505-415-9533	STEVE.CHAVEZ505@YAHOO.COM	
<u>LAND-OWNER</u>	VIVI INVESTMENTS	STEVE-CHAVEZ	505-415-9533	STEVE.CHAVEZ505@YAHOO.COM	
BMP-MAINTENANCE					
SWPPP-INSPECTIONS					

OPERATOR: ROKU DEVELOPMENT, LLC

TOTAL SITE AREA: 2.56 ACRES
TOTAL DISTURBED AREA: 2.56 ACRES

RECEIVING WATERS: RIO GRANDE RIVER
(TIJERAS ARROYO TO ALAMEDA BRIDGE).
TIER 2, SEE IMPAIRMENT INFO ON ESC-3.


REFER TO THE ESC BMP DETAILS (ESC-2)
FOR INSTALLATION, INSPECTION AND
MAINTENANCE REQUIREMENTS.

CINNAMON MORNING SUBDIVISION

TEMPORARY EROSION AND SEDIMENT
CONTROL PLAN

Drawn By:
M. VALLEJOS, CPESC, CISEC

04/06/2021



ESC-2



Tables — K Factor, Whole Soil — Summary By Map Unit				
Summary by Map Unit — Bernalillo County and Parts of Sandoval and Valencia Counties, New Mexico (NM600)				
Summary by Map Unit — Bernalillo County and Parts of Sandoval and Valencia Counties, New Mexico (NM600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
Af	Agua loam MLRA 42	.37	1.2	46.0%
Ge	Gila clay loam MLRA 42	.24	1.4	54.0%
Totals for Area of Interest			2.5	100.0%

Rio Grande (Tijeras Arroyo to Alameda Bridge)			AU IR CATEGORY	LOCATION DESCRIPTION	
			5/5C	HUC: 13020203 Rio Grande-Albuquerque	
AU ID	WQS REF	WATER TYPE	SIZE	ASSESSED	MONITORING SCHEDULE
NM-2105_51	20.6.4.105	RIVER	15.6 MILES	2020	2023
USE	ATTAINMENT	CAUSE(S)	FIRST LISTED	TMDL DATE	PARAMETER IR CATEGORY
IRR	Fully Supporting				
LW	Fully Supporting				
MWWAL	Not Supporting	Mercury - Fish Consumption Advisory PCBS - Fish Consumption Advisory Dissolved oxygen Temperature	2020 2010 2008 2010	 2023 (est.) 2023 (est.)	5/5C 5/5C 5/5A 5/5A
PC	Not Supporting	E. coli	2020	6/30/2010	4A
PWS	Not Assessed				
WH	Fully Supporting				
AU Comment: TMDL for E. coli. Fish Consumption Advisory listings are based on NMs current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.					

OPERATOR: ROKU DEVELOPMENT, LLC


TOTAL SITE AREA: 2.56 ACRES
TOTAL DISTURBED AREA: 2.56 ACRES

RECEIVING WATERS: RIO GRANDE RIVER
(TIJERAS ARROYO TO ALAMEDA BRIDGE).
TIER 2, SEE IMPAIRMENT INFO ON ESC-3


REFER TO THE ESC BMP DETAILS (ESC-2)
FOR INSTALLATION, INSPECTION AND
MAINTENANCE REQUIREMENTS.

CINNAMON MORNING SUBDIVISION
TEMPORARY EROSION AND SEDIMENT
CONTROL PLAN

Drawn By:
M. VALLEJOS, CPESC, CISEC 04/06/2021



ESC-3



SITE DATA

GROSS LOT AREA	21,795 SF
LESS BUILDING(S)	0 SF
NET LOT AREA	21,795 SF
REQUIRED LANDSCAPE	
15% OF NET LOT AREA	3,269 SF
PROPOSED LANDSCAPE	17,426 SF
PERCENT OF NET LOT AREA	80 %
HIGH WATER USE TURF	
MAX. 20% OF LANDSCAPE AREA	0 SF
PROPOSED HIGH WATER USE TURF	0 SF
PERCENT OF LANDSCAPE AREA	0 %
REQUIRED STREET TREES	
1 PER 30 L.F. OF STREET FRONTAGE	2
69 LF/30	Existing Trees
PROVIDED STREET TREES	
REQUIRED PARKING LOT TREES	
1 PER 10 SPACES	
0 SPACES/10	0
PROVIDED PARKING LOT TREES	0
REQUIRED LANDSCAPE COVERAGE	
75% LIVE VEGETATIVE MATERIAL	
(17,426 SF PROPOSED LANDSCAPE X 75%)	13,069 SF
PLANTING AREA COVERAGE	2,412 SF
NATIVE SEED AREA COVERAGE	12,260 SF
TOTAL LANDSCAPE AREA COVERAGE	14,672 SF
PERCENT LANDSCAPE COVERAGE	84 %

- GENERAL NOTES:
1. MAINTENANCE OF THE LANDSCAPE AND IRRIGATION PROVIDED BY THE PROPERTY OWNER.
 2. PLANTS ARE SHOWN AT MATURITY.
 3. LANDSCAPE AREAS SHALL CAPTURE RUNOFF FROM SITE. SEE CIVIL PLANS.
 4. THE LANDSCAPE PLAN IS DESIGNED TO MEET ALL CITY OF ALBUQUERQUE PLAN REQUIREMENTS.
 5. PLANT MATERIALS AND SIGNING WILL NOT INTERFERE WITH CLEAR SITE REQUIREMENTS. THEREFORE SIGNS, WALLS, TREES AND SHRUBBERY BETWEEN 3 AND 8 FEET TALL (AS MEASURED FROM THE GUTTER PAN) ARE NOT ACCEPTABLE IN 'CLEAR SIGHT' AREAS.
 6. THE LANDSCAPE PLAN IS DESIGNED TO COMPLY WITH THE GENERAL LANDSCAPING REGULATIONS SECTION 14-16-3-10, WATER CONSERVATION LANDSCAPING AND WATER WASTE SECTION 6-1-1-1, INCLUDING PROVISION OF A MINIMUM OF 75% LIVE GROUND COVERAGE, MEASURED AT MATURITY, OF ALL REQUIRED LANDSCAPE AREAS.

- IRRIGATION NOTES:
1. ALL PLANTINGS TO BE WATERED BY AUTO DRIP IRRIGATION SYSTEM WITH REDUCED PRESSURE BACKFLOW PREVENTER.
 2. WATER MANAGEMENT IS THE SOLE RESPONSIBILITY OF THE PROPERTY OWNER.
 3. THE PIP ROUTING ON THE PLAN IS SCHEMATIC AND MAY REQUIRE FIELD ADJUSTMENTS TO AVOID INSTALLING PIPE WITHIN THE ROOT ZONE OF PLANTS.
 4. THE IRRIGATION SYSTEM SHALL BE CONNECTED TO CITY WATER. THE POINT OF CONNECTION SHALL CONSIST OF A WATER METER, BACKFLOW PREVENTER AND MASTER VALVE.
 5. ALL SLEEVES ARE ASSUMED TO BE PLACED PRIOR TO HARDSCAPE WITHOUT THE NEED OF BORING.

Plant Schedule

DECIDUOUS TREES	QTY	BOTANICAL NAME / COMMON NAME	SIZE	WATER USAGE	COVERAGE
4		Fraxinus americana 'Autumn Purple' / Autumn Purple Ash	2" B&B	Medium	35 x 4 = 140
3		Prunus cerasifera / Flowering Plum	2" B&B	Medium	35 x 3 = 105
2		Pyrus calleryana 'Autumn Blaze' / Autumn Blaze Pear	2" B&B	Medium +	20 x 2 = 40
2		Robinia x ambigua 'Purple Robe' / Pink Flowering Locust	2" B&B	Medium	40 x 2 = 80
DECIDUOUS SHRUBS	QTY	BOTANICAL NAME / COMMON NAME	SIZE	WATER USAGE	COVERAGE
10		Caesalpinia gilliesii / Yellow Bird of Paradise	5 gal	RW	40 x 10 = 400
6		Caryopteris x clandonensis 'Dark Knight' / Blue Mist Spirea	1 gal	Low+	15 x 6 = 90
8		Chamaebatiaria millefolium 'Fernbush' / Fernbush	5 gal	Low+	30 x 8 = 240
2		Hibiscus syriacus / Rose Of Sharon	5 gal	Medium	30 x 2 = 60
6		Lavandula angustifolia / English Lavender	1 gal	Medium	12 x 6 = 72
7		Rhus aromatica 'Gro-Low' / Gro-Low Fragrant Sumac	5 gal	Low+	30 x 7 = 210
6		Syringa vulgaris / Common Lilac	5 gal	Medium+	30 x 6 = 180
DESERT ACCENTS	QTY	BOTANICAL NAME / COMMON NAME	SIZE	WATER USAGE	COVERAGE
8		Hesperaloe parviflora / Red Yucca	5 gal	Low+	20 x 8 = 160
6		Nolina microcarpa / Beargrass	5 gal	RW	30 x 6 = 180
2		Yucca thompsoniana / Thompson's Yucca	24"box	RW	40 x 2 = 80
EVERGREEN SHRUBS	QTY	BOTANICAL NAME / COMMON NAME	SIZE	WATER USAGE	COVERAGE
3		Cytisus scoparius 'All Gold' / Scotch Broom	5 gal	Medium	30 x 3 = 90
6		Ericameria laricifolia / Turpentine Bush	5 gal	Low	25 x 6 = 150
6		Santolina chamaecyparissus / Lavender Cotton	1 gal	Low+	15 x 6 = 90
GRASSES	QTY	BOTANICAL NAME / COMMON NAME	SIZE	WATER USAGE	COVERAGE
3		Miscanthus sinensis 'Gracillimus' / Maiden Grass	5 gal	Medium+	15 x 3 = 45

Material/Symbol Schedule


SYMBOL	DESCRIPTION	QTY
	Mountainair Brown 7/8" Gravel	901 sf
	Native Seed	12,384 sf
	Wallin 2-4" Cobble	5,921 sf
	Trees to be Removed	

2,412 sf live coverage

growing
better
Up
Heads

LANDSCAPE CONTRACTORS
www.headsuplandscape.com

P O Box 10597
Albuquerque, NM 87184
505.898.9615
505.898.2105 (fax)
design@hulc.com



Date: 3/21/2019

Revisions:

▲ 4/5/2019

▲

▲

▲


▲

Drawn by: CM

Reviewed by: JB


Communal Real

Rio Grande Blvd. NW
Albuquerque, New Mexico



NORTH

Scale: 1" = 30'



Sheet Title:

Landscape
Plan

Sheet Number:

LS-01

Stewart File No.: 950947DH

WARRANTY DEED

Sue E. Percillick, s single person

for consideration paid, grant(s) to

VIVI Investments LLC, a New Mexico limited liability company

whose address is ,

the following described real estate in Bernalillo County, New Mexico:

Lots numbered One (1) ,Two (2), Three (3), Four (4), Five (5), Six (6), Seven (7) and Tracts "A", "B and "C" of CINNAMON MORNING CLUSTER DEVELOPMENT, as the same are shown and designated on the Plat thereof, filed in the County Clerk of Bernalillo County, New Mexico, on January 28, 2020, in Map Book 2020C, folio 10.

Subject to patent reservations, restrictions and easements of record and to taxes for the current year and years thereafter.

Subject to the lien of the Middle Rio Grande Conservancy District.

with warranty covenants.

Executed this 28 day of December, 2020.




Sue E. Percillick


State of New Mexico

County of Bernalillo

This instrument was acknowledged before me on this 28 day of December, 2020 by Sue E. Percillick.



My Commission Expires:



SEAL



Submission of this Notice of Intent (NOI) constitutes notice that the operator identified in Section III of this form requests authorization to discharge pursuant to the NPDES Construction General Permit (CGP) permit number identified in Section II of this form. Submission of this NOI also constitutes notice that the operator identified in Section III of this form meets the eligibility requirements of Part 1.1 CGP for the project identified in Section IV of this form. Permit coverage is required prior to commencement of construction activity until you are eligible to terminate coverage as detailed in Part 8 of the CGP. To obtain authorization, you must submit a complete and accurate NOI form. Discharges are not authorized if your NOI is incomplete or inaccurate or if you were never eligible for permit coverage. Refer to the instructions at the end of this form.

Permit Information

NPDES ID: NMR1003QQState/Territory to which your project/site is discharging: NM

Is your project/site located on federally recognized Indian Country lands? No

Are you requesting coverage under this NOI as a "Federal Operator" as defined in Appendix A
(https://www.epa.gov/sites/production/files/2019-05/documents/final_2017_cgp_appendix_a_-_definitions.pdf)?

No

Have stormwater discharges from your current construction site been covered previously under an NPDES permit? No

Will you use polymers, flocculants, or other treatment chemicals at your construction site? No

Has a Stormwater Pollution Prevention Plan (SWPPP) been prepared in advance of filling this NOI, as required? Yes

Are you able to demonstrate that you meet one of the criteria listed in Appendix D (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_d_-_endangered_species_reqs_508.pdf) with respect to protection of threatened or endangered species listed under the Endangered Species Act (ESA) and federally designated critical habitat?

Yes

Have you completed the screening process in Appendix E (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_e_-_historic_properties_reqs_508.pdf) relating to the protection of historic properties?

Yes

Indicating "Yes" below, I confirm that I understand that CGP only authorized the allowable stormwater discharges in Part 1.2.1 and the allowable non-stormwater discharges listed in Part 1.2.2. Any discharges not expressly authorized in this permit cannot become authorized or shielded from liability under CWA section 402(k) by disclosure to EPA, state or local authorities after issuance of this permit via any means, including the Notice of Intent (NOI) to be covered by the permit, the Stormwater Pollution Prevention Plan (SWPPP), during an inspection, etc. If any discharges requiring NPDES permit coverage other than the allowable stormwater and non-stormwater discharges listed in Parts 1.2.1 and 1.2.2 will be discharged, they must be covered under another NPDES permit.

Yes

Operator Information

Operator Information

Operator Name: Vivi Investments

Operator Mailing Address:

Address Line 1: 9311 Coors Blvd.Address Line 2: Suite 9City: AlbuquerqueZIP/Postal Code: 87114State: NMCounty or Similar Division: Bernalillo

Operator Point of Contact Information

First Name **Middle Initial** **Last Name:** Steve Chavez

Title: Owner

Phone: 505-415-9533

Ext.:

Email: steve.chavez505@yahoo.com

NOI Preparer Information

☒ This NOI is being prepared by someone other than the certifier.

First Name **Middle Initial** **Last Name:** Mathew F Vallejos

Organization: Green Globe Environmental

Phone: (505) 304-8473

Ext.:

Email: matt@greenglobenm.com

Project/Site Information

Project/Site Name: Cinnamon Morning Subdivision

Project/Site Address

Address Line 1: 2714 Rio Grande Blvd. NW

Address Line 2:

City: Albuquerque

ZIP/Postal Code: 87104

State: NM

County or Similar Division: Bernalillo

Latitude/Longitude: 35.119924°N, 106.674341°W

Latitude/Longitude Data Source: Map

Horizontal Reference Datum: WGS 84

Project Start Date: 03/09/2021

Project End Date: 06/09/2022

Estimated Area to be Disturbed: 2.5

Types of Construction Sites:

- Single-Family Residential

Will there be demolition of any structure built or renovated before January 1, 1980? No

Was the pre-development land use used for agriculture? No

Have earth-disturbing activities commenced on your project/site? No

Is your project/site located on federally recognized Indian Country lands? No

Is your project/site located on a property of religious or cultural significance to an Indian tribe? No

Discharge Information

Does your project/site discharge stormwater into a Municipal Separate Storm Sewer System (MS4)? Yes

Are there any waters of the U.S. within 50 feet of your project's earth disturbances? No

Are any of the waters of the U.S. to which you discharge designated by the state or tribal authority under its antidegradation policy as a Tier 2 (or Tier 2.5) water (water quality exceeds levels necessary to support propagation of fish, shellfish, and wildlife and recreation in and on the water) or as a Tier 3 water (Outstanding National Resource Water)? See Appendix F (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_f_-_tier_3_tier_2_and_tier_2.5_waters_508.pdf)

Yes

001: Rio Grande (Tijeras Arroyo to Alameda Bridge)

Latitude/Longitude: 35.120531°N, 106.690956°W

Tier Designation: Tier 2

Is this receiving water impaired (on the CWA 303(d) list)? Yes

Impaired Pollutants:

- Temperature
- Dissolved oxygen
- E. coli

Has a TMDL been completed for this receiving waterbody? Yes

TMDL ID: NM2105 Name: Rio Grande (Tijeras Arroyo to Alameda Bridge)

TMDL Pollutants:

- E. coli

Stormwater Pollution Prevention Plan (SWPPP)

First Name Middle Initial Last Name: Steve Chavez

Organization:

Title: Owner

Phone: 505-415-9533 Ext.:

Email: steve.chavez505@yahoo.com

Endangered Species Protection

Using the Instructions in Appendix D of the CGP, under which criterion listed in Appendix D are you eligible for coverage under this permit?

Criterion A

Provide a brief summary of the basis for criterion selection listed above (the necessary content for a supportive basis statement is provided under the criterion you selected.):

Per USFWS official list of threatened and endangered species, all threatened and endangered species critical habitat' are outside the project limits.



Are you installing any stormwater controls as described in Appendix E (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_e_-_historic_properties_reqs_508.pdf) that require subsurface earth disturbances? (Appendix E (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_e_-_historic_properties_reqs_508.pdf), Step 1)

Yes

- ➔ Have prior surveys or evaluations conducted on the site already determined historic properties do not exist, or that prior disturbances have precluded the existence of historic properties? (Appendix E (https://www.epa.gov/sites/production/files/2017-02/documents/2017_cgp_final_appendix_e_-_historic_properties_reqs_508.pdf), Step 2):

Yes

Certification Information



I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. Signing an electronic document on behalf of another person is subject to criminal, civil, administrative, or other lawful action.

Certified By: Steve Chavez

Certifier Title: President

Certifier Email: steve.chavez505@yahoo.com

Certified On: 03/16/2021 2:38 PM ET