NPDES FORM 3510-9

Latitude/Longitude: 35.11155°N, 106.720799°W
Latitude/Longitude Data Source: Map



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460 NOTICE OF INTENT (NOI) FOR THE 2022 NPDES CONSTRUCTION PERMIT

FORM Approved OMB No. 2040-0305

Page 1 of 3

Submission of this Notice of Intent (NOI) constitutes notice that the operator identified in Section III of this form requests authorization to discharge pursuant to the NPDES Construction General Permit (CGP) permit number identified in Section II of this form. Submission of this NOI also constitutes notice that the operator identified in Section III of this form meets the eligibility requirements of Part 1.1 CGP for the project identified in Section IV of this form. Permit coverage is required prior to commencement of construction activity until you are eligible to terminate coverage as detailed in Part 8 of the CGP. To obtain authorization, you must submit a complete and securate NOI form. Permit coverage are not authorized if your NOI is incompleted or insecurate of Violence places are not authorized if your NOI is incompleted or insecurate or if you are purely eligible to permit coverage. Part to the instructions at the end of this form.

his form. Permit coverage is required prior to commencement of construction activity until you are eligible l accurate NOI form. Discharges are not authorized if your NOI is incomplete or inaccurate or if you were ne	to terminate coverage as detailed in Part 8 of the CGP. To obtain authorization, you must submit a complete and ver eligible for permit coverage. Refer to the instructions at the end of this form.
Permit Information	•
NPDES ID: NMR1004JD	
State/Territory to which your project/site is discharging: NM	
Is your project/site located on federally recognized Indian Country lands? No	
Are you requesting coverage under this NOI as a "Federal Operator" or a "Federal Facility" as dedefinitions.pdf)? No	fined in Appendix A (https://www.epa.gov/system/files/documents/2022-01/2022-cgp-final-appendix-a-
Have stormwater discharges from your current construction site been covered previously under an NPDES permit? No	
Will you use polymers, flocculants, or other treatment chemicals at your construction site? No	
Has a Stormwater Pollution Prevention Plan (SWPPP) been prepared in advance of filling this NOI, as required? Yes	
Are you able to demonstrate that you meet one of the criteria listed in Appendix D (https://www.epa.gov/system/files/documents/2022-01/2022-cgp-final-appendix-d-endangered-species-protection.pdf) with respect to protection of threatened or endangered species listed under the Endangered Species Act (ESA) and federally designated critical habitat? Yes	
Have you completed the screening process in Appendix E (https://www.epa.gov/system/files/doc properties? Yes	uments/2022-01/2022-cgp-final-appendix-e-historic-properties.pdf) relating to the protection of historic
Indicating "Yes" below, I confirm that I understand that CGP only authorized the allowable stormwater discharges in Part 1.2.1 and the allowable non-stormwater discharges listed in Part 1.2.2. Any discharges not expressly authorized in this permit cannot become authorized or shielded from liability under CWA section 402(k) by disclosure to EPA, state or local authorities after issuance of this permit via any means, including the Notice of Intent (NOI) to be covered by the permit, the Stormwater Pollution Prevention Plan (SWPPP), during an Inspection, etc. If any discharges requiring NPDES permit coverage other than the allowable stormwater and non-stormwater discharges listed in Parts 1.2.1 and 1.2.2 will be discharged, they must be covered under another NPDES permit. Yes	
Occupies Information	•
Operator Information	· ·
Operator Information Operator Name: Western United Electrical Supply Operator Mailing Address:	
Operator Mailing Address: Address Line 1: 7311 La Morada PI NW	
Address Line 2:	City: Albuquerque
ZIP/Postal Code: 87120	State: NM
County or Similar Division: Bernalillo	
Operator Point of Contact Information	
First Name Middle Initial Last Name: Dave Mele	
Title: Property Manager	
Phone: 505-504-0199 Ext.:	
Email: Dmele@wue.coop	
NOI Preparer Information	
. ☐ This NOI is being prepared by someone other than the certifier.	
Project/Site Information	•
Project/Site Name: Western United Electrical Supply	
Project/Site Address	
Address Line 1: 7311 La Morada PI NW	
Address Line 2:	City: Albuquerque
ZIP/Postal Code: 87120	State: NM
County or Similar Division: Bernalillo	

Project Start Date: 02/28/2022 Project End Date: 04/25/2022 Estimated Area to be Disturbed: 2

Horizontal Reference Datum: WGS 84

Types of Construction Sites: Commercial Will there be demolition of any structure built or renovated before January 1, 1980? No Will you be discharging dewatering water from your site? No Was the pre-development land use used for agriculture? No Are there other operators that are covered under this permit for the same project site? Yes → NPDES permits NPDES Permit Number nmr1004h5 Have earth-disturbing activities commenced on your project/site? No Is your project/site located on federally recognized Indian Country lands? No Is your project/site located on a property of religious or cultural significance to an Indian tribe? No Discharge Information Does your project/site discharge stormwater into a Municipal Separate Storm Sewer System (MS4)? Yes Are there any waters of the U.S. within 50 feet of your project's earth disturbances? No Are any of the waters of the U.S. to which you discharge designated by the state or tribal authority under its antidegradation policy as a Tier 2 (or Tier 2.5) water (water quality exceeds levels necessary to support propagation of fish, shellfish, and wildlife and recreation in and on the water) or as a Tier 3 water (Outstanding National Resource Water)? See Resources, Tools and Templates (https://www.epa.gov/npdes/construction-general-permit-resources-tools-and-templates) 001: Irrigation Ditch Ladera Pond Latitude/Longitude: 35.112293°N, 106.718348°W Tier Designation: Tier 3 Is this receiving water impaired (on the CWA 303(d) list)? $\underline{\text{No}}$ Has a TMDL been completed for this receiving waterbody? No Stormwater Pollution Prevention Plan (SWPPP) Will all required personnel, including those conducting inspections at your site, meet the training requirements in Part 6 of this permit? Yes First Name Middle Initial Last Name: Stephanie Maestas Organization: Title: SWPPP Manager / Inspector Phone: 505-720-5375 Ext.: Email: stormwatersolutionsllc4@gmail.com Endangered Species Protection Worksheet: Criterion B Determine ESA Eligibility Criterion Are your discharges and discharge-related activities already addressed in another operator's valid certification of eligibility for your "action area" under the current 2022 CGP? Yes → I have confirmed that the other operator's certification of eligibility accounted for my action area and that the eligibility certification was valid. True There has been no lapse of NPDES permit coverage in the other operator's certification. True > I will comply with all measures that formed the basis of the other operator's valid certification of eligibility. True You are eligible under Criterion B. Provide the NPDES ID from the other CGP operator's NOI authorized under this permit: $\,\underline{nmr1004h5}$ Identify the eligibility criterion of the other CGP NOI: Criterion C

→ What federally listed species and/or designated critical habitat are located in your "action area"?

Silvery Minnow

→ What is the distance between your site and the listed species and/or designated critical habitat (in miles)? 5

Provide the authorization date of the other CGP NOI: 2022-01-26

List any measures that formed the basis of the other operator's valid certification of eligibility that you will comply with (or enter "N/A" if none exist):

N/A

Have you provided documentation in your SWPPP supporting your eligibility under Criterion B, including any of the terms and conditions, as well as the other operator's basis for establishing eligibility?

Historic Preservation

~

Are you installing any stormwater controls as described in Appendix E (https://www.epa.gov/system/files/documents/2022-01/2022-cgp-final-appendix-e-historic-properties.pdf) that require subsurface earth disturbances? (Appendix E (https://www.epa.gov/system/files/documents/2022-01/2022-cgp-final-appendix-e-historic-properties.pdf), Step 1)

Yes

Have prior surveys or evaluations conducted on the site already determined historic properties do not exist, or that prior disturbances have precluded the existence of historic properties?
 (Appendix E (https://www.epa.gov/system/files/documents/2022-01/2022-cgp-final-appendix-e-historic-properties.pdf), Step 2):

Yes

Certification Information

~

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. Signing an electronic document on behalf of another person is subject to criminal, civil, administrative, or other lawful action.

Certified By: David M. Mele

Certifier Title: Chief Operations Officer

Certifier Email: dmele@wue.coop

Certified On: 03/30/2022 1:15 PM ET