

KEYED LANDSCAPE NOTES:

1. PLANTING TO INCLUDE DROUGHT - TOLERANT NATIVE SHRUBS AND NATIVE GRASSES TO TRANSITION TO UNDEVELOPED OPEN SPACE AS APPLICABLE.

GENERAL LANDSCAPE NOTES:

1. PROVIDE AND INSTALL TREES, SHRUBS, PERENNIALS, ORNAMENTAL GRASSES AND GROUND COVER WITHIN THE PLANTING AREAS SHOWN ON THE PLAN. REPRESENTATIVE PLANTS AND SIZES ARE SHOWN ON THE ATTACHED PLANTING LIST.

2. ALL PLANTING BEDS ARE TO RECEIVE 3" TO 4" DEPTH OF BUILDLOGY (OR APPROVED EQUAL) 1" CRUSHED GRAVEL OVER FILTER FABRIC THROUGHOUT THE LIMITS OF THE PLANTING AREAS.

GENERAL IRRIGATION NOTES:

ALL PLANTINGS WILL BE IRRIGATED BY MEANS OF AN UNDERGROUND PVC IRRIGATION SYSTEM UTILIZING FIXED PRECIPITATION RATE BUBBLER HEADS. BUBBLERS HEADS WILL BE SERVED BY LATERAL LINES CONTROLLED BY SEVERAL STRATEGICALLY PLACED REMOTE CONTROL VALVES. REMOTE CONTROL VALVES WILL BE SERVED BY A MASTER IRRIGATION LINE CONTROLLED BY A MASTER VALVE INSTALLED IN CLOSE PROXIMITY TO A REDUCED PRESSURE TYPE BACKFLOW PREVENTER POSITIONED WITHIN A HOT BOX NEAR PROPOSED CITY OF GALLUP IRRIGATION WATER METER. AN ELECTRIC CONTROLLER WILL BE WALL MOUNTED AT A SECURE LOCATION TO OPERATE THE VALVES.


1. PROVIDE AND INSTALL A BUBBLER BASED, PVC IRRIGATION SYSTEM THROUGHOUT PLANTING AREAS.
2. PROVIDE AND INSTALL IRRIGATION BUBBLERS AT THE BASE OF ALL PLANTS IN ACCORDANCE WITH THE SCHEDULE SHOWN ON THE PLANTING PLAN.
3. PROVIDE AND INSTALL CLASS 200 PVC LATERAL IRRIGATION LINES BETWEEN REMOTE CONTROL VALVES AND BUBBLERS.
4. PROVIDE AND INSTALL A 1-1/2" SIZED REDUCED PRESSURE TYPE BACKFLOW PREVENTION DEVICE WITHIN A HOT BOX (FOR FREEZE PROTECTION)
5. PROVIDE AND INSTALL A 1-1/2" SIZED MASTER VALVE IN A SUBGRADE VALVE BOX IMMEDIATELY ADJACENT TO AND DOWNSTREAM OF THE BACKFLOW PREVENTION DEVICE FOR CONTROLLING WATER TO THE PROPOSED MASTER LINES.
6. PROVIDE AND INSTALL APPROPRIATELY SIZED REMOTE CONTROL VALVES WITHIN SUBGRADE VALVE BOXES AT LOCATIONS TO BE DETERMINED WITH FINAL CONSTRUCTION DOCUMENTS.
7. PROVIDE AND INSTALL AN ELECTRIC CONTROLLER IN A WALL MOUNTED BOX FOR OPERATIONAL CONTROL OF VALVES.
8. PROVIDE AND INSTALL REMOTE CONTROL WIRE IN BETWEEN THE IRRIGATION CONTROLLER AND THE VALVES.
9. PROVIDE AND INSTALL IRRIGATION SLEEVES AT LOCATIONS AS NEEDED FOR IRRIGATION LINES BENEATH PAVING.

AREA:


Site Area 1.41 Acres	61,473 sq.ft.
Building Footprint	16,168 sq.ft.
Parking Lot Area	19,894 sq.ft.
Sidewalk / Patio Area	9,447sq.ft.

Landscape Area Required per 5-6(C)(2)(B) DT-UCMS-PT 10% of 45,305 sq.ft. = 4,305 sq.ft.
Landscape Area Provided: 15,964 sq.ft.


Plant Material




New Mexico Olive - *Forestiera Neomexicana*



Desert Willow - *Chilopsis Linearis*




Apache Plume - *Fallugia Paradoxa*



Upright Rosemary - *Rosmarinus officinalis*




Silky Threadgrass - *Nassella syn.stipa tenuissima*



Large Boulder

Hardscape / Groundcover Key

All types are 'Rock Mountain Stone' or approved eq.




Crusher Fines -




Cobblestone Paving -



Concrete -




Planting Soil w/. 3-4 Mulch -




Annual Planing Area w/. 3-4 Mulch -



Water -




Living Wall -



2 Tree Planting
Scale: NTS

- NOTES:
- A. THE WATER RETENTION BASIN SHALL BE TWICE THE PLANTING PIT DIAMETER.
 - B. THE EDGES OF THE WATER RETENTION BASIN SHALL BE SMOOTHLY FORMED WITH NO OBTRUSIVE EDGES.
 - C. REMOVE ROPE AND BURLAP AFTER PLANTING.



3 Shurb Planting
Scale: NTS


- NOTES:
- A. THE WATER RETENTION BASIN SHALL BE TWICE THE PLANTING PIT DIAMETER.
 - B. THE EDGES OF THE WATER RETENTION BASIN SHALL BE SMOOTHLY FORMED WITH NO OBTRUSIVE EDGES.

TREVESTON ELLIOTT
ARCHITECT

811 12TH ST. NW
ALBUQUERQUE, NEW MEXICO
87102
C 505.259.4617
treveston@tsearchitect.com
www.tsearchitect.com

Fábrica en la Quinta



ALBUQUERQUE, NEW MEXICO 87102



Date: February 7, 2022


Sheet:
Landscape Plan

LS-101



2 Tree Planting
Scale: NTS

- NOTES:
- A. THE WATER RETENTION BASIN SHALL BE TWICE THE PLANTING PIT DIAMETER.
 - B. THE EDGES OF THE WATER RETENTION BASIN SHALL BE SMOOTHLY FORMED WITH NO OBTRUSIVE EDGES.
 - C. REMOVE ROPE AND BURLAP AFTER PLANTING.



3 Shrub Planting
Scale: NTS

- NOTES:
- A. THE WATER RETENTION BASIN SHALL BE TWICE THE PLANTING PIT DIAMETER.
 - B. THE EDGES OF THE WATER RETENTION BASIN SHALL BE SMOOTHLY FORMED WITH NO OBTRUSIVE EDGES.

1 Site Plan-
Scale: 1" = 20'-0"

- KEYED LANDSCAPE NOTES:
1. PLANTING TO INCLUDE DROUGHT - TOLERANT NATIVE SHRUBS AND NATIVE GRASSES TO TRANSITION TO UNDEVELOPED OPEN SPACE AS APPLICABLE.

GENERAL LANDSCAPE NOTES:

1. PROVIDE AND INSTALL TREES, SHRUBS, PERENNIALS, ORNAMENTAL GRASSES AND GROUND COVER WITHIN THE PLANTING AREAS SHOWN ON THE PLAN. REPRESENTATIVE PLANTS AND SIZES ARE SHOWN ON THE ATTACHED PLANTING LIST.

2. ALL PLANTING BEDS ARE TO RECEIVE 3" TO 4" DEPTH OF BUILDLOGY (OR APPROVED EQUAL) 1" CRUSHED GRAVEL OVER FILTER FABRIC THROUGHOUT THE LIMITS OF THE PLANTING AREAS.

GENERAL IRRIGATION NOTES:

- ALL PLANTINGS WILL BE IRRIGATED BY MEANS OF AN UNDERGROUND PVC IRRIGATION SYSTEM UTILIZING FIXED PRECIPITATION RATE BUBBLER HEADS. BUBBLERS HEADS WILL BE SERVER BY LATERAL LINES CONTROLLED BY SEVERAL STRATEGICALLY PLACED REMOTE CONTROL VALVES. REMOTE CONTROL VALVES WILL BE SERVED BY A MASTER IRRIGATION LINE CONTROLLED BY A MASTER VALVE INSTALLED IN CLOSE PROXIMITY TO A REDUCED PRESSURE TYPE BACKFLOW PREVENTER POSITIONED WITHIN A HOT BOX NEAR PROPOSED CITY OF GALLUP IRRIGATION WATER METER. AN ELECTRIC CONTROLLER WILL BE WALL MOUNTED AT A SECURE LOCATION TO OPERATE THE VALVES.

1. PROVIDE AND INSTALL A BUBBLER BASED, PVC IRRIGATION SYSTEM THROUGHOUT PLANTING AREAS.
2. PROVIDE AND INSTALL IRRIGATION BUBBLERS AT THE BASE OF ALL PLANTS IN ACCORDANCE WITH THE SCHEDULE SHOWN ON THE PLANTING PLAN.
3. PROVIDE AND INSTALL CLASS 200 PVC LATERAL IRRIGATION LINES BETWEEN REMOTE CONTROL VALVES AND BUBBLERS.
4. PROVIDE AND INSTALL A 1-1/2" SIZED REDUCED PRESSURE TYPE BACKFLOW PREVENTION DEVICE WITHIN A HOT BOX (FOR FREEZE PROTECTION)
5. PROVIDE AND INSTALL A 1-1/2" SIZED MASTER VALVE IN A SUBGRADE VALVE BOX IMMEDIATELY ADJACENT TO AND DOWNSTREAM OF THE BACKFLOW PREVENTION DEVICE FOR CONTROLLING WATER TO THE PROPOSED MASTER LINES.
6. PROVIDE AND INSTALL APPROPRIATELY SIZED REMOTE CONTROL VALVES WITHIN SUBGRADE VALVE BOXES AT LOCATIONS TO BE DETERMINED WITH FINAL CONSTRUCTION DOCUMENTS.
7. PROVIDE AND INSTALL AN ELECTRIC CONTROLLER IN A WALL MOUNTED BOX FOR OPERATIONAL CONTROL OF VALVES.
8. PROVIDE AND INSTALL REMOTE CONTROL WIRE IN BETWEEN THE IRRIGATION CONTROLLER AND THE VALVES.
9. PROVIDE AND INSTALL IRRIGATION SLEEVES AT LOCATIONS AS NEEDED FOR IRRIGATION LINES BENEATH PAVING.

AREA:

Site Area 1.41 Acres	61,473 sq.ft.
Building Footprint	16,168 sq.ft.
Parking Lot Area	19,894 sq.ft.
Sidewalk / Patio Area	9,447sq.ft.


Landscape Area Required per 5-6(C)(2)(B) DT-UC-M5-PT 10% of 45,305 sq.ft. = 4,305 sq.ft.
Landscape Area Provided: 15,964 sq.ft.

Plant Material



Hardscape / Groundcover Key

All types are 'Rock Mountain Stone' or approved eq.




TREVESTON ELLIOTT
ARCHITECT

811 12TH ST. NW
ALBUQUERQUE, NEW MEXICO 87102
C 505.259.4617
treveston@eartharchitect.com
www.eartharchitect.com

Heritage Driven

ALBUQUERQUE, NEW MEXICO 87102



Date: March 21 2022

Sheet:
Site Plan
General Info

A-081