




SEE ARCHITECTURAL PLANS FOR EXACT LOCATIONS AND DIMENSIONS OF ORCHES, RAMPS, VESTIBULE, SLOPED PAVING, TRUCK DOCKS, BUILDING

CLOSELY COORDINATE GRADING AT FROST SLABS AND SURROUNDING



SCALE IN FEET

CENTERLINE

SUBJECT PROPERTY



UTILITY POLE

**GUY WIRE ANCHOR** 



CEI ENGINEERING ASSOCIATES, INC. 3108 SW REGENCY PKWY BENTONVILLE, AR 72712 PHONE: (479) 273-9472

FAX: (479) 273-0844

02- 2" RIGHT-OF-WAY LINE PVC RISER, NUMBER & SIZE AS SHOWN ADJOINING PROPERTY ELECTRICAL METER **11=()** ELECTRICAL VAULT EASEMENT LINE \_\_\_\_\_ BUILDING SETBACK LINE ELECTRICAL MANHOLE CONCRETE HATCH ELECTRICAL PULLBOX CONCRETE SIDEWALK ELECTRICAL BOX CHAIN LINK FENCE ELECTRICAL TRANSFORMER CABLE TELEVISION PEDESTAL SCREEN WALL CABLE TELEVISION PULLBOX  $\Box CTV$ RETAINING WALL OVERHEAD ELECTRICAL CTV CABLE TELEVISION VAULT • TRAFFIC SIGNAL LIGHT UNDERGROUND ELECTRICAL TRAFFIC SIGNAL FLASHER GAS LINE FIBER OPTIC LINE PEDESTRIAN SIGNAL CABLE TV LINE IRAF TRAFFIC VAULT WATER LINE TRAFFIC SIGNAL CABINET STORM DRAIN LINE **17**5 TRAFFIC SIGNAL PULLBOX SANITARY SEWER LINE  $\square SL$ STREET LIGHT PULLBOX WATER METER STREET LIGHT  $\square W$ WATER BOX SIVI STREET LIGHT VAULT WATER MANHOLE AREA LIGHT WATER AIR RELEASE VALVE **GROUND LIGHT** IRRIGATION CONTROL BOX NATURAL GAS VALVE FIRE HYDRANT NATURAL GAS METER ASSEMBLY WATER VALVE 67.18 NATURAL GAS VAULT WATER BLOW-OFF NATURAL GAS MANHOLE FDC ON BLDG. TELEPHONE PULLBOX TELEPHONE VAULT REMOTE FDC STORM DRAIN MANHOLE TELEPHONE MANHOLE STORM DRAIN DROP INLET TELEPHONE PEDESTAL CATCH BASIN FIBER OPTIC MANHOLE FIBER OPTIC PEDESTAL **BOLLARD POST** FIBER OPTIC PULLBOX GATE SANITARY SEWER MANHOLE FLAG POLE SANITARY SEWER CLEAN OUT UTILITY VAULT - UNKNOWN SANITARY SEWER VAULT UTILITY PULLBOX - UNKNOWN GREASE TRAP/INTERCEPTOR MANHOLE VAPOR AND MONITORING WELLS UTILITY MANHOLE - UNKNOWN (ABANDONED IN PLACE) ELECTRIC PEDESTAL

PROPERTY LINE/RIGHT OF WAY LINE GRATE INLET CONCRETE CURB AND GUTTER. SEE DETAIL 01A/01B. CURB INLET FIRE ACCESS → FIRE HYDRANT **⇔** FDC VALVE BUILDING CONTROL POINT LIGHT POLE (PER MEP.) PROPOSED PARKING SPACES BOLLARD LIMITS OF SIDEWALKS AND CONCRETE APRONS BOLLARD GUARD <del>⊸</del> SIGN

# ☐ SITE DETAILS

- 01A TYPE A CONCRETE CURB AND GUTTER
- 01C TYPE C CONCRETE RAISED CURB AND GUTTER 03D CONCRETE SIDEWALK
- 04A GUIDE RAIL 06D RETAINING WALL
- 07J CHAIN LINK FENCE ON RETAINING WALL 09B NINETY DEGREE PARKING SPACE STRIPING
- 09F 90 DEGREE ACCESSIBLE PARKING SPACE STRIPING 09N 90 DEGREE PARKING
- 09S ACCESSIBLE / VAN ACCESSIBLE PARKING SIGN
- 09U ACCESSIBLE PARKING SYMBOL 10C FIRE LANE MARKING
- 13D TYPICAL 39' LIGHTING POLE BASE 47C COMMON TRENCH DETAIL ELECTRIC TELEPHONE FIRE ALARM CABLE 70C SECTION B-B

# SITE NOTES

- 12D 4 INCH WIDE PAINTED YELLOW STRIPES. 2.0 FOOT O.C. @ 45 DEGREES (SEE SIZE INDICATED AT SYMBOL). 21B TAPER CURB FROM 12" TO 6" OVER 12'
- 70B HOOP-STYLE PARKING STOP

DATE	REVISIONS DESCRIPTION
04/08/2022	FOR BIDDING
04/12/2022	FOR PERMIT
06/27/2022	PLAN REVIEW REV'S (REV #2)

PROFESSIONAL OF RECORD	JDG
PROJECT MANAGER	JEH
DESIGNER	HMK/MDT
CEI PROJECT NUMBER	32348
DATE	9/6/2022
REVISION	REV-0

1901 ALBU

SITE PLAN


AURANT


ST

 $\propto$ 

CANOPY COLUMNS

SHEET NUMBER





RIGHT-OF-WAY LINE

Know what's below.
Call before you dig.

UTILITY POLE

**GUY WIRE ANCHOR** 

PVC RISER, NUMBER & SIZE AS SHOWN

Solutions for Land and Life

CEI ENGINEERING ASSOCIATES, INC. 3108 SW REGENCY PKWY BENTONVILLE, AR 72712 PHONE: (479) 273-9472 FAX: (479) 273-0844

	RIGHT-OF-WAY LINE	0	PVC RISER, NUIVIBER & SIZE AS SHOWN
	ADJOINING PROPERTY	$\circ^E$	ELECTRICAL METER
	EASEMENT LINE	3150	ELECTRICAL VAULT
	BUILDING SETBACK LINE	E	ELECTRICAL MANHOLE
	CONCRETE HATCH	$\Box \mathcal{E}$	ELECTRICAL PULLBOX
	CONCRETE SIDEWALK		ELECTRICAL BOX
	CHAIN LINK FENCE	ET	ELECTRICAL TRANSFORMER
	SCREEN WALL	<b>□</b> CTV	CABLE TELEVISION PEDESTAL
	RETAINING WALL	□ <i>CTV</i>	CABLE TELEVISION PULLBOX
390	OVERHEAD ELECTRICAL	PIV	CABLE TELEVISION VAULT
	UNDERGROUND ELECTRICAL	o 4 4 4	TRAFFIC SIGNAL LIGHT
aa	GAS LINE	O	TRAFFIC SIGNAL FLASHER
FIBOP FIBOP	FIBER OPTIC LINE	Q>	PEDESTRIAN SIGNAL
	CABLE TV LINE	IRAF	TRAFFIC VAULT
	WATER LINE		TRAFFIC SIGNAL CABINET
	STORM DRAIN LINE	<b>□7</b> S	TRAFFIC SIGNAL PULLBOX
	SANITARY SEWER LINE	□ SL	STREET LIGHT PULLBOX
	WATER METER		STREET LIGHT
$\square$ $W$	WATER BOX	MIS	STREET LIGHT VAULT
	WATER MANHOLE	- <b>Ö</b> -	AREA LIGHT
	WATER AIR RELEASE VALVE	€	GROUND LIGHT
R	IRRIGATION CONTROL BOX	$\mathbf{E}^{G}$	NATURAL GAS VALVE
77	FIRE HYDRANT	$\circ^G$	NATURAL GAS METER ASSEMBLY
⋈ <sup>WV</sup>	WATER VALVE	GAS	NATURAL GAS VAULT
BOV	WATER BLOW-OFF	<u></u>	NATURAL GAS MANHOLE
AFRIC,	FDC ON BLDG.	$\Box T$	TELEPHONE PULLBOX
285,	REMOTE FDC	III	TELEPHONE VAULT
<b>(D)</b>	STORM DRAIN MANHOLE	$\bigcirc$	TELEPHONE MANHOLE
	STORM DRAIN DROP INLET	<b>7</b>	TELEPHONE PEDESTAL
	CATCH BASIN	Ø	FIBER OPTIC MANHOLE
	SIGN	<b>36</b> 8	FIBER OPTIC VAULT
•	BOLLARD POST	<b>□</b> F	FIBER OPTIC PEDESTAL
	GATE	⊠ F	FIBER OPTIC PULLBOX
P	FLAG POLE	S	SANITARY SEWER MANHOLE
多多米女	TREES	•	SANITARY SEWER CLEAN OUT
MIK	UTILITY VAULT - UNKNOWN		SANITARY SEWER VAULT
$\square U$	UTILITY PULLBOX - UNKNOWN	<b>(1)</b>	GREASE TRAP/INTERCEPTOR MANHOLE
0	UTILITY MANHOLE - UNKNOWN		VAPOR AND MONITORING WELLS
<b>□</b> EPED	ELECTRIC PEDESTAL		(ABANDONED IN PLACE)

# PROPOSED LEGEND

PROPERTY LINE/RIGHT OF WAY LINE CONCRETE CURB AND GUTTER. SEE DETAIL 01A/01B. LIMITS OF SIDEWALKS AND CONCRETE APRONS

# ☐ PAVING DETAILS

03D CONCRETE SIDEWALK 08A STANDARD DUTY ASPHALT PAVING 08B HEAVY DUTY ASPHALT PAVING 08C HEAVY DUTY CONCRETE PAVING (REINFORCED)


08N ASPHALT OVERLAY

PROFESSIONAL OF RECORD	JDG
PROJECT MANAGER	JEH
DESIGNER	HMK/MDT
CEI PROJECT NUMBER	32348
DATE	9/6/2022
REVISION	REV-0

PAVING PLAN

RESTAURANT

SHEET NUMBER





CEI ENGINEERING ASSOCIATES, INC. 3108 SW REGENCY PKWY BENTONVILLE, AR 72712 PHONE: (479) 273-9472 FAX: (479) 273-0844

UTILITY POLE

02- 2"

CTV

 $\square SL$ 

SIVI

67.15

**GUY WIRE ANCHOR** 

ELECTRICAL METER ELECTRICAL VAULT

ELECTRICAL MANHOLE

ELECTRICAL PULLBOX

ELECTRICAL TRANSFORMER CABLE TELEVISION PEDESTAL

CABLE TELEVISION PULLBOX

CABLE TELEVISION VAULT

TRAFFIC SIGNAL FLASHER

TRAFFIC SIGNAL CABINET

TRAFFIC SIGNAL PULLBOX

STREET LIGHT PULLBOX

STREET LIGHT VAULT

NATURAL GAS VALVE

NATURAL GAS VAULT

NATURAL GAS MANHOLE

TELEPHONE PULLBOX

TELEPHONE MANHOLE

TELEPHONE PEDESTAL

FIBER OPTIC MANHOLE

FIBER OPTIC PEDESTAL FIBER OPTIC PULLBOX

SANITARY SEWER MANHOLE SANITARY SEWER CLEAN OUT

GREASE TRAP/INTERCEPTOR MANHOLE

PROVIDED

PROVIDED

PROVIDED

PROVIDED

14 TREES

PROVIDED

36 DECIDUOUS

TREES PROVIDED

18 TREES

TREES PROVIDED

4 TREES PROVIDED

23,730 SF

171,000 SF TOTAL SITE - 44,503

SF BUILDING = 126,497 SF x 15%

= 18,974 SF REQUIRED

REQUIRED

REQUIRED

132 PARKING SPACES / 10 =

14 TREES REQUIRED

44 TOTAL TREES PROVIDED x 75% = 33

DECIDUOUS TREES REQUIRED

MENAUL BLVD: 530 LF / 30 =

18 TREES REQUIRED

I-25 RAMP: 245 LF / 30 =

9 TREES REQUIRED

UNIVERSITY BLVD: 103 LF / 30 =

4 TREES REQUIRED

SANITARY SEWER VAULT

TELEPHONE VAULT

NATURAL GAS METER ASSEMBLY

PEDESTRIAN SIGNAL

TRAFFIC VAULT

STREET LIGHT

AREA LIGHT

GROUND LIGHT

ELECTRICAL BOX

• A A A TRAFFIC SIGNAL LIGHT

PVC RISER, NUMBER & SIZE AS SHOWN


STAURAN  $\propto$ 

> FOR BIDDING NOT FOR CONSTRUCTION

JDG
JEH
НМК
32348
8/22/2022
REV-0

LANDSCAPE PLAN

SHEET NUMBER



© 2022 CEI ENGINEERING ASSOCIATES, INC.

**Solutions for Land and Life** 

CEI ENGINEERING ASSOCIATES, INC. 3108 SW REGENCY PKWY BENTONVILLE, AR 72712 PHONE: (479) 273-9472 FAX: (479) 273-0844

NOT FOR

PROFESSIONAL OF RECORD	JDG
PROJECT MANAGER	JEH
DESIGNER	НМК
CEI PROJECT NUMBER	32348
DATE	8/22/2022
REVISION	REV-0

LANDSCAPE PLAN

SHEET NUMBER

**■ EPED** 

↑ 06/27/2022 PLAN REVIEW REV'S (REV #2)

ELECTRIC PEDESTAL

REVISIONS DESCRIPTION

## **GENERAL NOTES**

LANDSCAPE ARCHITECT OR OWNER.

- 1. CONTRACTOR IS RESPONSIBLE FOR ENSURING THAT ALL PROPOSED LANDSCAPING IS INSTALLED IN ACCORDANCE WITH PLANS, DETAILS, SPECIFICATIONS (IF APPLICABLE) AND ALL LOCAL CODES AND REQUIREMENTS.
- 2. CONTRACTOR TO INSPECT SITE AND VERIFY CONDITIONS AND DIMENSIONING PRIOR TO PROCEEDING WITH WORK DESCRIBED HERE IN. NOTIFY LANDSCAPE ARCHITECT OF ANY DISCREPANCIES PRIOR TO BEGINNING ANY
- 3. QUANTITIES PROVIDED IN THE PLANT LIST ARE FOR GENERAL USE ONLY. CONTRACTOR IS RESPONSIBLE FOR VERIFICATION OF ALL PLANT AND LANDSCAPE MATERIAL QUANTITIES. SYMBOL COUNT ON PLAN TAKES PRECEDENCE
- 4. IMMEDIATELY AFTER AWARD OF CONTRACT, NOTIFY THE OWNER'S REPRESENTATIVE AND/OR THE LANDSCAPE ARCHITECT OF UNAVAILABILITY OF SPECIFIED PLANT MATERIAL FROM COMMERCIAL NURSERIES. THE OWNER'S REPRESENTATIVE AND/OR LANDSCAPE ARCHITECT WILL PROVIDE ALTERNATE PLANT MATERIAL SELECTIONS IF UNAVAILABILITY OCCURS. SUCH CHANGES SHALL NOT ALTER THE ORIGINAL BID PRICE UNLESS A CREDIT IS DUE TO THE
- 5. ALL PLANT MATERIALS TO CONFORM TO THE AMERICAN STANDARD FOR NURSERY STOCK ANSI Z60.1.
- 6. CONTAINER GROWN STOCK SHOULD HAVE GROWN IN A CONTAINER LONG ENOUGH FOR THE ROOT SYSTEM TO HAVE DEVELOPED SUFFICIENTLY TO HOLD ITS SOIL TOGETHER.
- ANY PLANT SUBSTITUTIONS, RELOCATION, OR REQUIRED CHANGE SHALL REQUIRE THE WRITTEN APPROVAL OF THE
- 8. THE OWNER'S REPRESENTATIVE AND/OR LANDSCAPE ARCHITECT RESERVE THE RIGHT TO REFUSE ANY MATERIAL THEY DEEM UNACCEPTABLE.
- 9. COORDINATE WITH PROJECT REPRESENTATIVE FOR DISTURBED SITE TREATMENTS OUTSIDE LANDSCAPE
- IMPROVEMENTS. SEE CIVIL PLANS FOR SOIL STABILIZATION FOR EROSION CONTROL.
- 10. CONTRACTOR SHALL ENSURE THAT THERE IS POSITIVE DRAINAGE AND NO PONDING OF IRRIGATION WATER AT ROOT
- 11. ALL SLOPES AND AREAS DISTURBED BY CONSTRUCTION SHALL BE GRADED SMOOTH AND FOUR INCHES OF TOPSOIL APPLIED. IF ADEQUATE TOPSOIL IS NOT AVAILABLE ON SITE, THE CONTRACTOR SHALL PROVIDE TOPSOIL, APPROVED BY THE OWNER, AS NEEDED. THE AREA SHALL THEN BE SEEDED/SODDED, FERTILIZED, MULCHED, WATERED AND MAINTAINED UNTIL HARDY GRASS GROWTH IS ESTABLISHED IN ALL AREAS. ANY RELOCATED TREES SHALL BE MAINTAINED UNTIL SUCH POINT AS TREE IS RE-ESTABLISHED. ANY AREAS DISTURBED FOR ANY REASON PRIOR TO FINAL ACCEPTANCE OF THE PROJECT SHALL BE CORRECTED BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE OWNER.
- 12. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL UNDERGROUND UTILITIES AND SHALL AVOID DAMAGE TO ALL UTILITIES DURING THE COURSE OF THE WORK. LOCATIONS OF EXISTING BURIED UTILITY LINES SHOWN ON THE PLANS ARE BASED UPON BEST AVAILABLE INFORMATION AND ARE TO BE CONSIDERED APPROXIMATE. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR 1) TO VERIFY THE LOCATIONS OF UTILITY LINES AND ADJACENT TO THE WORK AREA 2) TO PROTECT OF ALL UTILITY LINES DURING THE CONSTRUCTION PERIOD 3) TO REPAIR ANY AND ALL DAMAGE TO UTILITIES, STRUCTURES, SITE APPURTENANCES, ETC. WHICH OCCURS AS A RESULT OF THE CONSTRUCTION AT NO COST TO THE OWNER.
- 13. WEED MAT IS REQUIRED IN LANDSCAPED ISLANDS AS SPECIFIED.
- 14. ALL PLANT MATERIAL QUANTITIES SHOWN ARE APPROXIMATE. CONTRACTOR SHALL BE RESPONSIBLE FOR COMPLETE COVERAGE OF ALL PLANTING BEDS AT SPACING SHOWN.
- 15. IF A SWPPP PLAN IS PROVIDED THIS PLAN IS TO BE IMPLEMENTED COOPERATIVELY WITH SWPPP PLAN, AS NEEDED, TO MAXIMIZE THE EFFECTIVENESS OF THE SWPPP PLAN FOR THIS SITE.
- 16. THE CONTRACTOR IS ENCOURAGED TO COMPLETE TEMPORARY OR PERMANENT SEEDING OR SODDING IN STAGES FOR SOIL STABILIZATION AS AREAS ARE COMPLETED AFTER GRADING.
- 17. SEEDING ON SLOPES: HYDROSEED WITH GRASS SEED AS INDICATED ON PLANS. SEE LEGEND FOR SPECIFIC GRASS SEED TYPE. SEEDING SHALL BE ACCOMPLISHED IMMEDIATELY AFTER BED PREPARATION. HYDROSEED MIXTURE SHALL CONTAIN CELLULOSE MULCH APPLIED AT A RATE OF 2,000 LBS./ACRE, WITH A MAXIMUM OF 50 LBS./100 GAL. OF WATER. IF SEEDING IS DELAYED AFTER MIXING 1/2 - 2 HOURS ADD AN ADDITIONAL 50% OF SEED MIX, IF DELAY IS LONGER THAN 2 HOURS, BEGIN WITH NEW MIXTURE. ALL SLOPES 2:1 OR GREATER SHALL BE COVERED WITH EROSION CONTROL BLANKET AS SHOWN IN THE EROSION CONTROL BLANKET DETAIL. SEE SPECIFICATIONS FOR SEED ESTABLISHMENT REQUIREMENTS.
- 18. ALL PLANT MATERIAL IN TREE HOLDING AREAS SHALL BE MANUALLY WATERED/IRRIGATED TO KEEP MOIST UNTIL
- 19. LANDSCAPE CONTRACTOR SHALL ENSURE ALL TREES AND SHRUBS ARE ADEQUATELY WATERED AND MAINTAINED FOR A PERIOD OF AT LEAST 2 YEARS OR UNTIL FULLY ESTABLISHED. ONCE TREES AND SHRUBS ARE FULLY ESTABLISHED LANDSCAPE MAINTENANCE CONTRACTOR SHALL MANUALLY WATER PLANTS AS NEEDED TO MAINTAIN PLANTS DURING DRY PERIODS.

MULCH TOP DRESSING: SEE LANDSCAPE

REQUIRED DEPTH

STEEL STAKE DRIVEN FROM MULCH SIDE OF -

EDGING WITH TOP OF STAKE BELOW TOP OF HEADER

### PLANTING NOTES

- LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR PREPARING ALL PLANTED AREAS. ALL DELETERIOUS MATERIALS SUCH AS ROCK, TRASH, CONSTRUCTION DEBRIS, AGGREGATE BASE MATERIAL, ASPHALT, ETC. SHALL BE REMOVED PRIOR TO ANY FILL OPERATIONS. FILL ALL PLANTING AREAS WITH CLEAN EARTHEN FILL. SOIL SHALL BE FREE OF HEAVY, STIFF CLAY AND ANY DELETERIOUS MATERIAL OVER ONE INCH IN SIZE. THE TOP SIX INCHES OF FILL MATERIAL STRIPPED FROM SITE MAY BE UTILIZED FOR PLANTER OR TOPSOIL FILL IF PRIOR APPROVAL HAS BEEN OBTAINED FROM THE OWNER'S REPRESENTATIVE AND/OR LANDSCAPE ARCHITECT.
- 2. FINISH GRADE OF LANDSCAPE AREAS (TOP OF TURF AND MULCH) MUST BE GRADED TO 1 1/2" BELOW ADJACENT PAVEMENT SURFACES.
- 3. LOCATE SHRUBS A DISTANCE OF HALF OF THEIR AVERAGE MATURE SPREAD AWAY FROM WALKS, STRUCTURES. CONCRETE PADS, ETC. LOCATE GROUND COVER PLANTINGS A MINIMUM OF 2' FROM WALKS, STRUCTURES, CONCRETE PADS. ETC.
- 4. ALL LAWN AREAS NOT OTHERWISE BORDERED BY WALKS, OR OTHER STRUCTURES, SHALL HAVE MANUFACTURED EDGING AS REQUIRED.
- 5. TREES PLANTED ADJACENT TO PUBLIC ROADS AND PEDESTRIAN SIDEWALKS SHALL BE PRUNED SUFFICIENTLY TO AVOID VISUAL BLOCKS TO INTERSECTING VEHICULAR ACCESS OR INTERFERENCE WITH PEDESTRIAN WALKWAYS. TREES WITH A 4" OR LARGER CALIPER SHALL BE PRUNED UP TO 6'-0" ABOVE PAVEMENTS.
- 6. ALL TREES WITHIN 4' OF PAVED SURFACES (SUCH AS CURBS, WALLS, BUILDINGS AND SIDEWALKS) SHALL BE PROVIDED WITH A DEEP ROOT BARRIER CONTROL DEVICE OR EQUAL. INSTALL PER MFR'S SPECIFICATIONS.
- 7. TOPSOIL DEPTH SHALL BE AS FOLLOWS: PLANTER BEDS - 12" MINIMUM
- GRASS/SOD AREAS 4" MINIMUM (AFTER COMPACTION)
- 8. BACKFILL ALL TREES, SHRUBS, GROUNDCOVER WITH A MIXTURE OF 2 PARTS NATIVE SOIL AND 1 PART SOIL CONDITIONING WITH WOOD MULCH.
- 9. THE LANDSCAPE CONTRACTOR SHALL WATER TEST ALL PLANTING HOLE PRIOR TO PLANTING. IF HOLES DO NOT DRAIN PROPERLY, EXCAVATE FURTHER UNTIL IMPERMEABLE LAYER IS BREACHED. EXCAVATED PLANT PITS SHALL HAVE POSITIVE DRAINAGE. PLANT PITS (WHEN FULLY FLOODED WITH WATER) SHALL DRAIN WITHIN 1 HOUR OF FILLING. ENSURE THAT ALL PLANT PITS HAVE POSITIVE DRAINAGE.
- 10. ALL PLANTING BEDS SHALL BE TREATED WITH A PRE-EMERGENT HERBICIDE. PRE-EMERGENT HERBICIDE SHALL BE APPLIED PER MANUFACTURE'S RECOMMENDATIONS AND SHALL OCCUR AFTER TOPSOIL PLACEMENT AND PRIOR TO INSTALLATION OF PLANT MATERIALS AND MULCH.
- 11. FERTILIZE ALL PLANTS AT THE TIME OF PLANTING WITH A TIME RELEASE FERTILIZER PER BRAND'S SPECIFIED APPLICATION RATES.
- 12. ALL PLANTING BED SOILS SHALL BE AMENDED WITH 2" OF ORGANIC COMPOST
- 13. ALL TREES AND SHRUBS SHALL BE PLANTED IN SUCH A MANNER AS TO ENSURE THEIR SURVIVAL.
- 14. ANY ROPE OR WIRE BINDING THE BALL SHALL BE CUT PRIOR TO PREVENT GIRDLING OF THE TREE. REMOVE WIRE, TWINE, AND BURLAP FROM THE TOP HALF OF ALL B&B PLANT MATERIAL.
- 15. IF A NON-BIODEGRADABLE MATERIAL IS USED AROUND THE BALL, IT SHALL BE COMPLETELY REMOVED PRIOR TO
- BACKFILLING.
- 16. PRIOR TO INSTALLATION, THE ROOTS OF CONTAINER GROWN STOCK SHALL BE SEPARATED OR SPLIT TO ENSURE PROPER ROOT DEVELOPMENT.
- 17. CONTRACTOR SHALL BE RESPONSIBLE FOR DELIVERY SCHEDULE AND PROTECTION BETWEEN DELIVERY AND PLANTING TO MAINTAIN HEALTHY PLANT CONDITIONS.
- 18. ANY PLANT MATERIAL WHICH IS DISEASED. DISTRESSED. DEAD. OR REJECTED (PRIOR TO SUBSTANTIAL COMPLETION) SHALL BE PROMPTLY REMOVED FROM THE SITE AND REPLACED WITH MATERIAL OF THE SAME SPECIES, QUANTITY, AND SIZE AND MEETING ALL PLANT LIST SPECIFICATIONS. TREES & SHRUBS SHALL BE PLANTED AS SOON AS POSSIBLE AFTER DELIVERY
- 19. ALL TREES MUST BE STRAIGHT-TRUNKED, FULL-HEADED AND MEET ALL REQUIREMENTS SPECIFIED.
- 20. ALL TREES MUST BE STAKED AS SHOWN IN THE DETAILS.
- 21. NO SUBSTITUTIONS OR ALTERNATIVES WILL BE ALLOWED FOR GROUND SURFACE MATERIALS UNLESS APPROVED IN WRITING BY THE LANDSCAPE ARCHITECT OR OWNER.
- 22. MAINTAIN 5' MIN. HORIZONTAL SEPARATION BETWEEN TREE PLANTINGS AND ALL UTILITIES UNLESS OTHERWISE SPECIFIED.
- 23. A FOUR INCH (4") TOP DRESSING/MULCHING OF BROWN/TAN 3/4" 1.5" DIA. DECOMPOSED GRANITE MULCH SHALL BE PLACED IN ALL PLANT BEDS AND AROUND ALL TREES. SINGLE TREES OR SHRUBS SHALL HAVE TOP DRESSING TO THE OUTSIDE EDGE OF THE MANUFACTURED EDGING OR LANDSCAPE ISLAND. (SEE PLANTING DETAILS) TOP DRESSING CAN BE WOOD MULCH, ROCK, OR ANY OTHER DECORATIVE MATERIAL SPECIFIED ON PLANS. SEE LANDSCAPE PLAN FOR TYPE.

NOTES FOR MULCH MATERIAL AND

POLYPROPYLENE MATERIAL WEED -BARRIER AT FINISH GRADE

STEEL STAKE DRIVEN FROM MULCH SIDE OF -

EDGING WITH TOP OF STAKE BELOW TOP OF

POLYPROPYLENE MATERIAL WEEL

EDGING SHALL BE USED

1. DEPICTION ABOVE IS FOR SODDED AREA WITH MULCH.

24. THE FOLLOWING PLANTING SEASONS ARE RECOMMENDED: EVERGREEN SHRUBBERY OCT-MAR DECIDUOUS SHRUBBERY & TREES OCT-MAR EVERGREEN TREES OCT-MAR

## PLANT GUARANTEE, REPLACEMENT AND MAINTENANCE

## A. GUARANTEE:

ACCEPTANCE OF GRADING AND SEEDING SHALL BE BY LANDSCAPE ARCHITECT AND/OR OWNER. THE CONTRACTOR SHALL ASSUME MAINTENANCE RESPONSIBILITIES UNTIL FINAL ACCEPTANCE. MAINTENANCE SHALL INCLUDE WATERING, WEEDING, RESEEDING AND OTHER OPERATIONS NECESSARY TO KEEP ALL LAWN AREAS IN A THRIVING CONDITION. UPON FINAL ACCEPTANCE, OWNER SHALL ASSUME ALL MAINTENANCE RESPONSIBILITIES. AFTER LAWN AREAS HAVE GERMINATED. AREAS WHICH FAIL TO SHOW A UNIFORM STAND OF GRASS FOR ANY REASON WHATSOEVER SHALL BE RE-SEEDED REPEATEDLY UNTIL ALL AREAS ARE COVERED WITH A SATISFACTORY STAND OF GRASS. MINIMUM ACCEPTANCE OF SEEDED LAWN AREAS MAY INCLUDE SCATTERED BARE SPOTS, NONE OF WHICH ARE LARGER THAN 1 SQUARE FOOT, AND WHEN COMBINED DO NOT EXCEED 2% OF TOTAL SEEDED LAWN AREA.

## B. REPLACEMENT:

ANY PLANT UNDER THIS SPEC WHICH IS DEAD, MISSING, UNHEALTHY, OR OTHERWISE NOT ACCEPTABLE AND NOT IN SATISFACTORY GROWING CONDITION DURING CONSTRUCTION MAINTENANCE PERIOD, OR AT THE END OF THE GUARANTEE PERIOD, SHALL BE REMOVED FROM SITE AND REPLACED WITH SUITABLE, ACCEPTABLE PLANT AS SPECIFIED, WITHIN FIVE (5) DAYS.

### GENERAL CONTRACTOR SHALL PROVIDE TWO YEARS OF LANDSCAPE MAINTENANCE, FROM THE TIME THE PROJECT RECEIVES THE CERTIFICATE OF OCCUPANCY AND THERE AFTER, FOR ALL NEW LANDSCAPE. IF EXISTING LANDSCAPE EXISTS ON-SITE, GENERAL CONTRACTOR IS TO PROVIDE THE OPTION OF MAINTENANCE FOR THE OWNER'S REVIEW.

### HERBICIDES NOTES

SEE STEPPING STONE DETAIL FOR

COMPACTED SAND SUB-BASE


NATURAL STEEL EDGING. NO PAINTED


BARRIER AT FINISH GRADE

EDGING SHALL BE USED

1. DEPICTION ABOVE IS FOR STEPPING STONE AREA WITH MULCH.

- 1. APPLICATION OF HERBICIDES SHALL BE IN COMPLIANCE WITH STATE PESTICIDES REGULATIONS. IT IS THE RESPONSIBILITY OF THE LANDSCAPE CONTRACTOR TO CONSULT WITH THE REGULATORY AGENCIES FOR LOCAL HERBICIDES APPLICATION REQUIREMENTS.
- 2. IF THERE IS A DISCREPANCY BETWEEN STATE REGULATIONS AND ADDITIONAL REQUIREMENTS BELOW, MOST STRINGENT SHALL RULE
- 3. NO AERIAL APPLICATION OF HERBICIDES IS PERMITTED ON SITE.
- 4. CARCINOGENS AND EPA TOXIC CATEGORY I AND II ARE PROHIBITED TO USE ON SITE.







CEI ENGINEERING ASSOCIATES, INC. 3108 SW REGENCY PKWY BENTONVILLE, AR 72712 PHONE: (479) 273-9472 FAX: (479) 273-0844

DEPO BLVD MEXIO STAURANT

> FOR BIDDING NOT FOR CONSTRUCTION

PROFESSIONAL OF RECORD PROJECT MANAGER JEH HMK DESIGNER CEI PROJECT NUMBER 32348 DATE 8/22/2022 REVISION

LANDSCAPE NOTES

SHEET NUMBER

© 2022 CEI ENGINEERING ASSOCIATES, INC.