HYDROLOGY H15/D46 1 PLAN

H15/D46

1 Plan

CITY OF ALBUQUERQUE
THIS MICROIMAGE IS THE BEST POSSIBLE REPRODUCTION DUE TO THE POOR QUALITY OF THE ORIGINAL DOCUMENT

D 24 C 20 B 16 A 12 CITY OF ALBUQUERQUE C D

LEGAL DISCRIPTION:
S.B. PORTION LOT 5, BLK 6 & LOTS 6 & 7
BLK 6 STRONGHURST ADDITION



SITE PLAN 1" = 30'



NOTE:
ALL PARTITIONS SHALL BE 25 GA. MTL STUDS @ 16" O.C. W/ 5/8" TYPE 'X' GYP. BD. (TEXT & PAINT) & 4" VINYL BASE.
MEN & WOMEN: CEILING - 2'-4' SUSP. ACOUST. 9' HGH
FLOOR - SHT. VINYL.

FLOOR PLAN 1/4" = 1'-0"

EXIST. BLDG - 10,065 S.F.
ADDITION - 2,153 S.F.
TOTAL 12,218 S.F. GROSS HEATED FLOOR AREA

CODE REVIEW DATA

Occupancy Group B-B
Type of Construction V N
Area of Each Floor 12,218 S.F.
Occupant Load 61
Seismic Zone 2
Soil Bearing Capacity 1500 P.S.F.
Concrete Strength 3000 P.S.I.
Stress Values:
Lumber N/A Steel ASTM
Wind Design Load 25 P.S.F.
Roof Design Load L.L. 20 P.S.F.
Floor Design Load 100 P.S.F.
Corridor Design Load 100 P.S.F.
Alt. Bldg. Code 301(a)

ZONE C-2 H-15

ADDITION EXISTING BLDG

DATE 2-5-87
REVISED 4-7-87
DRAWN:

DAVID W. FRY ARCHITECT
2007 RIDGECREST DRIVE S.E.
ALBUQUERQUE NEW MEXICO 87108
266-8985

ADDITION FOR R.C.I. ENTERPRISES
NEW IMAGE BUILDERS

SHEET 1 OF 3

APR 09 1987
HYDROLOGY SECTION

CITY OF ALBUQUERQUE
THIS MICROIMAGE IS THE BEST POSSIBLE REPRODUCTION DUE TO THE POOR QUALITY OF THE ORIGINAL DOCUMENT

CITY OF ALBUQUERQUE