

EXISTING SPOT ELEVATION

VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL EXISTING EASEMENT POTENTIAL OBSTRUCTIONS. SHOULD A CONFLICT EXIST, THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION OBSERVER OR ENGINEER SO THAT THE CONFLICT CAN BE RESOLVED WITH A

PROPOSED SPOT ELEVATION

FLOW LINE

TOP OF SIDEWALK

PROPOSED FENCE

FOR DIMENSIONS

STD. DWG. 2235

SIDEWALK- SEE SHEET C-1

ROOF DRAIN LINE, 3" PVC

THROUGH CURB PER C.O.A.

TWO (2) WORKING DAYS PRIOR TO ANY EXCAVATION, THE CONTRACTOR SHALL CONTACT LINE LOCATING SERVICE (765-1264) TOP OF CURB FOR LOCATION OF EXISTING UTILITIES.

MINIMUM AMOUNT OF DELAY.

5. ALL ELECTRICAL, TELEPHONE, CABLE TV. GAS AND OTHER UTILITY LINES, CABLES, AND APPURTENANCES ENCOUNTERED DURING CONSTRUCTION THAT REQUIRE RELOCATION SHALL BE COORDINATED WITH THAT UTILITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATION OF ALL NECESSARY UTILITY ADJUSTMENTS. NO ADDITIONAL COMPENSATION WILL BE ALLOWED FOR DELAYS OR INCONVENIENCES CAUSED BY UTILITY COMPANY WORK CREWS. THE CONTRACTOR MAY BE REQUIRED TO RESCHEDULE HIS ACTIVITIES TO ALLOW UTILITY CREWS TO PERFORM THEIR REQUIRED WORK.

6. THE CONTRACTOR IS RESPONSIBLE FOR PROTECTING ALL EXISTING UTILITY LINES WITHIN THE CONSTRUCTION AREA. ANY DAMAGE TO EXISTING FACILITIES CAUSED BY CONSTRUCTION ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE CONTRACTOR'S EXPENSE AND APPROVED BY THE CONSTRUCTION OBSERVER.

CONTRACTOR SHALL NOT STORE ANY EQUIPMENT OR MATERIAL WITHIN THE PUBLIC RIGHT-OF-WAY. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL FIELD

> 9. THE CONTRACTOR SHALL OBTAIN ALL THE NECESSARY PERMITS FOR THE PROJECT PRIOR TO COMMENCING CONSTRUCTION (I.E., BARRICADING, TOPSOIL DISTURBANCE, EXCAVATION PERMITS, ETC.).

10. ALL PROPERTY CORNERS DESTROYED DURING CONSTRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ALL PROPERTY CORNERS MUST BE RESET BY A REGISTERED LAND

11. ALL BARRICADES AND CONSTRUCTION SIGNING SHALL CONFORM TO APPLICABLE SECTIONS OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" (MUTCD), US DEPARTMENT OF TRANSPORTATION, LATEST EDITION.

12. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY THE PROPER LOCATION OF ALL BARRICADING AT THE END AND BEGINNING OF EACH DAY.

13. A BERM SHALL BE MAINTAINED AROUND THE PROJECT AREA UNTIL COMPLETION OF THE PROPOSED BUILDINGS AND LANDSCAPING WITHIN THE PROJECT. SEE DETAIL ON SHEET CO.4. 14. SEE THE LANDSCAPE SHEETS FOR SLEEVING REQUIREMENTS.

OTHERWISE.

PAVEMENT INSTALLATION, AS SHOWN ON THIS PLAN, SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE "GEOTECHNICAL INVESTIGATION" AS PROVIDED BY THE ARCHITECT OR OWNER. ALL OTHER WORK, UNLESS OTHERWISE STATED OR PROVIDED FOR HEREIN, SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE PROJECT REQUIREMENTS AND/OR THE CITY OF ALBUQUERQUE (COA) STANDARDS FOR PUBLIC WORKS (SECOND PRIORITY).

OR PAYMENT SHALL BE MADE.

BUILDING PLAN ELEVATION.

AND ISLANDS.

6. PAVING AND ROADWAY GRADES SHALL BE

7. ALL PROPOSED CONTOURS REFLECT TOP

OF PAVEMENT ELEVATIONS IN THE PARKING

+/- 0.1' FROM PLAN ELEVATIONS. PAD

ELEVATION SHALL BE +/- 0.05' FROM

8. SEE SHEET CO.1 FOR COORDINATES.

PRIOR TO GRADING, ALL VEGETATION, DEBRIS, AND NEAR SURFACE ORGANICALLY CONTAMINATED SOIL SHALL BE STRIPPED FROM ALL AREAS TO BE GRADED. VEGETATION AND DEBRIS SHALL BE DISPOSED OF OFF-SITE. TOPSOIL STRIPPINGS SHALL BE DISPOSED OF OFF-SITE OR STOCKPILED FOR USE IN PLANTERS AND NON-STRUCTURAL FILLS.

4. EARTH SLOPES SHALL NOT EXCEED 3 HORIZONTAL TO 1 VERTICAL UNLESS SHOWN THE PROJECT AND NO SEPARATE MEASUREMENT ANY GRADING WITHIN OR ADJACENT TO A WATERCOURSE DEFINED AS A MAJOR FACILITY SHALL PROVIDE FOR EROSION CONTROL AND SAFE PASSAGE OF THE 10-YEAR DESIGN STORM RUNOFF DURING THE CONSTRUCTION PHASE.


3. CONTRACTOR SHALL CONFORM TO ALL CITY, COUNTY, STATE AND FEDERAL DUST CONTROL REQUIREMENTS AND IS RESPONSIBLE FOR PREPARING AND OBTAINING ALL NECESSARY APPLICATIONS AND APPROVALS. AREA AND ARE ADJUSTED FOR CURBS, MEDIANS

4. ALL GRADED AREAS WHICH DO NOT RECEIVE A FINAL SURFACE TREATMENT WILL BE REVEGETATED IN ACCORDANCE WITH COA STANDARD SPECIFICATION 1012 AND THE LANDSCAPE SPECIFICATIONS.

5. CONTRACTOR SHALL OBTAIN AND ABIDE BY A TOPSOIL DISTURBANCE PERMIT FROM THE CITY OF ALBUQUERQUE. THE COST FOR REQUIRED CONSTRUCTION DUST AND EROSION CONTROL MEASURES SHALL BE INCIDENTAL TO THE PROJECT

I, JAMES R. TOPMILLER, OF BOHANNAN HUSTON INC., A REGISTERED PROFESSIONAL ENGINEER IN THE STATE OF NEW MEXICO, DO HEREBY CERTIFY THAT THE DRAINAGE IMPROVEMENTS HAVE BEEN CONSTRUCTED IN SUBSTANTIAL COMPLIANCE WITH THE APPROVED DRAINAGE PLAN, TO THE BEST OF MY KNOWLEDGE

JAMES R. TOPMILLER, P.E. N.M.P.E. NO. 9354 APPROVED FOR ROUGH GRADING ( ± 1' 11-6-77 DATE (RE: North Div. Chease Impacts



ARCHITECTS

4PARK PLAZA, SUITE 120 **RVINE, CA 92714** 714 474-1775

CONTRACTOR

SNYDER LANGS 7

17962 Cowan Irvine, California 92714 714 863-9200



Lakepoint Office Park 9342 East Central Wichita, KS 67206-2555 316 631-1300

ENGINEER

SURVEYORS LANDSCAPE ARCHITECTS BHI PROJECT #9731

### PROJECT

Candlewood Hotel Co., LLC Albuquerque - 0239-NM3 Richmond Drive/ Menaul Bive Albuquerque, NM

125 Unit / 3 Story

NO.	DESCRIPTION	DAT
$\Delta$	ADDED SPOT ELEVATION	S
	TO MONAUL,	
	TO MENAUL, PLAMMOND, & CHANNEL	12.12
		- x4,
		<del></del> .
S	HEET DESCRIPTION	
G	RADING PI	$\_\mathbf{A}$

SHEET NO .:

CAA ARCHITECIS, ALL RICHTS PESERVED.


ARCHITECT AND THE SAME MAY NOT BE DUBLICATED ASED OR

MISCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT OF THE

GRADING PLAN

========

BHI PROJECT /97311 A 02 2400
BHI-MAIN\97311\CDP\A04-SITE PLN\DWG\C02REV.DWG
XREFS: SURVEY.DWG; 973118SE.DWG



ARCHITECTS

4PARK PLAZA, SUITE 120 **RVINE, CA 92714** 714 474-1775

SNYDER LANGSTON

See Estate and Construction Service

Irvine, California 92714 714 863-9200

CANDLEWOD

Lakepoint Office Park
9342 East Central Wichita, KS 67206-2555 316 631-1300

Bohannan 🔺 Huston

ENGINEERS PLANNERS PHOTOGRAMMETRISTS SURVEYORS LANDSCAPE ARCHITECTS

Candlewood Hotel Co., LLC Albuquerque - 0239-NM3 Richmond Drive/ Menaul Blvd.


125 Unit / 3 Story

SHEET DESCRIPTION

DRAINAGE

PORTECT AND THE SAME MAY MOT BE DUPLICATED, USED OR SCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT OF THE

SHEET NO .:



DRAINAGE & BASIN PLAN

4PARK PLAZA

CONTRACTO

Lakepoint Office P 316 631-1300


PROJECT

Albuquerque - 0235 Richmond Drive/ Albuquerque, NM

SHEET DESCRIPTION

ARCHITECT AND THE SAME DAY WILL TO CHSCLOSED METHOLD THE EXPRESS .

SCALE: 1"=20"-0" 01



PROPERTY LINE **EXISTING CONTOUR** 

EXISTING SPOT ELEVATION

EXISTING SWALE

EXISTING EASEMENT PROPOSED SPOT ELEVATION

DIRECTION OF FLOW

TOP OF CURB FLOW LINE TOP OF SIDEWALK

\*\*\* X X PROPOSED FENCE SIDEWALK- SEE SHEET C-1 FOR DIMENSIONS

ROOF DRAIN LINE, 3" PVC THROUGH CURB PER C.O.A. STD. DWG. 2235

UNDER THIS CONTRACT SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE PROJECT REQUIREMENTS AND THE PROJECT GEOTECHNICAL REPORT.

THE CONTRACTOR SHALL ABIDE BY ALL LOCAL, STATE, AND FEDERAL LAWS, RULES AND REGULATIONS WHICH APPLY TO THE CONSTRUCTION OF THESE IMPROVEMENTS.

3. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL FIELD VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL POTENTIAL OBSTRUCTIONS. SHOULD A CONFLICT EXIST, THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION OBSERVER OR ENGINEER SO THAT THE CONFLICT CAN BE RESOLVED WITH A MINIMUM AMOUNT OF DELAY.

4. TWO (2) WORKING DAYS PRIOR TO ANY EXCAVATION, THE CONTRACTOR SHALL CONTACT LINE LOCATING SERVICE (765-1264) FOR LOCATION OF EXISTING UTILITIES.

5. ALL ELECTRICAL, TELEPHONE, CABLE TV, GAS AND OTHER UTILITY LINES, CABLES, AND APPURTENANCES ENCOUNTERED DURING CONSTRUCTION THAT REQUIRE RELOCATION SHALL BE COORDINATED WITH THAT UTILITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATION OF ALL NECESSARY UTILITY ADJUSTMENTS. NO ADDITIONAL COMPENSATION WILL BE ALLOWED FOR DELAYS OR INCONVENIENCES CAUSED BY UTILITY COMPANY WORK CREWS. THE CONTRACTOR MAY BE REQUIRED TO RESCHEDULE HIS ACTIVITIES TO ALLOW UTILITY CREWS TO PERFORM THEIR REQUIRED WORK.

6. THE CONTRACTOR IS RESPONSIBLE FOR PROTECTING ALL EXISTING UTILITY LINES WITHIN THE CONSTRUCTION AREA. ANY DAMAGE TO EXISTING FACILITIES CAUSED BY CONSTRUCTION ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE CONTRACTOR'S EXPENSE AND APPROVED BY THE CONSTRUCTION OBSERVER.

AND/OR PROJECT LIMITS. ANY DAMAGE TO ADJACENT PROPERTIES RESULTING FROM THE CONSTRUCTION PROCESS SHALL BE REPAIRED OR REPLACED AT THE CONTRACTOR'S EXPENSE.

OVERNIGHT PARKING OF CONSTRUCTION EQUIPMENT SHALL NOT OBSTRUCT DRIVEWAYS OR DESIGNATED TRAFFIC LANES. THE CONTRACTOR SHALL NOT STORE ANY EQUIPMENT OR MATERIAL WITHIN THE PUBLIC RIGHT-OF-WAY.

9. THE CONTRACTOR SHALL OBTAIN ALL THE NECESSARY PERMITS FOR THE PROJECT PRIOR TO COMMENCING CONSTRUCTION (I.E., BARRICADING, TOPSOIL DISTURBANCE, EXCAVATION PERMITS, ETC.). 10. ALL PROPERTY CORNERS DESTROYED DURING CONSTRUCTION

SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ALL PROPERTY CORNERS MUST BE RESET BY A REGISTERED LAND

11. ALL BARRICADES AND CONSTRUCTION SIGNING SHALL

AND BEGINNING OF EACH DAY.

CONFORM TO APPLICABLE SECTIONS OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" (MUTCD), US DEPARTMENT OF TRANSPORTATION, LATEST EDITION. 12. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL

13. A BERM SHALL BE MAINTAINED AROUND THE PROJECT AREA UNTIL COMPLETION OF THE PROPOSED BUILDINGS AND LANDSCAPING WITHIN THE PROJECT. SEE DETAIL ON SHEET CO.4. 14. SEE THE LANDSCAPE SHEETS FOR SLEEVING REQUIREMENTS.

VERIFY THE PROPER LOCATION OF ALL BARRICADING AT THE END

HEREIN, GRADING SHALL BE PERFORMED AT THE ELEVATIONS AND IN ACCORDANCE WITH THE DETAILS SHOWN ON THIS PLAN.

MATERIAL SHALL BE OBTAINED BY THE

CONTRACTOR IN COMPLIANCE WITH APPLICABLE

ENVIRONMENTAL REGULATIONS AND APPROVED

OBTAINING A DISPOSAL SITE AND HAULING

+/- 0.1' FROM PLAN ELEVATIONS. PAD

ELEVATION SHALL BE +/- 0.05' FROM

OR PAYMENT SHALL BE MADE.

BUILDING PLAN ELEVATION.

AND ISLANDS.

BY THE OBSERVER. ALL COSTS INCURRED IN

THERETO SHALL BE CONSIDERED INCIDENTAL TO

THE PROJECT AND NO SEPARATE MEASUREMENT

6. PAVING AND ROADWAY GRADES SHALL BE

7. ALL PROPOSED CONTOURS REFLECT TOP

AREA AND ARE ADJUSTED FOR CURBS, MEDIANS

OF PAVEMENT ELEVATIONS IN THE PARKING

8. SEE SHEET CO.1 FOR COORDINATES.

2. ALL WORK RELATIVE TO FOUNDATION CONSTRUCTION, SITE PREPARATION, AND PAVEMENT INSTALLATION, AS SHOWN ON THIS PLAN, SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE "GEOTECHNICAL INVESTIGATION" AS PROVIDED BY THE ARCHITECT OR OWNER. ALI OTHER WORK, UNLESS OTHERWISE STATED OR PROVIDED FOR HEREIN, SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE PROJECT

REQUIREMENTS AND/OR THE CITY OF ALBUQUERQUE (COÁ) STANDARDS FOR PUBLIC WORKS (SECOND PRIORITY).

PRIOR TO GRADING. ALL VEGETATION. DEBRIS, AND NEAR SURFACE ORGANICALLY CONTAMINATED SOIL SHALL BE STRIPPED FROM ALL AREAS TO BE GRADED. VEGETATION AND DEBRIS SHALL BE DISPOSED OF OFF-SITE. TOPSOIL STRIPPINGS SHALL BE DISPOSED OF OFF-SITE OR STOCKPILED FOR USE IN PLANTERS AND NON-STRUCTURAL FILLS.

4. EARTH SLOPES SHALL NOT EXCEED 3 HORIZONTAL TO 1 VERTICAL UNLESS SHOWN OTHERWISE.

FROM THE SITE ONTO ADJACENT PROPERTY OR PUBLIC RIGHT-OF-WAY. THIS SHOULD BE ACHIEVED BY WETTING THE SOIL TO PROTECT IT FROM WIND, EROSION, AND TO PROTECT IT FROM WIND EROSION, AND INSTALLING BERMS PER DETAIL THIS SHEET.

2. DURING THE MONTHS OF JULY, AUGUST OR SEPTEMBER, ANY GRADING WITHIN OR ADJACENT TO A WATERCOURSE DEFINED AS A MAJOR FACILITY SHALL PROVIDE FOR EROSION CONTROL AND SAFE PASSAGE OF THE 10-YEAR DESIGN STORM RUNOFF DURING THE CONSTRUCTION PHASE.

3. CONTRACTOR SHALL CONFORM TO ALL CITY, COUNTY, STATE AND FEDERAL DUST CONTROL REQUIREMENTS AND IS RESPONSIBLE FOR PREPARING AND OBTAINING ALL NECESSARY APPLICATIONS AND APPROVALS.

4. ALL GRADED AREAS WHICH DO NOT RECEIVE A FINAL SURFACE TREATMENT WILL BE REVEGETATED IN ACCORDANCE WITH COA STANDARD SPECIFICATION 1012 AND THE LANDSCAPE SPECIFICATIONS.


5. CONTRACTOR SHALL OBTAIN AND ABIDE BY A TOPSOIL DISTURBANCE PERMIT FROM THE CITY OF ALBUQUERQUE. THE COST FOR REQUIRED CONSTRUCTION DUST AND EROSION CONTROL MEASURES SHALL BE INCIDENTAL TO THE PROJECT

AS-BUILT ELEVATIONS ARE SHOWN ON THE PLAN IN LOCATIONS WHERE THE ORINGINAL DESIGN ELEVATION HAS BEEM CROSSED OUT AND THE NEW ELEVATION IS LISTED. ELEVATIONS WERE PROVIDED BY BOHANNAN HUSTON INC., PROFESSIONAL LAND

JAMES R. TOPMILLER, OF BOHANNAN HUSTON INC., A REGISTERED PROFESSIONAL ENGINEER IN THE STATE OF NEW MEXICO, DO HEREBY CERTIFY THAT THE DRAINAGE IMPROVEMENTS HAVE BEEN CONSTRUCTED IN SUBSTANTIAL COMPLIANCE WITH THE APPROVED DRAINAGE PLAN, TO THE BEST OF MY KNOWLEDGE

JAMES R. TOPMILLER, P.E. N.M.P.E. NO. 9354

APPROVED FOR ROUGH GRADING ( ± 1')



SCALE: 1"=20'-0" 01

ARCHITECTS

4PARK PLAZA, SUITE 120 **RVINE, CA 92714** 714 474-1775

CONTRACTOR SNYDER LANGSTON

17962 Cowan Irvine, California 92714 714 863-9200



Lakepoint Office Park 9342 East Central Wichita, KS 67206-2555 316 631-1300

**ENGINEER** 

Bohannan 🔺 Huston

NEW MEDICO 87109 ENGINEERS PLANNERS PROTOGRAMMETRISTS SURVEYORS LANDSCAPE ARCHITECTS

BHI PROJECT #97311

**PROJECT** 

Candlewood Hotel Co., LLC Albuquerque - 0239-NM3 Richmond Drive/ Menaul Blvd. Albuquerque, NM

125 Unit / 3 Story

NO.	DESCRIPTION	DATE
AO.	DESURI I ION	UAIE
S	HEET DESCRIPTION	
	DADING D	

MANDING FLAN


DRAWNUS AND WRITEN MATERIAL APPEARING HEREIN 🕝 TRUTE THE ORIGINAL AND UNPUBLISHED WORK OF THE BIFOT AND THE SAME HAY MOTHE DEPLEMENTED HIS ON OSEO WITHOUT THE EXPRESS WRITTEN CONSENT OF THE GAA ARGINTEGTS. ALL RICHTS NEGERVED.

SHEET NO .: DRAWN:

FILE :

GRADING PLAN

B - AIN\97311\CDP\A04-SITE PLN\DWG\C02REV.DWG\XTFS SURVEY.DWG, 97311BSE.DWG



BHI PROJECT #97311 A 02 2400 BHI - MANUS 97311 A 02 PLASA - SITE PLASS DWG 000PEVBAS N.DWG

4PARK PLAZA, SUITE 120 **RVINE, CA 92714** 714 474-1775

Lakepoint Office Park 9342 East Central Wichita, KS 67206-2555

Bohannan ▲ Huston

ENGINEERS PLANNERS PROTOGRAMMETRISTS SURVEYORS LANDSCAPE ARCHITECTS


Candlewood Hotel Co., LLC Albuquerque - 0239-NM3 Richmond Drive/ Menaul Blvd. Albuquerque, NM

SHEET DESCRIPTION

DRAINAGE BASIN PLAN

SHEET NO .:

C0.2a



#### LEGEND

+ 5112.9

PROPOSED 6" CURB & GUTTER PROPERTY LINE

EXISTING CONTOUR EXISTING SWALE EXISTING SPOT ELEVATION

EXISTING EASEMENT PROPOSED SPOT ELEVATION

FLOW LINE

X X X X PROPOSED FENCE

FOR DIMENSIONS

= = = = = = ROOF DRAIN LINE, 3" PVC

TOP OF SIDEWALK

SIDEWALK- SEE SHEET C-1

THROUGH CURB PER C.O.A.

ENGINEER SO THAT THE CONFLICT CAN BE RESOLVED WITH A MINIMUM AMOUNT OF DELAY. 1.00% DIRECTION OF FLOW 4. TWO (2) WORKING DAYS PRIOR TO ANY EXCAVATION, THE TOP OF CURB CONTRACTOR SHALL CONTACT LINE LOCATING SERVICE (765-1264) SURVEYOR.

> 5. ALL ELECTRICAL, TELEPHONE, CABLE TV, GAS AND OTHER UTILITY LINES, CABLES, AND APPURTENANCES ENCOUNTERED DURING CONSTRUCTION THAT REQUIRE RELOCATION SHALL BE COORDINATED WITH THAT UTILITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATION OF ALL NECESSARY UTILITY ADJUSTMENTS. NO ADDITIONAL COMPENSATION WILL BE ALLOWED FOR DELAYS OR INCONVENIENCES CAUSED BY UTILITY COMPANY WORK CREWS. THE CONTRACTOR MAY BE REQUIRED TO

RESCHEDULE HIS ACTIVITIES TO ALLOW UTILITY CREWS TO

VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL

POTENTIAL OBSTRUCTIONS. SHOULD A CONFLICT EXIST, THE

CONTRACTOR SHALL NOTIFY THE CONSTRUCTION OBSERVER OR

6. THE CONTRACTOR IS RESPONSIBLE FOR PROTECTING ALL EXISTING UTILITY LINES WITHIN THE CONSTRUCTION AREA. ANY DAMAGE TO EXISTING FACILITIES CAUSED BY CONSTRUCTION ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE CONTRACTOR'S EXPENSE AND APPROVED BY THE CONSTRUCTION OBSERVER.

## GENERAL NOTES

FOR LOCATION OF EXISTING UTILITIES.

PERFORM THEIR REQUIRED WORK.

1. ALL WORK DETAILED ON THESE PLANS AND PERFORMED 7. CONSTRUCTION ACTIVITY SHALL BE LIMITED TO THE PROPERTY UNDER THIS CONTRACT SHALL BE CONSTRUCTED IN ACCORDANCE AND/OR PROJECT LIMITS. ANY DAMAGE TO ADJACENT PROPERTIES WITH THE PROJECT REQUIREMENTS AND THE PROJECT RESULTING FROM THE CONSTRUCTION PROCESS SHALL BE GEOTECHNICAL REPORT. REPAIRED OR REPLACED AT THE CONTRACTOR'S EXPENSE.

THE CONTRACTOR SHALL ABIDE BY ALL LOCAL, STATE, AND 8. OVERNIGHT PARKING OF CONSTRUCTION EQUIPMENT SHALL NOT FEDERAL LAWS, RULES AND REGULATIONS WHICH APPLY TO THE OBSTRUCT DRIVEWAYS OR DESIGNATED TRAFFIC LANES. THE CONSTRUCTION OF THESE IMPROVEMENTS. CONTRACTOR SHALL NOT STORE ANY EQUIPMENT OR MATERIAL WITHIN THE PUBLIC RIGHT-OF-WAY. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL FIELD

9. THE CONTRACTOR SHALL OBTAIN ALL THE NECESSARY PERMITS FOR THE PROJECT PRIOR TO COMMENCING CONSTRUCTION (I.E., BARRICADING, TOPSOIL DISTURBANCE, EXCAVATION PERMITS, ETC.). 10. ALL PROPERTY CORNERS DESTROYED DURING CONSTRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ALL

11. ALL BARRICADES AND CONSTRUCTION SIGNING SHALL CONFORM TO APPLICABLE SECTIONS OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" (MUTCD), US DEPARTMENT OF TRANSPORTATION, LATEST EDITION.

PROPERTY CORNERS MUST BE RESET BY A REGISTERED LAND

12. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY THE PROPER LOCATION OF ALL BARRICADING AT THE END 🛡 AND BEGINNING OF EACH DAY.

14. SEE THE LANDSCAPE SHEETS FOR SLEEVING REQUIREMENTS.

13. A BERM SHALL BE MAINTAINED AROUND THE PROJECT AREA UNTIL COMPLETION OF THE PROPOSED BUILDINGS AND LANDSCAPING WITHIN THE PROJECT. SEE DETAIL ON SHEET CO.4.

#### **GRADING NOTES**

1. EXCEPT AS OTHERWISE PROVIDED FOR HEREIN, GRADING SHALL BE PERFORMED AT THE ELEVATIONS AND IN ACCORDANCE WITH THE DETAILS SHOWN ON THIS PLAN.

2. ALL WORK RELATIVE TO FOUNDATION

5. A DISPOSAL SITE FOR ALL EXCESS

EXCAVATION MATERIAL AND UNSUITABLE

MATERIAL SHALL BE OBTAINED BY THE

OR PAYMENT SHALL BE MADE.

BUILDING PLAN ELEVATION.

AND ISLANDS.

CONTRACTOR IN COMPLIANCE WITH APPLICABLE

ENVIRONMENTAL REGULATIONS AND APPROVED

BY THE OBSERVER. ALL COSTS INCURRED IN

THE PROJECT AND NO SEPARATE MEASUREMENT

6. PAVING AND ROADWAY GRADES SHALL BE

+/- 0.1' FROM PLAN ELEVATIONS. PAD

OF PAVEMENT ELEVATIONS IN THE PARKING

ELEVATION SHALL BE +/- 0.05' FROM

8. SEE SHEET CO.1 FOR COORDINATES.

OBTAINING A DISPOSAL SITE AND HAULING

CONSTRUCTION, SITE PREPARATION, AND PAVEMENT INSTALLATION, AS SHOWN ON THIS PLAN, SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE "GEOTECHNICAL INVESTIGATION" AS PROVIDED BY THE ARCHITECT OR OWNER. ALL OTHER WORK, UNLESS OTHERWISE STATED OR PROVIDED FOR HEREIN, SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE PROJECT REQUIREMENTS AND/OR THE CITY OF ALBUQUERQUE (COA) STANDARDS FOR PUBLIC WORKS (SECOND PRIORITY)

3. PRIOR TO GRADING, ALL VEGETATION, DEBRIS, AND NEAR SURFACE ORGANICALLY CONTAMINATED SOIL SHALL BE STRIPPED FROM ALL AREAS TO BE GRADED. VEGETATION AND DEBRIS SHALL BE DISPOSED OF OFF-SITE. TOPSOIL STRIPPINGS SHALL BE DISPOSED OF OFF-SITE OR STOCKPILED FOR USE IN PLANTERS AND NON-STRUCTURAL FILLS.

4. EARTH SLOPES SHALL NOT EXCEED 3 HORIZONTAL TO 1 VERTICAL UNLESS SHOWN

# **EROSION CONTROL NOTES**

1. THE CONTRACTOR IS TO ENSURE THAT NO SOIL ERODES FROM THE SITE ONTO ADJACENT PROPERTY OR PUBLIC RIGHT-OF-WAY. THIS SHOULD BE ACHIEVED BY WETTING THE SOIL TO PROTECT IT FROM WIND, EROSION, AND TO PROTECT IT FROM WIND EROSION, AND INSTALLING BERMS PER DETAIL THIS SHEET.

THERETO SHALL BE CONSIDERED INCIDENTAL TO 2. DURING THE MONTHS OF JULY, AUGUST OR SEPTEMBER, ANY GRADING WITHIN OR ADJACENT TO A WATERCOURSE DEFINED AS A MAJOR FACILITY SHALL PROVIDE FOR EROSION CONTROL AND SAFE PASSAGE OF THE 10-YEAR DESIGN STORM RUNOFF DURING THE CONSTRUCTION PHASE.

3. CONTRACTOR SHALL CONFORM TO ALL CITY, COUNTY, STATE AND FEDERAL DUST CONTROL REQUIREMENTS AND IS ALL PROPOSED CONTOURS REFLECT TOP RESPONSIBLE FOR PREPARING AND OBTAINING ALL NECESSARY APPLICATIONS AND APPROVALS. AREA AND ARE ADJUSTED FOR CURBS, MEDIANS

4. ALL GRADED AREAS WHICH DO NOT RECEIVE A FINAL

SURFACE TREATMENT WILL BE REVEGETATED IN ACCORDANCE WITH COA STANDARD SPECIFICATION 1012 AND THE LANDSCAPE SPECIFICATIONS. 5. CONTRACTOR SHALL OBTAIN AND ABIDE BY A TOPSOIL

DISTURBANCE PERMIT FROM THE CITY OF ALBUQUERQUE. THE COST FOR REQUIRED CONSTRUCTION DUST AND EROSION CONTROL MEASURES SHALL BE INCIDENTAL TO THE PROJECT

AS-BUILT ELEVATIONS ARE SHOWN ON THE PLAN IN LOCATIONS WHERE THE ORINGINAL DESIGN ELEVATION HAS BEEM CROSSED OUT AND THE NEW ELEVATION IS LISTED. ELEVATIONS WERE PROVIDED BY BOHANNAN HUSTON INC., PROFESSIONAL LAND

JAMES R. TOPMILLER, OF BOHANNAN HUSTON INC., A REGISTERED PROFESSIONAL ENGINEER IN THE STATE OF NEW MEXICO, DO HEREBY CERTIFY THAT THE DRAINAGE IMPROVEMENTS HAVE BEEN CONSTRUCTED IN SUBSTANTIAL COMPLIANCE APPROVED DRAINAGE PLAN, TO THE BEST OF MY KNOWLEDGE E VE BEEN CONSTRUCTED IN SUBSTANTIAL COMPLIANCE WITH THE

HYDROLOGY SECTION


JAMES R. TOPMILLER, P.E. N.M.P.E. NO. 9354

APPROVED FOR ROUGH GRADING ( ± 1' AMAFCA SCALE: 1"=20'-0" 01




4PARK PLAZA, SUITE 120 **RVINE, CA 92714** 714 474-1775





714 863-9200



9342 East Central Wichita, KS 67206-2555 316 631-1300

#### **ENGINEER**

# Bohannan ▲ Huston

NEW MEXICO 87109

SURVEYORS LANDSCAPE ARCHITECTS BHI PROJECT #97311

ENGINEERS PLANNERS PHOTOGRAMMETRISTS

# **PROJECT**

Candlewood Hotel Co., LLC Albuquerque - 0239-NM3 Richmond Drive/ Menaul Blvd. Albuquerque, NM

**125** Unit / **3** Story

NO.	DESCRIPTION	DATE
	1	
<b></b>		
SI	HEET DESCRIPTI	ON
	RADING	DI AN
Ч	NADING	FLAN

DATA WHERE CARD BRETTEN MATERIAL APPEARING HEARING STUTE THE OFICIAL AND UNPUBLISHED WORK OF THE HEET AND THE SAME HAT NOT BE DUPLICATED, USED OR OSEO MORGET THE EXPRESS MAINTEN CONSENT OF THE CAA ARCHITECTS, ALL PICHIS RESERVED.

SHEET NO.: DRAWN: FILE :

GRADING PLAN

STD. DWG. 2235

BHI PROJECT #97311 A 02 2400 BHI-MAIN\97311\CDP\A04-SITE PLN\DWG\C02REV.DWG XREFS: SURVEY.DWG, 97311BSE.DWG