


PLAN SHOT
IN TWO
SECTIONS.




HAND
PA
NO SCALE
PAINTER
4'-0"
2'-0"
2'-0"
VICIN

GENERAL NOTES


1. SEE ELEVATION OF PROPERTY LINE SHALL BE DETERMINED BY SURVEY LINE RELATIVE TO ADJACENT STREET.
2. FOR NEW CONSTRUCTION, OR CONSTRUCTION, ALLEY, SEE STANDARD, PAVING, SEE DWG. P-5-2.
3. FOR REMOVAL, OR CONSTRUCTION, ALLEY, SEE STANDARD, PAVING, SEE DWG. P-5-2.
4. DETAILS OF NEW AND EXISTING CONSTRUCTION SHALL BE SHOWN ON CONSTRUCTION PLANS.
5. FOR NEW CONSTRUCTION, SEE DWG. P-5-2.
6. DETAILS OF NEW AND EXISTING CONSTRUCTION SHALL BE SHOWN ON CONSTRUCTION PLANS.
7. FOR NEW CONSTRUCTION, SEE DWG. P-5-2.
8. DETAILS OF NEW AND EXISTING CONSTRUCTION SHALL BE SHOWN ON CONSTRUCTION PLANS.

CONSTRUCTION NOTES


1. SEE DWG. P-5-2.
2. SEE DWG. P-5-2.
3. SEE DWG. P-5-2.
4. SEE DWG. P-5-2.
5. SEE DWG. P-5-2.
6. SEE DWG. P-5-2.
7. SEE DWG. P-5-2.
8. SEE DWG. P-5-2.




VICINITY MAP




PAINTED DIRECTIONAL ARROW DETAIL



PARKING BUMPER



HANDICAPPED PARKING SYMBOL



SITE PLAN

SCALE: 1" = 20'

LEGEND

- EXISTING CONTOURS
- NEW CONTOURS
- EXISTING SPOT ELEVATIONS
- NEW SPOT ELEVATIONS
- NEW CONCRETE
- NEW ASPHALT PAVEMENT

RECEIVED


NOV 23 1981

ENGINEER

GENERAL NOTES

1. The existing site information was taken from a survey drawing prepared by John G. Leverton, Albuquerque, New Mexico, dated June 30, 1981 and revised July 24, 1981.
2. Bench Mark: Conc. Floor at doorway entrance, elev. 5358.13.
3. Underground facilities, structures and utilities have been plotted from available surveys and records, and, therefore, locations must be considered approximate only. There may be others the existence of which is presently not known. The contractor shall verify the location of all utilities.
4. The parking area adjoining Tennessee Street shall be resurfaced to a 1" minimum thickness. The existing concrete wheel stops shall be removed before the work and replaced after the work.
5. See plumbing sheets for utility work (storm and sanitary sewers, water and gas) within the building.
6. See electrical sheets for utility work (electric and telephone) on the site and within building.
7. Excavating contractor to determine the existence of underground tanks in the area of the existing metal pipes. The pipes are to be removed and if underground tanks exist, they are to be removed also.
8. For typical alley section see Dwg. P-5-2 this sheet. For alley construction options see Dwg. P-7-1 this sheet (three options).
9. The new alley cut-off wall will be flush with the new grades of the credit union property from the S.W. corner of the existing building and west to the existing side walk along Tennessee. (See Dwg. P-5-2 this sheet).
10. The alley cut-off wall is not required when a building wall is immediately adjacent to the alley. (See Dwg. P-5-2).
11. If a variance for alley construction is submitted and approved, the alley shall be constructed to the temporary paving section as indicated on Dwg. P-7-1 and to the alley section as indicated on Dwg. P-5-2, excluding the alley gutter and the cut off walls. Exception: The cut off wall will be required along the north N/W line of the alley west of the existing building regardless of the alley construction.

CURBS



Monolithic Section

Conc. Curb & Gutter

Alterations and Additions for
Albuquerque U.S. Employees Federal Credit Union
Albuquerque, New Mexico

Construction By
HBE Bank Facilities
A Division of HBE Corporation, 717 Office Parkway, St. Louis, Missouri 63141 Phone (314) 587-9000

Frederick S. Scott, Architect
Harry J. Varwig, Architect
717 Office Parkway, St. Louis, Missouri 63141 314 587-9000




DB	AB	CB
1/4"	1/4"	1/4"
Sheet No. of		
A1		
Copyright HBE Corporation		
Date: 11-23-81		

GENERAL NOTES


1. SEE DRAWINGS OF PROPERTY LINE SHALL BE CONSIDERED TO BE THE TRUE LOCATION OF PROPERTY LINE.
2. SEE DRAWINGS OF PROPERTY LINE SHALL BE CONSIDERED TO BE THE TRUE LOCATION OF PROPERTY LINE.
3. SEE DRAWINGS OF PROPERTY LINE SHALL BE CONSIDERED TO BE THE TRUE LOCATION OF PROPERTY LINE.
4. SEE DRAWINGS OF PROPERTY LINE SHALL BE CONSIDERED TO BE THE TRUE LOCATION OF PROPERTY LINE.
5. SEE DRAWINGS OF PROPERTY LINE SHALL BE CONSIDERED TO BE THE TRUE LOCATION OF PROPERTY LINE.
6. SEE DRAWINGS OF PROPERTY LINE SHALL BE CONSIDERED TO BE THE TRUE LOCATION OF PROPERTY LINE.
7. SEE DRAWINGS OF PROPERTY LINE SHALL BE CONSIDERED TO BE THE TRUE LOCATION OF PROPERTY LINE.
8. SEE DRAWINGS OF PROPERTY LINE SHALL BE CONSIDERED TO BE THE TRUE LOCATION OF PROPERTY LINE.
9. SEE DRAWINGS OF PROPERTY LINE SHALL BE CONSIDERED TO BE THE TRUE LOCATION OF PROPERTY LINE.
10. SEE DRAWINGS OF PROPERTY LINE SHALL BE CONSIDERED TO BE THE TRUE LOCATION OF PROPERTY LINE.

CONSTRUCTION NOTES


- A. SEE NOTE 1.
- B. SEE NOTE 2.
- C. SEE NOTE 3.
- D. SEE NOTE 4.
- E. SEE NOTE 5.
- F. SEE NOTE 6.
- G. SEE NOTE 7.
- H. SEE NOTE 8.
- I. SEE NOTE 9.
- J. SEE NOTE 10.




VICINITY MAP
N.T.S.




PAINTED DIRECTIONAL
ARROW DETAIL



PARKING BUMPER



HANDICAPPED PARKING SYMBOL



NUMBER OF PARKING SPACES REQUIRED:
NUMBER OF PARKING SPACES PROVIDED:

SITE PLAN

SCALE: 1" = 20'

LEGEND

- | | |
|-----|--------------------------|
| --- | EXISTING CONTOURS |
| --- | NEW CONTOURS |
| --- | EXISTING SPOT ELEVATIONS |
| --- | NEW SPOT ELEVATIONS |
| --- | NEW CONCRETE |
| --- | NEW ASPHALT PAVEMENT |

GENERAL NOTES

1. The existing site information was taken from a survey drawing prepared by John G. Leverton, Albuquerque, New Mexico, dated June 30, 1981 and revised July 24, 1981.
2. Bench Mark: Conc. Floor at doorway entrance, elev. 5358.13.
3. Underground facilities, structures and utilities have been plotted from available surveys and records, and, therefore, locations must be considered approximate only. There may be others the existence of which is presently not known. The contractor shall verify the location of all utilities.
4. The parking area adjoining Tennessee Street shall be resurfaced to a 1" minimum thickness. The existing concrete wheel stops shall be removed before the work and replaced after the work.
5. See plumbing sheets for utility work (storm and sanitary sewers, water and gas) within the building.
6. See electrical sheets for utility work (electric and telephone) on the site and within building.
7. Excavating contractor to determine the existence of underground tanks in the area of the existing metal pipes. The pipes are to be removed and if underground tanks exist, they are to be removed also.
8. For typical alley section see Dwg. P-5-2 this sheet. For alley construction options see Dwg. P-7-1 this sheet (three options).
9. The new alley cut-off wall will be flush with the new grades of the credit union property from the S.W. corner of the existing building and west to the existing side walk along Tennessee. (See Dwg. P-5-2 this sheet).
10. The alley cut-off wall is not required when a building wall is immediately adjacent to the alley. (See Dwg. P-5-2).
11. If a variance for alley construction is submitted and approved, the alley shall be constructed to the temporary paving section as indicated on Dwg. P-7-1 and to the alley section as indicated on Dwg. P-5-2, excluding the alley gutter and the cut off walls. Exception: The cut off wall will be required along the north W.N. line of the alley west of the existing building regardless of the alley construction.


Alterations and Additions for
Albuquerque U.S. Employees Federal Credit Union
Albuquerque, New Mexico

Construction By
HIBE Bank Facilities
A Division of HIBE Corporation, 717 Office Parkway, St. Louis, Missouri 63141, Phone 314 867-8000

Frederick S. Scott, Architect
Harry J. Varwig, Architect
717 Office Parkway, St. Louis, Missouri 63141 314 867-8000



DB	AB	CB
14.0		W.L.R.
Sheet No. of		
A1		
Copyright HIBE Corporation		
Date: 11-23-81		



Curb & Gutter