

SEE CRESTVIEW HEIGHTS UNIT 3
DRAINAGE REPORT, ALBUQ. N.MEX.
BOHANNAN, WESTMAN, HUSTON &
ASSOCIATES NOVEMBER 1976.

ALL UPLAND DRAINAGE TO
BE INTERCEPTED BY
TRAMWAY BLVD.



LEGEND

Q₁ = 8.3 cfs

**BASIN NUMBER AND
BASIN BOUNDARY**

FLOW RATE

FLOW LINES (DEVELOPED)

ROOF DETENTION

FROM PARCEL

TOTAL UNDEVELOPED FLOW = 21.9 cfs

TOTAL DEVELOPED FLOW = 29.7 cfs

NOTE: CITY PARK IS INCLUDED
IN AREA 2.
BACK YARD PONDING
ASSUMED ON ALL LOTS

SCALE: 1" = 50'

CITY OF ALBUQUERQUE
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

TITLE:	
--------	--

APPROVALS	ENGINEER	DATE	APPROVALS	ENGINEER	DATE
City Engineer			Liquid Waste		
A C E -Design			Traffic		
A C E -Hydrology			Water		

DRAWING NO.

SHEET OF

· PLATE II
DRAINAGE FLOW PATTERNS
AND FLOW RATES

APPROVED FOR
CONSTRUCTION

CITY ENGINEER DATE