



EROSION AND SEDIMENT CONTROL PLAN – CONNECTIONS 'A' – 'B' – 'C'

SCALE: 1" = 60'

THE DETAIL SHOWN HEREON IS TAKEN FROM THE EROSION AND SEDIMENT CONTROL PLAN DATED 11-18-2016, AND APPROVED 12-01-2016. THE REFERENCED PLAN IS 36"x48", AND SUPPORTS BOTH PRIVATE BUILDING PERMIT AND PUBLIC WORK ORDER CONSTRUCTION FOR THE COMMON OWNER. THE DETAILS SHOWN HEREON COVER THE PORTION OF WORK OUTSIDE THE GENERAL CONTRACTOR'S LIMITS.

EROSION CONTROL LEGEND:

	EXISTING FENCE
	CHAIN LINK FENCE WITH SILT FENCE ATTACHED
	SILT FENCE
	PROPOSED SILT FENCE INLET PROTECTION
	PROPOSED STRAW WATTLES
	PROPOSED DIRECTION OF FLOW
	EXISTING DIRECTION OF FLOW
	PROPOSED GRAPHIC POINT OF DISCHARGE
	EXISTING GRAPHIC POINT OF DISCHARGE
	PROPOSED LIMITS OF DISTURBANCE
	PROPOSED CONSTRUCTION ENTRANCE

EROSION AND SEDIMENT CONTROL MEASURES:

1. THE CONTRACTOR SHALL ENSURE THAT NO SOIL ERODES INTO PUBLIC RIGHT-OF-WAY OR ONTO PRIVATE PROPERTY.
2. THE CONTRACTOR SHALL PROMPTLY CLEAN UP ANY MATERIAL EXCAVATED WITHIN THE PUBLIC RIGHT-OF-WAY SO THAT THE EXCAVATED MATERIAL IS NOT SUSCEPTIBLE TO BEING WASHED DOWN THE STREET.
3. SPOILS FROM THE PROJECT SHALL NOT BE DEPOSITED OR STORED IN THE STREET OR ROADWAY.
4. SPOILS SHALL BE STAGED ON THE UPSTREAM SIDE OF TRENCHES WHEN TRENCHING IS REQUIRED.
5. THE CONTRACTOR SHALL CLEAN AND REMOVE ALL FUGITIVE DUST, SOIL AND DEBRIS RESULTING FROM THIS PROJECT FROM THE STREET AT THE END OF EACH DAY.
6. CONTRACTOR SHALL LEAVE THE AREA IMMEDIATELY BEHIND THE CURB DEPRESSED TO CONTAIN NUISANCE FLOWS AND SEDIMENT.
7. CONCRETE TRUCKS SHALL BE SENT BACK TO THE PLANT FOR WASHING; THE WASHING OF CONCRETE TRUCKS SHALL NOT BE PERMITTED WITHIN THE PUBLIC RIGHT-OF-WAY.
8. WHEN APPLICABLE, CONTRACTOR SHALL SECURE "TOPSOIL DISTURBANCE PERMIT" FROM THE CITY AND/OR FILE A NOTICE OF INTENT (N.O.I.) WITH THE EPA PRIOR TO BEGINNING CONSTRUCTION.
9. UNLESS FINAL STABILIZATION IS OTHERWISE PROVIDED FOR, ANY AREAS OF EXCESS DISTURBANCE (TRAFFIC ACCESS, STORAGE YARD, EXCAVATED MATERIAL, ETC.) SHALL BE RE-SEEDING ACCORDING TO CITY OF ALBUQUERQUE SPECIFICATION 1012 "MISCELLANEOUS SEEDING". THIS WILL BE CONSIDERED INCIDENTAL TO CONSTRUCTION, THEREFORE, NO SEPARATE PAYMENT WILL BE MADE.
10. PROTECT EXISTING STORM DRAIN FACILITIES FROM SEDIMENT AS REQUIRED.
11. UTILITY TRENCH EXCAVATION SPOILS SHALL BE PLACED ON THE UPHILL SIDE OF THE TRENCH.

AS BUILT INFORMATION	
CONTRACTOR	DATE
INSPECTOR'S	DATE
FIELD FORCE BY	DATE
VERIFICATION BY	DATE
CORRECTED BY	DATE
MICRO-FILM INFORMATION	
RECORDED BY	DATE
NO.	

BENCH MARKS	
USG&S SURVEY CONTROL BRASS DISC STAMPED "REWARD 1969", SET IN A CONCRETE POST 0.3 FEET ABOVE GROUND APPROXIMATELY 600 FEET NORTHWEST OF THE I-40 AND 98TH STREET N.W. INTERCHANGE. ELEVATION = 5319.688 FEET (NAD 1988)	

SURVEY INFORMATION	
DATE	1/8/2016
BY	HMCG
NO.	2014.181.9

ENGINEER'S SEAL	
	1-25-2017

REMARKS	
Revisions	DESIGN
NO.	DATE
1	01-2017
2	01-2017
3	01-2017
4	01-2017
5	01-2017
6	01-2017
7	01-2017
8	01-2017
9	01-2017
10	01-2017
11	01-2017
12	01-2017
13	01-2017
14	01-2017
15	01-2017
16	01-2017
17	01-2017
18	01-2017
19	01-2017
20	01-2017
21	01-2017
22	01-2017
23	01-2017
24	01-2017
25	01-2017
26	01-2017
27	01-2017
28	01-2017
29	01-2017
30	01-2017
31	01-2017
32	01-2017
33	01-2017
34	01-2017
35	01-2017
36	01-2017
37	01-2017
38	01-2017
39	01-2017
40	01-2017
41	01-2017
42	01-2017
43	01-2017
44	01-2017
45	01-2017
46	01-2017
47	01-2017
48	01-2017
49	01-2017
50	01-2017
51	01-2017
52	01-2017
53	01-2017
54	01-2017
55	01-2017
56	01-2017
57	01-2017
58	01-2017
59	01-2017
60	01-2017
61	01-2017
62	01-2017
63	01-2017
64	01-2017
65	01-2017
66	01-2017
67	01-2017
68	01-2017
69	01-2017
70	01-2017
71	01-2017
72	01-2017
73	01-2017
74	01-2017
75	01-2017
76	01-2017
77	01-2017
78	01-2017
79	01-2017
80	01-2017
81	01-2017
82	01-2017
83	01-2017
84	01-2017
85	01-2017
86	01-2017
87	01-2017
88	01-2017
89	01-2017
90	01-2017
91	01-2017
92	01-2017
93	01-2017
94	01-2017
95	01-2017
96	01-2017
97	01-2017
98	01-2017
99	01-2017
100	01-2017

SURVEY NOTE:

THIS IS NOT A BOUNDARY SURVEY; DATA IS SHOWN FOR ORIENTATION ONLY. THE BOUNDARY, TOPOGRAPHIC & UTILITY SURVEY INFORMATION DEPICTED BY THIS PLAN IS BASED UPON THE BOUNDARY, TOPOGRAPHIC AND UTILITY SURVEY PREPARED BY HIGH MESA CONSULTING GROUP, NMPS 11184, DATED 01/08/2016 (2014.181.9). ITALICIZED BOUNDARY INFORMATION DEPICTED BY THIS PLAN IS BASED UPON PLAT OF PULTE @ MIREHAVEN PHASE 2A PREPARED BY BOHANNAN HUSTON, NMPS 16469, RECORDED 05/20/2016

HIGH MESA Consulting Group

6010-B MIDWAY PARK BLVD. NE • ALBUQUERQUE, NEW MEXICO 87109
PHONE: 505.345.4250 • FAX: 505.345.4254 • www.highmesacg.com

2015.186.1

CITY OF ALBUQUERQUE PUBLIC WORKS DEPARTMENT ENGINEERING DEVELOPMENT GROUP	
TITLE: EROSION AND SEDIMENT CONTROL PLAN APS NW K TO 8 SCHOOL PUBLIC WATER LINE IMPROVEMENTS	
Design Review Committee	City Engineer Approval
Last Design Update	
City Project No. 650292	
Zone Map No. J-7/8	Sheet 15 Of 15