CITY OF ALBUQUERQUE

Planning Department Brennon Williams, Director



Mayor Timothy M. Keller

March 15, 2021

Yolanda Padilla Moyer, PE Bohannan-Huston 7500 Jefferson St NE Courtyard I Albuquerque, NM 87109

RE: Inspiration Subdivision Request for Partial Pad Certification Lots 160-170, 228-230, 234, 235 - Approved Grading Plan Stamp Date: 6/6/19 Certification Dated: 3/9/21 Drainage File: J08D005

Dear Ms. Padilla Moyer:

PO Box 1293 Based on the submittal received on 3/9/21 and site visit on 3/12/21, this certification is approved for Building Permit for the lots listed above.

Albuquerque Please note, Certificate of Occupancy will be held until Infrastructure improvements are complete.

If you have any questions, please contact me at 924-3986 or earmijo@cabq.gov.

NM 87103

www.cabq.gov

Sincerely,

Ernest Armijo, P.E. Principal Engineer, Hydrology Planning Department Development Review Services



City of Albuquerque

Planning Department Development & Building Services Division DRAINAGE AND TRANSPORTATION INFORMATION SHEET (REV 11/2018)

Building Pe	rmit #: Hydrology File #: J08D101
	Work Order#:
	Contact: Yolanda Moyer
ue, NM, 87109	
Fax#:	E-mail: ypadilla@bhinc.com
	Contact: KEVIN PATTON
TE 310 ALBUQ. NM	37109
Fax#:	E-mail: kevin.patton@pultegroup.com
	RESIDENCE DRB SITE ADMIN SITE
Yes	No
PORTATION X	HYDROLOGY/ DRAINAGE
ΊΙΤ APPLIC ΓCL)	TYPE OF APPROVAL/ACCEPTANCE SOUGHT: × BUILDING PERMIT APPROVAL CERTIFICATE OF OCCUPANCY PRELIMINARY PLAT APPROVAL SITE PLAN FOR SUB'D APPROVAL SITE PLAN FOR BLDG. PERMIT APPROVAL SITE PLAN FOR BLDG. PERMIT APPROVAL SIA/ RELEASE OF FINANCIAL GUARANTEE FOUNDATION PERMIT APPROVAL GRADING PERMIT APPROVAL SO-19 APPROVAL ADDING/ PAD CERTIFICATION WORK ORDER APPROVAL CLOMR/LOMR FLOODPLAIN DEVELOPMENT PERMIT
	EPC#: TION SUBDIVISION JUE, NM, 87109 Fax#: TE 310 ALBUQ. NM 8 Fax#: Fax#: Fax#: Fax#: Yes

DATE SUBMITTED: 03-09-2021 By

By: <u>Yolanda Padilla Moyer, P.E.</u>

ELECTRONIC SUBMITTAL RECEIVED:

FEE PAID:

Bohannan 🛦 Huston

March 9, 2021

Courtyard I 7500 Jefferson St. NE Albuquerque, NM 87109-4335

www.bhinc.com

voice: 505.823.1000 facsimile: 505.798.7988 toll free: 800.877.5332

Mr. Ernest Armijo, P.E. Hydrology Section City of Albuquerque 600 2nd Street NW Albuquerque, NM 87102

Re: Partial Grading and Drainage Certification (Lots 160-170, 228-230,234-235) Inspiration Subdivision; DRB Case No. PR- 2018-001759; Hydrology File J08D101

Dear Ernest,

We are submitting a partial grading and drainage certification for Inspiration Subdivision. The partial certification includes 160-170, 228-230,234-235. Enclosed for your review is the approved grading and drainage plan dated 06/06/19. These lots have been graded; retaining walls and curb and gutter have been constructed. My understanding is that pavement will be in place by the end of the week.

After reviewing these as-built elevations and visiting the site on 03-02-2021 it is my belief that the above lots have been graded in substantial compliance with the approved grading and drainage plan and that the interim drainage improvements allow runoff to be managed in the interim condition.

Your review and approval are requested for Building Permit Approval for the above listed buildings. I appreciate your time and consideration. If you have questions or require additional information, please contact me at 823-1000.

Sincerely,


Jolanda ad

Yolanda Padilla Moyer, P.E. Vice President Community Development & Planning

Enclosure

cc: Kevin Patton, Pulte Homes Brian Anderson, Pulte Homes

- Engineering **A**
- Spatial Data 🔺
- Advanced Technologies **A**



 SCHEMENT PARKING OF CONTRUCTION NERVERSING PARTICLE IN SCHEMENTS OF LINE CONTRUCTION ACCOUNT ACCOUNT	TION BENCH MARKS AS-BUILT INFORMATION	TAMPED "REWARD 1969"	POSITION (NAD 83) WORK STAKED BY	E COORDINATES INSPECTOR'S	FRIGCE TION BY	190.819 DRAWINGS CORRECTED BY	99675005 MICRO-FILM INFORM	12.26" RECORDED BY DATE	5319.688 NO. DATE	
 STANDARDS SHALL APPLY. 2. THE CONTRACTOR SHALL APPLY ALL LOCAL, STATE, AND EFORMALTAMS, KILLES AND EFOLIATIONS WHICH APPLY TO THE CONTRACTOR SHALL LOCAL STATE, MOD EFORMALTAMS, WHICH APPLY TO THE CONTRACTOR SHALL DISCHARDER SHALL ADDRESS AND ESCURATION OF THESE MERGENERGY IN THE CONTRACTOR SHALL NOTIFY THE CONTRACTOR SHALL CONTACT UNDER SERVICE FOR LOCATION OF DELAY. 4. TWO (2) WORKING DAYS FROR TO ANY EXCAVATION, THE CONTRACTOR SHALL CONTACT UNDE LOCATING SERVICE FOR LOCATION OF DELAY. 4. TWO (2) WORKING CAYS FROR TO ANY EXCAVATION, THE CONTRACTOR SHALL CONTACT UNDE LOCATING SERVICE FOR LOCATION OF DELAY. 4. THE CONTRACT TELEPHONE, CARLE TY, GAS AND OTHER UTULTY LINES, CARLES, AND APPLYTEMANCES ENCOUNTERED DURING CONSTRUCTION THAT REQUIRE RELOCATION, SHALL DE CORTRACTOR SHALL DE LOCATING SERVICE FOR DOLLARS OR NUMBER SERVICE TO REPORT SHALL DOLLARS OR ALL SERVICE TO REPORT SHALL DE LOCATING SERVICE TO REPORT SHALL SERVICES ENCOUNTERED TO REPORT TO CONTRACTOR SERVICE TO REPORT SHALL DE LOCATING SERVICE TO REPORT TO CONTRACTOR SERVICE TO REPORT SERVICE AND REPORT SERVICE TO REPORT TO CONTRACTOR SERVICE TO REPORT TO CONTRACTOR SERVICE TO REPORT TO CONTRACTOR SERVICE TO REPORT TO CONTRACTOR SERVICE TO REPORT TO	TION BENCH MARKS AS-BUILT INFO	C&GS BRASS DISC STAMPED "REWARD 1969" CONTRACTOR	POSITION (NAD 83) WORK STAKED BY	E COORDINATES INSPECTOR'S	FRIGCE TION BY	190.819 DRAWINGS CORRECTED BY	99675005 MICRO-FILM INFORM	26" RECORDED BY D	9.688 NO. D	
CONSTRUCTION OF THESE INPROVEMENTS, INCLUDING EPA REQUIREMENTS WITH RESPECT TO STORM WATER DISCHARGE. 3. PROR TO CONSTRUCTION, THE CONTRACTOR SHALL FELD WEEPY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL POTENTIAL BESTRUCTIONS INCLUDING ALL UNDERGROUND UTLITIES. STOLLD & CONTRACTOR SHALL CONTRACTOR SHALL NOTIFY THE CONSTRUCTION DESERVER DE HANTER SO THAT THE CONFLICT CAN BE RESOLVED WITH A MINIMUA AND/ONLY OF DELAY. 4. TWO (2) WORKING DAYS PRIOR TO ANY EXCAVATION, THE CONTRACTOR SHALL CONTRACT LINE LOCATING SERVICE FOR LOCATION OF EXISTING UTLITES. 5. ALL ELECTROLIT, TELEPHOVE, CABLE TV, CAS AND OTHER UTLITY UNES, CABLES, AND APPUTEINANCES ENCOUNTREED DURING CONSTRUCTION THAT REQUIRE RELOCATION, SHALL BE COORDINATED WITH THAT UTLITY. THE CONTRACTOR SHALL BECOMPORED FOR CORDINATION OF ALL NECESSARY UTLITY ADJOINENTS. NO ADDITIONAL COMPENSATION VALL SE ALLOWED FOR BEAST OF DOGORDINATION OF ALL NECESSARY UTLITY ADJOINENTS. NO ADDITIONAL COMPENSATION VALL SE ALLOWED FOR DELAYS OF ORDINATION OF ALL NECESSARY UTLITY ONDARY WORK CORDUC. THE CONTRACTOR MAY BE REQUIRED TO RESOLUTION AREA. ANY DAWAGE TO CONSTRUCTION ACTIVITY SUBLE FOR PROTECTING ALL ENSITING UTLITY UNES WITHIN THE CONTRACTOR'S EXPENSE. AND APPROVED BY THE CONSTRUCTION ACTIVITY SUBLE BE REPARED OR REPLACED AT THE CONTRACTOR'S EXPENSE. AND APPROVED BY THE CONSTRUCTION ACTIVITY SUBLE BE REPARED OR REPLACED AT THE CONTRACTOR'S EXPENSE. 8. OVERNOLTH PROVING SUBLE FOR PROCESS SHALL BE REPARED OR REPLACED AT THE CONTRACTOR'S EXPENSE. 8. OVERNOLTH PROVING OF CONSTRUCTION ACTIVITY SUBLE BE REPARED OR REPLACED AT THE CONTRACTOR'S EXPENSE. 9. OVERNOLTION ACTIVITY SUBLE BE REPARED OR REPLACED AT THE CONTRACTOR'S EXPENSE. 1. CONTRACTOR SHALL NOT SUBREMENTS HALL NOT OBSTRUCT DRIVENYS OR DEGISIONATED TRAFFIC LANES. THE CONTRACTOR SHALL DOT SUBREMENTS HALL NOT OBSTRUCTION WORK OR DEGISINATED TRAFFIC CONTRACTOR'S EXPENSE. 1. CONTRACTOR SHALL DOT SUBREMENTS HALL NOT OBSTRUCTION WORK OR DEGISTRUCTION WORK OR OR 2. OVERNOLITY PROVING SO PROVESS SHALL BE REPARED OR REPLACED	TION BENCH MARKS AS-BUILT	C&GS BRASS DISC STAMPED "REWARD 1969" C	POSITION (NAD 83)	E COORDINATES INSPECTOR'S	FIELD VERIFICATION	190.819 DRAWINGS CORRECTED B	99675005 MICRO	26" RECORDED	9.688	
 Destructions including all undergenous diffuences as should a conflict exist, the contractor shall notify the construction deserver or engineer so that the contractor shall contact une locating service for location of estimation of the contraction of the contractor shall be contracted burns of the contractor shall be responsible for contracting service for location of estimation of the contraction shall be responsible for contraction shall be responsible for contractions that equipped burns of the contractor shall be responsible for contractions that equipped burns of the contraction shall be responsible for contractions that equipped burns of the contractor shall be responsible for contractions that equipped burns of the contractor shall be responsible for contractors in the contractor shall be responsible for contractors in the contractor is responsible for contractor is responsible for perform there recoursed work. a. The contractor is responsible for perform there outling that utility unes within the contractor's expense. Any datage to part the construction deserver of construction deserver of construction deserver. c. The contractor is responsible for protecting and burns of replaced or replaced at the contractor's expense. a. Construction deserver or construction deserver and approximation of all of construction deserver. c. Construction activity shall be unled to the properity and/or prodect bits. Any datage to adjacent properities resulting from the construction process shall be repared or replaced at the contractor's expense. b. contractor shall obtain all the necessary permits for the produce run. c. all properity contractor shall obtain any run or astruction in run of a state and approved by the contractor's expense. c. determined the respective loan struction reference and struction work on or adjacent proved during construction run run or structor's exp	TION BENCH MARKS AS-	C&GS BRASS DISC STAMPED "REWARD 1969" C	POSITION (NAD 83)	E COORDINATES INSPECTOR'S	FIELD VERIFICATION	190.819 DRAWINGS CORRECTED B	99675005 MICRO	26" RECORDED	9.688	
EXISTING ÚTUITES. 5. ALL ELECTRICAL, TELEPHONE, CABLE TV, GAS AND OTHER UTUITY LINES, CABLES, AND APPURTENANCES ENCOUNTERED DURING CONSTRUCTION THAT REQUER RELOCATION, SHALL BE COORDINATED WITH THAT UTUILITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATION OF ALL NECESSARY UTUITY SOUTHENTS. NO ADDITIONAL COMPENSATION WILL BE ALLOWED FOR DELAYS OR INCOMENTINCES CAUSED BY UTUITY COMPANY WORK CREWS. THE CONTRACTOR MAY BE REQUIRED TO RESCHEDULE HIS ACTIVITIES TO ALLOW UTUITY CREWS TO PERFORM THEIR REQUIRED WORK. 6. THE CONTRACTOR IS RESPONSIBLE FOR PROTECTING ALL EXISTING UTUITY LINES WITHIN THE CONSTRUCTION AREA. ANY DAMAGE TO EXISTING FACILITIES CAUSED BY CONSTRUCTION ACTIVITY SHALL BE REPARED OR REPLACED AT THE CONTRACTOR'S EXPENSE AND APPROVED BY THE CONSTRUCTION OBSERVER. 7. CONSTRUCTION ACTIVITY SHALL BE LIMITED TO THE PROPERTY AND/OR PROJECT LIMITS. ANY DAMAGE TO ADJACENT PROPERTIES RESULTING FROM THE CONSTRUCTION RECESS SHALL BE REPARED OR REPLACED AT THE CONTRACTOR'S EXPENSE. 8. OVERNICHT PARKING OF CONSTRUCTION EQUIPMENT SHALL NOT OBSTRUCT DRIVENAYS OR DESIGNATED TRAFFIC LANES. THE CONTRACTOR SHALL NOT STORE ANY EQUIPMENT OR MATERIAL WITHIN THE PUBLIC RIGHT-OF-WAY. 9. THE CONTRACTOR SHALL DOTAIN ALL THE NECESSARY PERMITS FOR THE PROJECT PRIOR TO COMMENCING CONSTRUCTION (LE., BARRCADING, TOPSOL DISTURBANCE, EXCAVATION PERMITS, EPA STORM WATER PERMITS, ETC.). 10. ALL PROPERTY CORNERS DESTROYED DURING CONSTRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ALL PROPERTY CORNERS MUST BE RESET BY A REGISTERED LAND SURVEYOR. 11. THE CONTRACTOR'S HALL PREPARE A CONSTRUCTION TRAFFIC CONTROL AND SIGNING ANY CONSTRUCTION WORK ON OR ADJACENT TO EXAINT STRUETS. 12. ALL BARRCADES AND CONSTRUCTION SHALL CONFORM TO APPLICABLE SECTIONS OF THE "WANUAL ON UNFORM TRAFFIC CONTROL DEVECTS" (MUTCO), US DEPARTMENT OF TRANSPORTATION, LATEST EDITION. 13. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARFICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERFY THE PROPER LOCATION OF ALL BARRICADIN	TION BENCH MARKS AS-	C&GS BRASS DISC STAMPED "REWARD 1969" C	POSITION (NAD 83)	E COORDINATES	FIELD	190.819 DRAW CORR	99675005 MICR	26" RECORDED	9.688	
CONSTRUCTION THAT REQUIRE RELOCATION, SHALL BE COORDINATED WITH THAT UTILITY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATION OF ALL NECESSARY UTILITY ADJUSTMENTS. NO ADDITIONAL COMPENSATION WILL BE ALLOWED FOR DELAYS OR INCOMVENIENCES CAUSED BY UTILITY COMPANY WORK CREWS. THE CONTRACTOR MAY BE REQUIRED TO RESCHEDULE HIS ACTIVITIES TO ALLOW UTILITY CREWS TO PERFORM THEIR REQUIRED WORK. 6. THE CONTRACTOR IS RESPONSIBLE FOR PROTECTING ALL EXISTING UTILITY LINES WITHIN THE CONSTRUCTION AREA. ANY DAMAGE TO EXISTING FACILITIES CAUSED BY CONSTRUCTION ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE CONTRACTOR'S EXPENSE AND APPROVED BY THE CONSTRUCTION OBSERVER. 7. CONSTRUCTION ACTIVITY SHALL BE LINITED TO THE PROPERTY AND/OR PROJECT LINITS. ANY DAMAGE TO ADJACENT PROPERTIES RESULTION ACTIVITY SHALL BE LINITED TO THE PROPERTY AND/OR PROJECT LINITS. ANY DAMAGE TO ADJACENT PROPERTIES RESULTION FACTION OF CONSTRUCTION BOREVER. 8. OVERNIGHT PARKING OF CONSTRUCTION EQUIPMENT SHALL NOT OBSTRUCT DRIVEWAYS OR DESIGNATED TRAFFIC LANES. THE CONTRACTOR SHALL NOT STORE ANY EQUIPMENT OR MATERIAL WITHIN THE PROJECT RIGHT—OF—WAY. 9. THE CONTRACTOR SHALL DETAIN THE INECESSARY PERMITS FOR THE PROJECT PRIOR TO COMMENCING CONSTRUCTION (LE., BARRICADING, TOPSOL DISTURBANCE, EXCAVATION PERMITS, EPA STORM WATER PERMITS, ETC.). 10. ALL PROPERTY CORRERS DESTROYED DURING CONSTRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ALL PROPERTY CORRERS MUST BE RESET BY A REGISTERED LAND SURVEYOR. 11. THE CONTRACTOR SHALL PREPARE A CONSTRUCTION STRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ALL PROPERTY CORRERS MUST BE RESET BY A REGISTERED LAND SURVEYOR. 11. THE CONTRACTOR SHALL PREPARE A CONSTRUCTION SHALL BE REPLICABLE SECTIONS OF THE "NANUAL ON UNFORM TRAFFIC CONTROL TO EXISTING STRUCTION SIGNING SHALL CONFORM TO APPLICABLE SECTIONS OF THE "NANUAL ON UNFORM TRAFFIC CONTROL TO EXISTING STRUCTION SIGNING SHALL CONFORM TO APPLICABLE SECTIONS OF THE "NANUAL ON UNFORM TRAFFIC CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND S	TION BENCH MA	C&GS BRASS DISC STAMPED "REWARD 1969" C	POSITION (NAD 83)	E COORDINATES		190.819	99675005	26"	9.688	
EXISTING FACILITIES CAUSED BY CONSTRUCTION ACTIVITY SHALL BE REPAIRED OR REPLACED AT THE CONTRACTOR'S EXPENSE AND APPROVED BY THE CONSTRUCTION OBSERVER. 7. CONSTRUCTION ACTIVITY SHALL BE LIMITED TO THE PROPERTY AND/OR PROJECT LIMITS. ANY DAMAGE TO ADJACENT PROPERTIES RESULTING FROM THE CONSTRUCTION PROCESS SHALL BE REPAIRED OR REPLACED AT THE CONTRACTOR'S EXPENSE. 8. OVERNIGHT PARKING OF CONSTRUCTION EQUIPMENT SHALL NOT OBSTRUCT DRIVEWAYS OR DESIGNATED TRAFFIC LANES. THE CONTRACTOR SHALL NOT STORE ANY EQUIPMENT OR MATERIAL WITHIN THE PUBLIC RIGHT-OF-WAY. 9. THE CONTRACTOR SHALL OBTAIN ALL THE NECESSARY PERMITS FOR THE PROJECT PRIOR TO COMMENCING CONSTRUCTION (I.E., BARRICADING, TOPSOIL DISTURBANCE, EXCAVATION PERMITS, EPA STORM WATER PERMITS, ETC.). 10. ALL PROPERTY CORNERS DESTROYED DURING CONSTRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ALL PROPERTY CORNERS DESTROYED DURING CONSTRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ALL PROPERTY CORNERS MUST BE RESET BY A REGISTERED LAND SURVEYOR. 11. THE CONTRACTOR SHALL PREPARE A CONSTRUCTION TRAFFIC CONTROL AND SIGNING PLAN AND OBTAIN APPROVAL OF SUCH PLAN FROM THE CITY OF ALBUQUEROUE, TRAFFIC ENGINEERING DEPARTMENT, PRIOR TO BEGINNING ANY CONSTRUCTION WORK ON OR ADJACENT TO EXISTING STREETS. 12. ALL BARRICADES AND CONSTRUCTION SHALL CONFORM TO APPLICABLE SECTIONS OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" (MUTCD), US DEPARTMENT OF TRANSPORTATION, LATEST EDITION. 13. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY THE PROPER LOCATION OF ALL BARRICADING AT THE END AND BEGINNING OF EACH DAY. 14. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY THE PROPER LOCATION OF ALL BARRICADING AT THE END AND BEGINNING OF EACH DAY. 14. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY PHASE 2 REQUIREMENTS.	TION BENCH MA	C&GS BRASS DISC STAMPED "R	POSITION (NAD 83)	E COORDINATE		190.	9967500	\sim	9.68	
 CONSTRUCTION ACTIVITY SHALL BE LIMITED TO THE PROPERTY AND/OR PROJECT LIMITS. ANY DAMAGE TO ADJACENT PROPERTIES RESULTING FROM THE CONSTRUCTION PROCESS SHALL BE REPARED OR REPLACED AT THE CONTRACTOR'S EXPENSE. OVERNIGHT PARKING OF CONSTRUCTION EQUIPMENT SHALL NOT OBSTRUCT DRIVEWAYS OR DESIGNATED TRAFFIC LANES. THE CONTRACTOR SHALL NOT STORE ANY EQUIPMENT OR MATERIAL WITHIN THE PUBLIC RIGHT-OF-WAY. THE CONTRACTOR SHALL OBTAIN ALL THE NECESSARY PERMITS FOR THE PROJECT PRIOR TO COMMENCING CONSTRUCTION (I.E., BARRICADING, TOPSOIL DISTURBANCE, EXCAVATION PERMITS, EPA STORM WATER PERMITS, ETC.). ALL PROPERTY CORNERS DESTROYED DURING CONSTRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ALL PROPERTY CORNERS MUST BE RESET BY A REGISTERED LAND SURVEYOR. THE CONTRACTOR SHALL PREPARE A CONSTRUCTION TRAFFIC CONTROL AND SIGNING PLAN AND OBTAIN APPROVAL OF SUCH PLAN REGISTERED LAND SURVEYOR. THE CONTRACTOR SHALL PREPARE A CONSTRUCTION TRAFFIC CONTROL AND SIGNING PLAN AND OBTAIN APPROVAL OF SUCH PLAN REGISTERED LAND SURVEYOR. THE CONTRACTOR SHALL PREPARE A CONSTRUCTION TRAFFIC CONTROL AND SIGNING ANY CONSTRUCTION WORK ON OR ADJACENT TO EXISTING STREETS. ALL BARRICADES AND CONSTRUCTION SIGNING SHALL CONFORM TO APPLICABLE SECTIONS OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" (MUTCD), US DEPARTMENT OF TRANSPORTATION, LATEST EDITION. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY THE PROPER LOCATION OF ALL BARRICADING AT THE END AND BEGINNING OF EACH DAY. THE CONTRACTOR SHALL TAKE ALL STEPS NECESSARY TO CONFORM WITH EPA REQUIREMENTS, INCLUDING COMPLIANCE WITH NPDES PHASE 2 REQUIREMENTS. 	TION BENCH MA	C&GS BRASS DISC	POSITION	1		190.			20	
 8. OVERNIGHT PARKING OF CONSTRUCTION EQUIPMENT SHALL NOT OBSTRUCT DRIVEWAYS OR DESIGNATED TRAFFIC LANES. THE CONTRACTOR SHALL NOT STORE ANY EQUIPMENT OR MATERIAL WITHIN THE PUBLIC RIGHT-OF-WAY. 9. THE CONTRACTOR SHALL OBTAIN ALL THE NECESSARY PERMITS FOR THE PROJECT PRIOR TO COMMENCING CONSTRUCTION (I.E., BARRICADING, TOPSOIL DISTURBANCE, EXCAVATION PERMITS, EPA STORM WATER PERMITS, ETC.). 10. ALL PROPERTY CORNERS DESTROYED DURING CONSTRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ALL PROPERTY CORNERS MUST BE RESET BY A REGISTERED LAND SURVEYOR. 11. THE CONTRACTOR SHALL PREPARE A CONSTRUCTION TRAFFIC CONTROL AND SIGNING PLAN AND OBTAIN APPROVAL OF SUCH PLAN FROM THE CITY OF ALBUQUERQUE, TRAFFIC ENGINEERING DEPARTMENT, PRIOR TO BEGINNING ANY CONSTRUCTION WORK ON OR ADJACENT TO EXISTING STREETS. 12. ALL BARRICADES AND CONSTRUCTION SIGNING SHALL CONFORM TO APPLICABLE SECTIONS OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" (MUTCD), US DEPARTMENT OF TRANSPORTATION, LATEST EDITION. 13. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY THE PROPER LOCATION OF ALL BARRICADING AT THE END AND BEGINNING OF EACH DAY. 14. THE CONTRACTOR SHALL TAKE ALL STEPS NECESSARY TO CONFORM WITH EPA REQUIREMENTS, INCLUDING COMPLIANCE WITH NPDES PHASE 2 REQUIREMENTS. 	TION	C&GS BRASS DISC	POSITION	1		491	0.0	0°17'-		
 BARRICADING, TOPSOIL DISTURBANCE, EXCAVATION PERMITS, EPA STORM WATER PERMITS, ETC.). 10. ALL PROPERTY CORNERS DESTROYED DURING CONSTRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ALL PROPERTY CORNERS MUST BE RESET BY A REGISTERED LAND SURVEYOR. 11. THE CONTRACTOR SHALL PREPARE A CONSTRUCTION TRAFFIC CONTROL AND SIGNING PLAN AND OBTAIN APPROVAL OF SUCH PLAN FROM THE CITY OF ALBUQUERQUE, TRAFFIC ENGINEERING DEPARTMENT, PRIOR TO BEGINNING ANY CONSTRUCTION WORK ON OR ADJACENT TO EXISTING STREETS. 12. ALL BARRICADES AND CONSTRUCTION SIGNING SHALL CONFORM TO APPLICABLE SECTIONS OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" (MUTCD), US DEPARTMENT OF TRANSPORTATION, LATEST EDITION. 13. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY THE PROPER LOCATION OF ALL BARRICADING AT THE END AND BEGINNING OF EACH DAY. 14. THE CONTRACTOR SHALL TAKE ALL STEPS NECESSARY TO CONFORM WITH EPA REQUIREMENTS, INCLUDING COMPLIANCE WITH NPDES PHASE 2 REQUIREMENTS. 	\vdash	C&GS BRAS		AN		3 E=14	GRID = (00- =	EVATION	
 ALL PROPERTY CORNERS DESTROYED DURING CONSTRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ALL PROPERTY CORNERS MUST BE RESET BY A REGISTERED LAND SURVEYOR. THE CONTRACTOR SHALL PREPARE A CONSTRUCTION TRAFFIC CONTROL AND SIGNING PLAN AND OBTAIN APPROVAL OF SUCH PLAN FROM THE CITY OF ALBUQUERQUE, TRAFFIC ENGINEERING DEPARTMENT, PRIOR TO BEGINNING ANY CONSTRUCTION WORK ON OR ADJACENT TO EXISTING STREETS. ALL BARRICADES AND CONSTRUCTION SIGNING SHALL CONFORM TO APPLICABLE SECTIONS OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" (MUTCD), US DEPARTMENT OF TRANSPORTATION, LATEST EDITION. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY THE PROPER LOCATION OF ALL BARRICADING AT THE END AND BEGINNING OF EACH DAY. THE CONTRACTOR SHALL TAKE ALL STEPS NECESSARY TO CONFORM WITH EPA REQUIREMENTS, INCLUDING COMPLIANCE WITH NPDES PHASE 2 REQUIREMENTS. 	\vdash	C&G		TATE PL	ZON	364.06	01	ALPHA	988 EL	
FROM THE CITY OF ALBUQUERQUE, TRAFFIC ENGINEERING DEPARTMENT, PRIOR TO BEGINNING ANY CONSTRUCTION WORK ON OR ADJACENT TO EXISTING STREETS. 12. ALL BARRICADES AND CONSTRUCTION SIGNING SHALL CONFORM TO APPLICABLE SECTIONS OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" (MUTCD), US DEPARTMENT OF TRANSPORTATION, LATEST EDITION. 13. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY THE PROPER LOCATION OF ALL BARRICADING AT THE END AND BEGINNING OF EACH DAY. 14. THE CONTRACTOR SHALL TAKE ALL STEPS NECESSARY TO CONFORM WITH EPA REQUIREMENTS, INCLUDING COMPLIANCE WITH NPDES PHASE 2 REQUIREMENTS.	\vdash		OGR	N.M. ST,		=1487	ROUND	DELTA A	NAVD 19	
 ALL BARRICADES AND CONSTRUCTION SIGNING SHALL CONFORM TO APPLICABLE SECTIONS OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" (MUTCD), US DEPARTMENT OF TRANSPORTATION, LATEST EDITION. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY THE PROPER LOCATION OF ALL BARRICADING AT THE END AND BEGINNING OF EACH DAY. THE CONTRACTOR SHALL TAKE ALL STEPS NECESSARY TO CONFORM WITH EPA REQUIREMENTS, INCLUDING COMPLIANCE WITH NPDES PHASE 2 REQUIREMENTS. 	\vdash		ATEG			Z	0		~	
 13. THE CONTRACTOR SHALL MAINTAIN ALL CONSTRUCTION BARRICADES AND SIGNING AT ALL TIMES. THE CONTRACTOR SHALL VERIFY THE PROPER LOCATION OF ALL BARRICADING AT THE END AND BEGINNING OF EACH DAY. 14. THE CONTRACTOR SHALL TAKE ALL STEPS NECESSARY TO CONFORM WITH EPA REQUIREMENTS, INCLUDING COMPLIANCE WITH NPDES PHASE 2 REQUIREMENTS. 	\triangleleft									
14. THE CONTRACTOR SHALL TAKE ALL STEPS NECESSARY TO CONFORM WITH EPA REQUIREMENTS, INCLUDING COMPLIANCE WITH NPDES PHASE 2 REQUIREMENTS.	FORM,	NOTES								
	\geq									
GRADING_NOTES	JRVE									
1. EXCEPT AS PROVIDED HERIN, GRADING SHALL BE PERFORMED AT THE ELEVATIONS AND IN ACCORDANCE WITH THE DETAILS SHOWN ON	SU		NO N							
THIS PLAN. 2. CONTRACTOR SHALL OBTAIN AND ABIDE BY A TOPSOIL DISTURBANCE PERMIT FROM THE CITY OF ALBUQUERQUE ENVIRONMENTAL	AL			1	AP	ADIL	14			
HEALTH DIVISION, PRIOR TO CONSTRUCTION. THE COST FOR REQUIRED CONSTRUCTION DUST AND EROSION CONTROL MEASURES SHALL BE INCIDENTAL TO THE PROJECT COST. THE CONTRACTOR SHALL CONFORM TO ALL CITY, COUNTY, STATE, AND FEDERAL DUST CONTROL MEASURES AND REQUIREMENTS AND WILL BE RESPONSIBLE FOR PREPARING AND OBTAINING ALL NECESSARY APPLICATIONS AND APPROVALS.	S SE	U	6		CAN	MA	No.	家的	h	
3. ALL WORK RELATIVE TO FOUNDATION CONSTRUCTION, SITE PREPARATION, AND PAVEMENT INSTALLATION, AS SHOWN ON THIS PLAN, SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE SOILS REPORT PREPARED BY NV5 DATED DEC. 11, 2018. ALL OTHER WORK, UNLESS	VEER'	0	CENC	Stores	X		je	MONEE	101	
OTHERWISE STATED OR PROVIDED FOR HEREON, SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS (FIRST PRIORITY), AND/OR THE CITY OF ALBUQUERQUE (COA) STANDARD SPECIFICATIONS FOR PUBLIC WORKS (SECOND PRIORITY).	ENGINE			Q.	ROF	ESIC	MAY			
4. TWO WORKING DAYS PRIOR TO EXCAVATION, CONTRACTOR MUST CONTACT LINE LOCATING SERVICE (765–1264) FOR LOCATION OF EXISTING UTILITIES.										
5. PRIOR TO GRADING, ALL VEGETATION DEBRIS, AND NEAR SURFACE ORGANICALLY CONTAMINATED SOIL SHALL BE STRIPPED FROM ALL AREAS TO BE GRADED. VEGETATION AND DEBRIS SHALL BE DISPOSED OF OFF—SITE OR STOCK—PILED FOR USE IN PLANTERS AND NON—STRUCTURAL FILLS.						_		E11/18	E 11 / 18	11/18
6. EARTH SLOPES SHALL NOT EXCEED 4 HORIZONTAL TO 1 VERTICAL UNLESS SHOWN OTHERWISE.								DATE	DATE	DATE
7. IT IS THE INTENT OF THESE PLANS THAT THIS CONTRACTOR SHALL NOT PERFORM ANY WORK OUTSIDE OF THE PROPERTY BOUNDARIES EXCEPT AS REQUIRED BY THIS PLAN.										
8. THE CONTRACTOR IS TO ENSURE THAT NO SOIL ERODES FROM THE SITE ONTO ADJACENT PROPERTY OR PUBLIC RIGHT-OF-WAY. THIS SHOULD BE ACHIEVED BY CONSTRUCTING TEMPORARY BERMS AT THE PROPERTY LINES WETTING THE SOIL TO PROTECT IT FROM WIND EROSION.					RKS					
9. A DISPOSAL SITE FOR ALL EXCESS EXCAVATION AND UNSUITABLE MATERIAL SHALL BE OBTAINED BY THE CONTRACTOR IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL REGULATIONS AND APPROVED BY THE OBSERVER. ALL COSTS INCURRED IN OBTAINING A DISPOSAL SITE AND HAUL THERETO SHALL BE CONSIDERED INCIDENTAL TO THE PROJECT, AND NO SEPARATE MEASUREMENT OR PAYMENT SHALL BE MADE.					REMA	REVISION	DESIGN			
10. PAVING AND ROADWAY GRADES SHALL BE +/- 0.1' FROM PLAN ELEVATIONS. PAD ELEVATION SHALL BE +/- 0.05' FROM BUILDING PLAN ELEVATIONS.										
11. ALL SPOT ELEVATIONS ARE TO FLOWLINE UNLESS OTHERWISE NOTED. VALLEY GUTTER ELEVATIONS ARE SHOWN AT FLOWLINE ELEVATION.								ЧРМ	AR	ΡM
END					TE T			BΥ ΥΙ	~	BY YI
SED SPOT ELEVATION • 5235.25 Bohannan & Huston). D/			SIGNED	AWN B	ECKED
ING SPOT ELEVATION • EX 5235.25 www.bhinc.com 800.877.5332				 T 1		 		DEG		CHI
ING STORM DRAIN LINE =====				U		,				
SED STORM DRAIN INLET		-								
SED STORM DRAIN MANHOLE OVERALL GRADING PLA										
SED WATER BLOCK DESIGN REVIEW COMMITTEE CITY ENGINEER APPROVAL		M	10./D)AY/	YR.	M(D./D/	4 <u>7</u> 7	R.	
NING WALL 10 P=5300.00 D BLOCK TB										
T SLOPE										
CITY PROJECT NO. ZONE MAP NO.		SH	HEET		1	0	F	1	3	

