CITY OF ALBUQUERQUE

Planning Department Brennon Williams, Director



Mayor Timothy M. Keller

February 25, 2021

Yolanda Padilla Moyer, PE Bohannan-Huston 7500 Jefferson St NE Courtyard I Albuquerque, NM 87109

RE: Inspiration Subdivision Request for Partial Pad Certification Lots 56-58 & 159 - Approved Grading Plan Stamp Date: 6/6/19 Certification Dated: 2/16/21 Drainage File: J08D005

Dear Ms. Padilla Moyer:

PO Box 1293 Based on the submittal received on 2/18/21 and site visit on 2/19/21, this certification is approved for Building Permit for the lots listed above.

Albuquerque Please note, Certificate of Occupancy will be held until Infrastructure improvements are complete.

If you have any questions, please contact me at 924-3986 or earmijo@cabq.gov.

NM 87103

www.cabq.gov

Sincerely,

Ernest Armijo, P.E. Principal Engineer, Hydrology Planning Department Development Review Services



City of Albuquerque

Planning Department Development & Building Services Division DRAINAGE AND TRANSPORTATION INFORMATION SHEET (REV 11/2018)

Project Title: INSPIRATION SUBDIVISION	Building Per	rmit #: Hydrology File #:
		Work Order#:
Legal Description: TRACT A & B INSPIRATIO		
City Address:		
Applicant: Bohannan Huston Inc.		Contact: Yolanda Moyer
Address: 7500 Jefferson St NE CY2 Albuquerque	, NM, 87109	
Phone#: 505-798-7945	Fax#:	E-mail: ypadilla@bhinc.com
Owner: PULTE		Contact: KEVIN PATTON
Address: 7601 JEFFERSON STREET NE SUITE	310 ALBUQ. NM 8	37109
Phone#: 505-341-8591	Fax#:	E-mail: kevin.patton@pultegroup.com
		ESIDENCE DRB SITE ADMIN SITE
IS THIS A RESUBMITTAL?: X	Yes	No
DEPARTMENT: TRAFFIC/ TRANSPO	RTATION X	HYDROLOGY/ DRAINAGE
Check all that Apply:		
TYPE OF SUBMITTAL: × ENGINEER/ARCHITECT CERTIFICATION × PAD CERTIFICATION CONCEPTUAL G & D PLAN GRADING PLAN DRAINAGE MASTER PLAN DRAINAGE REPORT FLOODPLAIN DEVELOPMENT PERMIT ELEVATION CERTIFICATE CLOMR/LOMR TRAFFIC CIRCULATION LAYOUT (TC TRAFFIC IMPACT STUDY (TIS) OTHER (SPECIFY) PRE-DESIGN MEETING?	[°] APPLIC	TYPE OF APPROVAL/ACCEPTANCE SOUGHT: × BUILDING PERMIT APPROVAL CERTIFICATE OF OCCUPANCY PRELIMINARY PLAT APPROVAL SITE PLAN FOR SUB'D APPROVAL SITE PLAN FOR BLDG. PERMIT APPROVAL FINAL PLAT APPROVAL SIA/ RELEASE OF FINANCIAL GUARANTEE FOUNDATION PERMIT APPROVAL GRADING PERMIT APPROVAL SO-19 APPROVAL PAVING PERMIT APPROVAL X GRADING/ PAD CERTIFICATION WORK ORDER APPROVAL CLOMR/LOMR FLOODPLAIN DEVELOPMENT PERMIT
		OTHER (SPECIFY)

DATE SUBMITTED: 02-16-2021 By: Yolanda

By: Yolanda Padilla Moyer, P.E.

ELECTRONIC SUBMITTAL RECEIVED:

Bohannan 🛦 Huston

February 16, 2021

Courtyard I 7500 Jefferson St. NE Albuquerque, NM 87109-4335

www.bhinc.com

voice: 505.823.1000 facsimile: 505.798.7988 toll free: 800.877.5332

Mr. Ernest Armijo, P.E. Hydrology Section City of Albuquerque 600 2nd Street NW Albuquerque, NM 87102

Re: Partial Grading and Drainage Certification (Lots 56-58 & 159) Inspiration Subdivision; DRB Case No. PR- 2018-001759; Hydrology File J08D101

Dear Ernest,

We are submitting a partial grading and drainage certification for Inspiration Subdivision. The partial certification includes Lots 56-58 & 159. Enclosed for your review is the approved grading and drainage plan dated 06/06/19. These lots have been graded; retaining walls and curb and gutter and asphalt have been constructed.

After reviewing these as-built elevations and visiting the site on 02-10-2021 it is my belief that the above lots have been graded in substantial compliance with the approved grading and drainage plan and that the interim drainage improvements allow runoff to be managed in the interim condition.

Your review and approval are requested for Building Permit Approval for the above listed buildings. I appreciate your time and consideration. If you have questions or require additional information, please contact me at 823-1000.

Sincerely,

Yolanda Padilla Moyer, P.E. Vice President Community Development & Planning

Enclosure

cc: Kevin Patton, Pulte Homes Brian Anderson, Pulte Homes

- Engineering **A**
- Spatial Data 🔺
- Advanced Technologies **A**



BHI JOB NO. 2

A LANGE OF DEPUNE THE ADVANCE AT WALL THE ADVANCE OF A REAL OF A LANGE AT A DEPUNE THE ADVANCE AT THE ADVA															
	1. ALL WORK DETAILED ON THESE PLANS AND					-		\underline{O}	TE E	TE	TE		TE	Ξ	
	STANDARDS SHALL APPLY.							AMA	D	DA	DA	TORM	DA	DA	
	CONSTRUCTION OF THESE IMPROVEMENTS, INCL	LUDING EPA REQUIREMENT	S WITH RESPECT T	O STORM WATER	DISCHARGE.							N INF			
	OBSTRUCTIONS INCLUDING ALL UNDERGROUND	UTILITIES. SHOULD A CO	NFLICT EXIST, THE	CONTRACTOR SHA	ALL NOTIFY THE				Ϋ́			BY - FILN	BY		
		(CAVATION, THE CONTRAC	CTOR SHALL CONTA	CT LINE LOCATING	SERVICE FOR LOCATION OF		(NIKACIO RK Aked By	PECTOR'S	LD RIFICATIO A WINGS	<u>AICRC</u>			
	CONSTRUCTION THAT REQUIRE RELOCATION, SH COORDINATION OF ALL NECESSARY UTILITY AD INCONVENIENCES CAUSED BY UTILITY COMPANY	HALL BE COORDINATED WI JUSTMENTS. NO ADDITION Y WORK CREWS. THE COI	TH THAT UTILITY. NAL COMPENSATION	THE CONTRACTOR WILL BE ALLOWE	SHALL BE RESPONSIBLE FC D FOR DELAYS OR		-	1060"	2 2 2 2 2	INS	1 VEF DR		RE	OZ	
	EXISTING FACILITIES CAUSED BY CONSTRUCTION					0	(\mathcal{N}	33)	ĹЦ I		000		019.688	
	7. CONSTRUCTION ACTIVITY SHALL BE LIMITED							MAK	I (NAD	DORDIN,		190. 996	7,12.	ی ا	
<td< td=""><td>8. OVERNIGHT PARKING OF CONSTRUCTION EC</td><td>QUIPMENT SHALL NOT OBS</td><td>STRUCT DRIVEWAYS</td><td>OR DESIGNATED</td><td></td><td></td><td></td><td></td><td>USITION</td><td>ш</td><td></td><td>5 E=1 2ID =</td><td></td><td>EVATION</td></td<>	8. OVERNIGHT PARKING OF CONSTRUCTION EC	QUIPMENT SHALL NOT OBS	STRUCT DRIVEWAYS	OR DESIGNATED					USITION	ш		5 E=1 2ID =		EVATION	
	9. THE CONTRACTOR SHALL OBTAIN ALL THE	NECESSARY PERMITS FOR	R THE PROJECT PR	NOR TO COMMENC	NG CONSTRUCTION (I.E.,		(ЪГ Ц		70 T0	LPH/	88 EL	
L. THE NET DATE SHALL PERFORD A SUBJECT AND COMES, AND STREES AND ADDIENT APPROXIMATE SIGN PARTY AND ADDIENT APPROXIMATE SIGNAL APPROXIMATE ADDIENT APPROXIMATE ADDIE	10. ALL PROPERTY CORNERS DESTROYED DUF	RING CONSTRUCTION SHAL	L BE REPLACED A	,	R'S EXPENSE. ALL				EOGRA	S S	NTR	148 / DUND	V	NAVD 19	
	11. THE CONTRACTOR SHALL PREPARE A CON FROM THE CITY OF ALBUQUERQUE, TRAFFIC EN	NSTRUCTION TRAFFIC CON	TROL AND SIGNING			l	-				<u> </u>	20			
	12. ALL BARRICADES AND CONSTRUCTION SIG			TONS OF THE "MA	NUAL ON UNIFORM TRAFFIC		İ	= ∢ ()	Ď						
	13. THE CONTRACTOR SHALL MAINTAIN ALL C	CONSTRUCTION BARRICADE	S AND SIGNING AT	ALL TIMES. THE	CONTRACTOR SHALL VERIFY	/									
	14. THE CONTRACTOR SHALL TAKE ALL STEP:			IREMENTS, INCLUD	ING COMPLIANCE WITH NPDE	S									
	PHASE 2 REQUIREMENTS.														
	1. EXCEPT AS PROVIDED HERIN, GRADING SHAI	LL BE PERFORMED AT TH	e elevations and	IN ACCORDANCE	WITH THE DETAILS SHOWN (N	(NO N						
HEALE MONSE, HERR & CLOWER MEDIANE HE CAS CARREND REMAIN PROVIDE MOLES AND BEAKING CHARGE SHELL & HEALE MOUSEL COST. HE CONSERVATION AND COMMINS TO ALL OF X, SUITH SOFTA, AND CARREND REMAINS AND CARREND REMAINS AND PARAMETERS AND	2. CONTRACTOR SHALL OBTAIN AND ABIDE BY							AL			PAL				
	INCIDENTAL TO THE PROJECT COST. THE CONT MEASURES AND REQUIREMENTS AND WILL BE F	TRACTOR SHALL CONFORM	I TO ALL CITY, COU	JNTY, STATE, AND	FEDERAL DUST CONTROL	BE			16	No Contraction	N AL		能	Vh	
	3. ALL WORK RELATIVE TO FOUNDATION CONS SHALL BE CONSTRUCTED IN ACCORDANCE WITH OTHERWISE STATED OR PROVIDED FOR HEREON	H THE SOILS REPORT PRE N, SHALL BE CONSTRUCTE	EPARED BY NV5 DA ED IN ACCORDANCE	TED DEC. 11, 201 WITH THE PROJE	8. ALL OTHER WORK, UNLES CT SPECIFICATIONS (FIRST	S		NGINEEK	CENT	A CONSTRUCTION	OFFE:	SIOWAL	Meinee	101	
AREAS TO BE GAMORE, VERETATION AND DEBRS SHALL BE DSPORE OF GF-SITE OR STOCK-PILED FOR USE IN PLATERS AND NERAS-STRUCTURAL R.L.S. A. EARTH SLOPES SHALL NOT EXCEED 4 HORIZONTAL TO 1 VERTICAL UNLESS SHOW OTHERWSE. A. IT IS THE INFORM OF THESE FLASS THAT THIS CONTRACTOR SHALL NOT PERFORM ANY YORK OUTSDE OF THE PROPERTY BOUVDARES EXCEPT AS REQUIRED BY THIS ONTRACTOR SHALL NOT PERFORM ANY YORK OUTSDE OF THE PROPERTY BOUVDARES EXCEPT AS REQUIRED BY THIS ONTRACTOR SHALL NOT PERFORM ANY YORK OUTSDE OF THE PROPERTY BOUVDARES EXCEPT AS REQUIRED BY THIS ONTRACTOR SHALL NOT PERFORM ANY YORK OUTSDE OF THE PROPERTY BOUVDARES EXCEPT AS REQUIRED BY THIS ONTRACTOR SHALL NOT PERFORM ANY YORK OUTSDE OF THE PROPERTY BOUVDARES EXCEPT AS REQUIRED BY THIS ONTRACTOR SHALL NOT PERFORM ANY YORK OUTSDE OF THE PROPERTY BOUVDARES EXCEPT AS REQUIRED BY THIS ONTRACTOR SHALL NOT PERFORM ANY ONE OUTSDE NOTIFIED IN ORTHANIC A SINCE WITH APPE OSHALL DECONSIDERED AND ONDER AND REPROPERTY OF PUBLIC RELEVANTIONS B. A DEPOSAL STEAD AND INFORMENTIAL REGLATIONS AND APPROVED BY THE CERTRARE ALL COSTS NUCLERED IN ORTHANIC A DORATIONE WITH APPE OSHALL DECONSIDERED IN ODE THE TROPERTY OF ALL DECONFORME AND PARAMELY AND ROMAINTAL REGLATIONS AND APPROVED BY THE CERTRARE ALL COSTS NUCLERED IN ORTHANIC A DORATIONE WITH APPE OSHALL DECONSIDERED IN ORTHANIC A DORATIONE WITH APPE OSHALL DECONSIDERED IN ORTHANIC A DORATIONE WITH APPE OSHALL DECONSIDERED IN ORTHANIC A DORATIONE OF ALL DECONSIDERED IN ODE THE ELEVATIONS ARE SHOWN AT FLOALINE IN A DRAMARY MAD ROMAINTAL REGLATION SHALL BE AFF. ALL COST FROM BUILDING THAT ELEVATION EX STORM DRAMIN AND ONE DATES OTHERWSE NOTED. VALLEY OUTTRE ELEVATIONS ARE SHOWN AT FLOALINE IN ALL SHOT ELEVATION EX STORM DRAIN INLET EX STORM DRAIN INLET EX STORM DRAIN INLET EX STORM DRAIN INLET EX STORM DRAIN DRAME DRAME AND THE DECONDOR DRAME DRAME APPROVAL EX STORM DRAIN INLET EX STORM DRAIN INLET EX STORM DRAIN DRAME		, CONTRACTOR MUST COM	NTACT LINE LOCATII	NG SERVICE (765-	-1264) FOR LOCATION OF		_				<u> </u>				
E. EARTH SLOPES SHALL NOT EXCEED 4 HORZORTAL TO 1 YERTCAL UNLESS SHOWN OTHERWSE. 7. IT IS THE INTENT OF THESE PLANS THAT THIS CONTRACTOR SHALL NOT PERFORM ANY WORK OUTSIDE OF THE PROPERTY BOUNDARESE SEXCEPT IS REQUERED BY THIS F.M. 8. THE CONTRACTOR IS TO ENSURE THAT NO SOL EROODS FROM THE SITE ONTO ADLACENT PROPERTY OR PUBLIC RIGHT-OF-WAY. THIS SHOULD BE ADDREED BY CONSTRUCTING TRAPORARY GERUS AT THE PROPERTY LINES WETTAGE THE SITE ONTO ADLACENT PROPERTY OR PUBLIC RIGHT-OF-WAY. THIS SHOULD BE ADDREED BY CONSTRUCTING TRAPORARY GERUS AT THE PROPERTY LINES WETTAGE THE STEE ONTO ADLACENT PROPERTY OR PUBLIC RIGHT-OF-WAY. THIS SHOULD BE ADDREED BY CONSTRUCTING TRAPORARY GERUS AT THE PROPERTY LINES WETTAGE THE ORTRACTOR IN SOME DESTINGTING TRAPORARY GERUS AT THE PROPERTY LINES WETTAGE THE CONTRACTOR IN SOME DESTINGTING TRAPORARY GERUS AT THE PROPERTY LINES WETTAGE THE CONTRACTOR IN SOME DESTINGTION TRAPORARY GERUS AT THE PROPERTY LINES WETTAGE THE CONTRACTOR IN SOME DESTINGTION TRAPORARY GERUS AT THE PROPERTY LINES WETTAGE THE CONTRACTOR IN SOME DESTINGTION TRAPORARY TRAPORTY AT TO THE PROPERTY LINE INSTRUME AD SEPARATE MEASUREMENT OR PROVENT SHALL BE CONSIDERED INCIDENTAL TO THE PROPERTY LINE INFORMED AD SEPARATE MEASUREMENT OR PROVENT SHALL BE CONSIDERED INCIDENTAL TO THE PROPERTY AND SEPARATE MEASUREMENT OR PROVENT SHALL BE CONSIDERED INCIDENTAL TO THE PROPERTY AND SEPARATE MEASUREMENT OR PROVENTIONS. 10. PANNE AND FAULTION 10. PANNE AND FAULTI	AREAS TO BE GRADED. VEGETATION AND DEBF						_						TE 11 /18	TE 11 /18 TE 11 /18	
BOUNDARES EXCEPT AS REQUED BY THIS PLAN. Image: Construction of the stree on the stree on to Adjacent program of Public Right-of-way. This should be achieved by constructing therogram derives at the program derive at the program derives at the derives at the program derives at the derives at the program derives at the program derives at the program derives at the program derives at the derives at the program d					IE THE DRADERTY								$ \langle $	- PDA	
SHOULD BE ACHEVED BY CONSTRUCTING TEMPORARY BERMS AT THE PROPERTY LINES WETTING THE SOL TO PROTECT IT FROW WIND EROSON. 9. A INSPOSAL SITE FOR ALL EXCESS EXCAVATION AND UNSUITABLE MATERIAL SHALL BE OBTAINED BY THE CONTRACTOR IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL REGULATIONS AND APPROVED BY THE OSSERVER, ALL COSTS INCURRED IN OBTAINING A DISPOSAL SITE AND HALL THERETO SHALL BE CONSIDERED INCENTAL TO THE PROJECT, AND NO SSEPARATE MEASUREMENT OR PAYMENT SHALL BE MADE. 10. PAVING AND RCADIWAY GRADES SHALL BE +/- 0.1' FROM PLAN ELEVATIONS. PAD ELEVATION SHALL BE +/- 0.05' FROM BUILDING PLAN ELEVATION. 10. PAVING AND RCADIWAY GRADES SHALL BE +/- 0.1' FROM PLAN ELEVATIONS. PAD ELEVATION SHALL BE +/- 0.05' FROM BUILDING PLAN ELEVATION. END SEED SPOT ELEVATION 5225.25 END STORM DRAIN LINE ELEVATION 5225.25 END STORM DRAIN NANHOLE ELEVATION 5225.25 END STORM DRAIN NANH	BOUNDARIES EXCEPT AS REQUIRED BY THIS PI	'LAN.				IS									
COMPLIANCE WITH APPLICABLE ENVIRONMENTAL REGULATIONS AND APPROVED BY THE OBSERVER. ALL COSTS INCURRED IN OBTAINING A DISPOSAL SITE AND HAUL THERETO SHALL BE CONSIDERED INCIDENTAL TO THE PROJECT, AND NO SEPARATE MEASUREMENT OR PARMENT SHALL BE MADE. INC. PAVING AND ROADWAY GRADES SHALL BE +/- 0.1' FROM PLAN ELEVATIONS. PAD ELEVATION SHALL BE +/- 0.05' FROM BULDING PLAN ELEVATION. IN ALL SPOT ELEVATION ARE TO FLOWLINE UNLESS OTHERWISE NOTED. VALLEY GUTTER ELEVATIONS ARE SHOWN AT FLOWLINE ELEVATION. END SED SPOT ELEVATION • 5235.25 ING STORM DRAIN LINE SED STORM DRAIN MANHDLE SED STORM DRAIN LINE SED STORM DRAIN AND DLE SED STORM DRAIN MANHDLE	SHOULD BE ACHIEVED BY CONSTRUCTING TEMP										ARKS				
PLAN ELEVATIONS. II. ALL SPOT ELEVATIONS ARE TO FLOWLINE UNLESS OTHERWISE NOTED. VALLEY GUTTER ELEVATIONS ARE SHOWN AT FLOWLINE ELEVATION. END SED SPOT ELEVATION 5225-25 SED CONTOUR 5025 SED CONTOUR 5025 SED CONTOUR 5025 SED STORM DRAIN LINE 5025 SED STORM DRAIN LINE 5025 SED STORM DRAIN LINE 502 SED STORM DRAIN LINE 502 SED STORM DRAIN LINE 502 SED WATER BLOCK CITY OF ALBUQUERQUE CITY OF ALBUA CITY OF	COMPLIANCE WITH APPLICABLE ENVIRONMENTAI DISPOSAL SITE AND HAUL THERETO SHALL BE	L REGULATIONS AND APP	ROVED BY THE OBS	SERVER. ALL COS	S INCURRED IN OBTAINING /	4					REMA	DESIGN			
ELEVATION. SED SED SPOT ELEVATION SED SPOT ELEVATION SED STORM DRAIN LINE SED STORM DRAIN MANHOLE SED STORM DRAIN MANHOLE SED STORM DRAIN MANHOLE SED WATER BLOCK		+/- 0.1' FROM PLAN E	ELEVATIONS. PAD E	LEVATION SHALL	BE +/- 0.05' FROM BUILDIN	IG									
END SED SPOT ELEVATION • 5235.25 ING SPOT ELEVATION • EX 5235.25 SED CONTOUR - 5025 ING STORM DRAIN LINE		JNLESS OTHERWISE NOTED). VALLEY GUTTER	ELEVATIONS ARE	SHOWN AT FLOWLINE								M	× ∩ ∑	
Seed SPOT ELEVATION • 5235.25 ING SPOT ELEVATION • EX 5235.25 Seed CONTOUR - 5025 ING STORM DRAIN LINE - 5025 Seed STORM DRAIN LINE							-							AF BY YF	
SED CONTOUR		5235.25	Boh	anna	n 🛦 Hu	sto	n). D /		IGNED	AWN BY ECKED	
ING STORM DRAIN LINE INSPIRATION SUBDIVISION SED STORM DRAIN LINE Image: Construction of the construction of th				c.com	80	0.877.533	32						DES	DRA CHE	
GED STORM DRAIN INLET Image: Storm drain line Image: Storm drain manhole Image: Storm drain manhole <th cold="" ma<="" td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>UE</td><td>R</td><td>Q</td><td>U</td><td>E</td><td></td><td></td><td></td></th>	<td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>UE</td> <td>R</td> <td>Q</td> <td>U</td> <td>E</td> <td></td> <td></td> <td></td>							UE	R	Q	U	E			
SED STORM DRAIN MANHOLE OVERALL GRADING PLAN SED WATER BLOCK OVERALL GRADING PLAN					CIPAL DEV	ELOP			[
SED WATER BLOCK								ЛN							
NING WALL	· · · · · · · · · · · · · · · · · · ·		DESIGN REVIEW	COMMITTEE	CITY ENGINEER APP	ROVAL			MO./D	AY/Y	<u> </u>	MO./D	AY/Y	<u>R.</u>	
P=5300.00	NING WALL	10)ESIGN ATE				\square				
D BLOCK TB		=5300.00 TB					LAST 1 UPD				+				
T SLOPE XX CITY PROJECT NO. ZONE MAP NO. SHEET OF	Г SLOPE —		PROJECT NO.						SHEET			OF			
. 20190120 H-7, J-7 1 13	20190120									1			1	3	



