CITY OF ALBUQUERQUE

Planning Department David Campbell, Director



Mayor Timothy M. Keller

June 14, 2019

David Aube, P.E. Hartman & Majewski Design Group 120 Vassar Dr SE, Suite 100 Albuquerque, NM 87106

RE: Marbella Apt's Repaving 6801 Glenrio Rd NW Grading and Drainage Plan Engineer's Stamp Date: 5/31/19 Hydrology File: J10D031

Dear Mr. Aube:

PO Box 1293 Based on the submittal received on 6/10/19, the Grading and Drainage Plan cannot be approved until the following are corrected:

Prior to Grading/Paving Permit:

Albuquerque

NM 87103

www.cabq.gov

1. A Bernalillo County Recorded <u>Drainage Covenant (No Public Easement)</u> is required for the storm water control pond. The original notarized form, exhibit A (legible on 8.5x11 paper), and recording fee (\$25, payable to Bernalillo County) must be turned into DRC (4th, Plaza del Sol) for routing. Please contact Charlotte LaBadie (clabadie@cabq.gov, 924-3996) or Madeline Carruthers (mtafoya@cabq.gov, 924-3997) regarding the routing and recording process for covenants. The routing and recording process for covenants can take a month or longer; Hydrology recommends beginning this process as soon as possible as to not delay approval for Grading/Paving Permit.

2. Once recorded, provide a copy of the covenant along with a new DTIS form and electronic submittal. The administrative resubmittal fee of \$40 may be used; please include a copy of this letter when resubmitting in order to receive the reduced fee.

If you have any questions, please contact me at 924-3695 or <u>dpeterson@cabq.gov</u>.

Sincerely,

Dana Peterson, P.E. Senior Engineer, Planning Dept. Development Review Services



City of Albuquerque


Planning Department Development & Building Services Division DRAINAGE AND TRANSPORTATION INFORMATION SHEET (REV 11/2018)

Project Title:	Building	Permit #: Hydrology File #:
DRB#:	EPC#:	Work Order#:
Legal Description:		
City Address:		
Applicant:		Contact:
Address:		
		E-mail:
Owner:		Contact:
Address:		
Phone#:	Fax#:	E-mail:
TYPE OF SUBMITTAL: PLAT	(# OF LOTS)	_ RESIDENCE DRB SITE ADMIN SITE
IS THIS A RESUBMITTAL?:	Yes	No
DEPARTMENT: TRAFFIC/ TR	ANSPORTATION	HYDROLOGY/ DRAINAGE
Check all that Apply: TYPE OF SUBMITTAL: ENGINEER/ARCHITECT CERTI PAD CERTIFICATION CONCEPTUAL G & D PLAN GRADING PLAN DRAINAGE MASTER PLAN DRAINAGE REPORT FLOODPLAIN DEVELOPMENT I ELEVATION CERTIFICATE CLOMR/LOMR TRAFFIC CIRCULATION LAYO TRAFFIC IMPACT STUDY (TIS) OTHER (SPECIFY) PRE-DESIGN MEETING?	PERMIT APPLIC UT (TCL)	TYPE OF APPROVAL/ACCEPTANCE SOUGHT: BUILDING PERMIT APPROVAL CERTIFICATE OF OCCUPANCY PRELIMINARY PLAT APPROVAL SITE PLAN FOR SUB'D APPROVAL SITE PLAN FOR BLDG. PERMIT APPROVAL FINAL PLAT APPROVAL SIA/ RELEASE OF FINANCIAL GUARANTEE FOUNDATION PERMIT APPROVAL GRADING PERMIT APPROVAL SO-19 APPROVAL APPROVAL AVING PERMIT APPROVAL GRADING/ PAD CERTIFICATION WORK ORDER APPROVAL CLOMR/LOMR FLOODPLAIN DEVELOPMENT PERMIT

COA STAFF:

ELECTRONIC SUBMITTAL RECEIVED:

FEE PAID:



SYSTEM IN GLENRIO ROAD NW HAD NOT YET BEEN INSTALLED. THE LARGE RETENTION POND LOCATED ON THE SOUTH SIDE OF THE PROJECT SITE WAS DESIGNED TO RETAIN THE EXCESS RUNOFF FROM THE OFFSITE BASIN AS WELL AS THE INCREASE IN THE STORM RUNOFF CREATED BY THE NEW APARTMENT COMPLEX.

THE SITE GENERALLY DRAINS FROM NORTH TO SOUTH WITHIN THE EXISTING DRIVELANE. THE DRIVELANE CONTAINS A VALLEY GUTTER THAT COLLECTS AND DIRECTS ALL ON-SITE RUNOFF TOWARD THE LARGE RETENTION BASIN AT THE SOUTH OF THE SITE.

THE SITE CONTAINS ACRES AND GENERATES A PEAK FLOW RATE OF XXX CFS DURING HTE 100 YEAR, 6 HOUR EVENT. THE EXCESS RUNOFF VOLUME FROM THAT DESIGN STORM IS XXXXX CF. PER THE ENGINEERS CERTIFICATION THE PROVIDED POND VOLUME IS 42,333 CUBIC FEET, EXCEEDING THE REQUIRED OF 37,625 CF.


SINCE THE CONSTRUCTION OF THIS PROJECT THE SITE TO THE WEST HAS BEEN DEVELOPED, AS WELL AS THE UNDERGROUND STORM WATER COLLECTION AND CONVEYANCE SYSTEM WITHIN GLENRIO ROAD NW. THIS REMOVED THE PONDING VOLUME FOR THE OFF-SITE 20 ACRE SITE.

THE EXISTING SITE CONTAINS A LARGE ON-SITE PONDING AREA. THE PROPOSED SIDEWALK AND ASPHALT REPLACEMENT PROJECT WILL NOT INCREASE THE REQUIRED PONDING VOLUME OR PEAK FLOW RATE FOR THE 100 YEAR, 6 HOUR DESIGN STORM. FIRST FLUSH VOLUMES THAT ARE REQUIRED FOR AREAS OF THE SITE THAT ARE EXCAVATED DOWN TO SOIL AND REBUILT CAN EASILY BE CONTAINED WITHIN THE EXISTING PONDING AREA. THE REHABILITATION PROJECT WILL HAVE NO AFFECT ON DOWNSTREAM PROPERTIES OR DRAINAGE SYSTEMS.






(A4)



k-17-z zone atlas page



dg

The property shown hereon is located in Zone X, areas of minimal flood hazard, according to the Flood Insurance Rate Map of Bernalillo County, New Mexico, Panel No. 35001C0327J, effective date November 4, 2016.

NOT TO SCALE

flood zone determination

(A5)

fema flood map