



- CONSTRUCTION NOTES:
1. PROVIDE 1/2" EXPANSION JOINTS AT 36" O.C., AT IMMOVABLE OBJECTS AND AT PERPENDICULAR CURBS PER DETAIL THIS SHEET
  2. PROVIDE CONTRACTION JOINTS @ 6' O.C. PER DETAIL THIS SHEET





- 1 CONCRETE VALLEY GUTTER  
N. T. S.

- CONSTRUCTION NOTES:
1. PROVIDE 1/2" EXPANSION JOINTS AT 36" O.C., AT IMMOVABLE OBJECTS, AND AT THE BEGINNING AND END OF CURVES.
  2. PROVIDE CONTRACTION JOINTS @ 6' O.C.
  3. ALL EXPOSED CONCRETE CORNERS TO HAVE 3/4" RADII.



- 2 CUT OFF WALL DETAIL  
N. T. S.



VICINITY MAP J-14

LEGAL DESCRIPTION

LOTS 8, 9, 10, AND 11, BLOCK 3, ANDERSON ADDITION, ALBUQUERQUE, BERNALILLO COUNTY, NEW MEXICO

ACS BENCHMARK

ACS MONUMENT "24-J14", LOCATED AT THE NORTHEAST QUADRANT OF THE INTERSECTION OF FOURTH STREET AND CONSTITUTION AVENUE, ELEVATION = 4958.37.

SURVEY NOTES

FIELD SURVEY BY:  
CARTESIAN SURVEYS  
P.O. BOX 44414  
RIO RANCHO, NM 87174

SURVEY DATE: SEPT., 1999  
PHONE: (505) 896-3050  
FAX: (505) 891-0244

THE RECORD INFORMATION SHOWN HEREON WAS FROM THE ALTA/ASCM SURVEY BY THOMAS W. PATRICK "LS 12651", ENTITLED "A.L.T.A./A.C.S.M. LAND TITLE SURVEY, LOTS 8, 9, 10, AND 11, BLOCK 3, ANDERSON ADDITION", DATED MARCH 19, 1999.

LOCATION OF ALL UTILITIES SHOWN ON THESE PLANS ARE BASED ON INFORMATION SUPPLIED TO THE SURVEYOR BY THE APPROPRIATE UTILITY COMPANIES. SURVEYOR DOES NOT GUARANTEE THESE LOCATIONS NOR THE FACT THAT SOME UTILITIES MIGHT BE LEFT OUT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO CONTACT BLUE STAKE AND ANY OTHER INVOLVED AGENCIES TO LOCATE ALL UTILITIES PRIOR TO CONSTRUCTION.

THIS IS NOT A BOUNDARY SURVEY AND SHOULD NOT BE USED BY THE OWNER AS SUCH.

FLOODPLAIN

THE PROPERTY SHOWN HEREON LIES WITHIN ZONE X PER THE FLOOD INSURANCE RATE MAP OF THE CITY OF ALBUQUERQUE, BERNALILLO COUNTY, NEW MEXICO, COMMUNITY-PANEL NO. 3500TC0332 D; EFFECTIVE DATE SEPTEMBER 20, 1996 AS SHOWN ON THIS SHEET.

## GRADING PLAN

### CONSTRUCTION NOTE:

STRUCTURAL MODIFICATIONS REQUIRED TO ACCOMMODATE THE ADDITIONAL FILL ADJACENT TO THE FOUNDATION OF THE EXISTING RESIDENCE WHICH IS TO REMAIN IS THE RESPONSIBILITY OF THE OWNER.

## DRAINAGE REPORT FOR BLAIR DEVELOPMENT

### LOCATION & DESCRIPTION

THE PROPOSED SITE IS 0.38 ACRES LOCATED AT THE NORTHEAST CORNER OF 3RD STREET AND CONSTITUTION AVENUE, AS SHOWN ON THIS SHEET. IT IS CURRENTLY DEVELOPED WITH TWO (2) RESIDENCES AND A METAL STORAGE BUILDING. THE REMAINING PORTION OF THE LOT HAS BEEN USED HEAVILY FOR PARKING AND THEREFORE IS HARD COMPACTED EARTH. THE PROPOSED IMPROVEMENTS FOR THIS PROJECT INCLUDE REMOVING ONE OF THE RESIDENCES AND A PORTION OF THE METAL BUILDING. A NEW SHOP BUILDING AND ASPHALT PARKING LOT WILL BE CONSTRUCTED IN THE LOCATION OF THE DIRT PARKING LOT AND THE RESIDENCE TO BE REMOVED.

### FLOODPLAIN STATUS

THIS PROJECT, AS SHOWN ON FEMA'S FLOOD INSURANCE RATE MAP 3500TC0332 D, DATED SEPTEMBER 20, 1996 IS NOT WITHIN ANY DESIGNATED 100-YEAR FLOODPLAIN. HOWEVER, 3RD STREET IS DESIGNATED AS A ZONE AO (DEPTH 1') FLOODPLAIN AS SHOWN ON THE FIRM PANEL ON THIS SHEET.

### METHODOLOGY

THE HYDROLOGY FOR THIS PROJECT WAS ANALYZED USING THE QUICK CALCULATIONS OF THE JUNE 1997 RELEASE OF THE CITY OF ALBUQUERQUE DEVELOPMENT PROCESS MANUAL, SECTION 22.2.

### PRECIPITATION

THE 100-YR 6-HR DURATION STORM WAS USED AS THE DESIGN STORM FOR THIS ANALYSIS. THIS SITE IS WITHIN ZONE 2 AS IDENTIFIED IN THE CITY OF ALBUQUERQUE DEVELOPMENT PROCESS MANUAL, SECTION 22.2. TABLES WITHIN THIS SECTION WAS USED TO ESTABLISH THE 6-HOUR PRECIPITATION, EXCESS PRECIPITATION, AND PEAK DISCHARGE.

### EXISTING DRAINAGE

THIS ENTIRE CITY BLOCK DRAINS TO AN ALLEY AND ENTERS CONSTITUTION AVENUE MID BLOCK BETWEEN 2ND STREET AND 3RD STREET (SEE FIRM MAP AND VICINITY MAP ON THIS SHEET). THE SITE TO BE DEVELOPED WAS

ANALYZED AS THE "ONSITE DRAINAGE BASIN" AND THE REST OF THE BLOCK WAS ANALYZED AS THE "OFFSITE DRAINAGE BASIN" IN ORDER TO DETERMINE THE TOTAL RUNOFF FOR THIS AREA.

### DEVELOPED CONDITION


THE SITE WAS ALSO ANALYZED FOR THE NEW DEVELOPMENT. THE EXISTING HARD PACKED DIRT PARKING AREA WAS ANALYZED AS LAND TREATMENT C. THEREFORE, BY REMOVING ONE OF THE EXISTING RESIDENCES, A PORTION OF THE METAL BUILDING, AND THE ADJOINING SIDEWALKS, A LARGER SHOP BUILDING CAN BE ADDED TO THIS PROPERTY WITHOUT SIGNIFICANTLY INCREASING THE RUNOFF. THIS ANALYSIS INCLUDES CONSTRUCTING A 6' SIDEWALK WITHIN THE STREET RIGHT-OF-WAY ADJACENT TO THIS PROPERTY ON BOTH 3RD STREET AND CONSTITUTION AVENUE. EVEN WITH THESE PUBLIC INFRA-STRUCTURE IMPROVEMENTS, THE RUNOFF FROM THIS SITE ONLY INCREASES THE BLOCK RUNOFF BY 0.36 CFS (1.02%) AND 820 CUBIC FEET (1.02%). THESE CALCULATIONS ARE SHOWN ON THE 100-YEAR HYDROLOGIC CALCULATIONS TABLE ON THIS SHEET. THE SITE IS BEING GRADED TO MAINTAIN THE FINISHED FLOOR OF THE NEW BUILDING APPROXIMATELY 1.5' ABOVE THE FLOW LINE OF 3RD STREET THEREBY PROTECTING IT FROM THE 3RD STREET FLOODPLAIN WITH 0.5' FREEBOARD. THE ALLEY HAS BEEN EVALUATED CONSERVATIVELY AS A 16' WIDE RECTANGULAR CHANNEL WITH A MANNING'S 'N' VALUE OF 0.030 AND A SLOPE OF 0.40%. BASED ON MANNING'S EQUATION  $Q = (1.49/N) * A * R^{0.67} * (S^{0.5})$  THE FLOW DEPTH IN THE ALLEY FOR 21.26 CFS WILL BE 0.64'. THIS CORRESPONDS TO A WATER SURFACE ELEVATION OF APPROXIMATELY 4958.4 ADJACENT TO THIS BUILDING. THEREFORE, IT IS CONCLUDED THAT THESE IMPROVEMENTS HAVE A NEGLIGIBLE HYDRAULIC IMPACT ON THE SURROUNDING PROPERTIES.

### DRAINAGE CERTIFICATION

I, Larry D. Read, NMPE 10998, of the firm Larry Read & Associates, Inc., hereby certify that this project has been graded and will drain in substantial compliance with and in accordance with the design intent of the approved plan dated 5/12/03. The record information edited onto the original design document has been obtained by Philip W. Turner, NMPS 10204, of the firm Tarrametrics of New Mexico. I further certify that I have personally visited the project site on 12/2/2003 and have determined by visual inspection that the survey data provided is representative of actual site conditions and is true and correct to the best of my knowledge and belief. This certification is submitted in support of a request for Certificate of Occupancy.

Exceptions: The owner has decided the existing 1-story metal building in the northeast corner of the site will be demolished in the near future so the curb in that corner has not been installed at this time. Since this area is the top of the drainage basin, there will not be impact to the overall site drainage by not installing the curb at this time. It serves only as a delineation of the edge of pavement.

The record information presented heron is not necessarily complete and intended only to verify substantial compliance of the Grading and Drainage aspects of this project. Those relying on this record document are advised to obtain independent verification of its accuracy before using it for any other purpose.



100-YEAR HYDROLOGIC CALCULATIONS											
BASIN #	AREA (acre)	LAND TREATMENT				WEIGHTED E (in)	V (6-hr) (acre-ft)	V (6-hr) (cu-ft)	V(10 day) (acre-ft)	V(10 day) (cu-ft)	Q (cfs)
		A (%)	B (%)	C (%)	D (%)						
EXISTING CONDITIONS											
ONSITE	0.3839	0.00	0.00	78.60	21.40	1.34	0.04	1,870	0.05	2,347	1.33
OFFSITE	4.6786	0.00	0.00	10.00	90.00	2.02	0.79	34,323	1.35	58,779	21.26
TOTAL	5.0625						0.83	36,193	1.40	61,126	22.59
PROPOSED CONDITIONS											
ONSITE	0.3839	0.00	0.00	20.21	79.79	1.92	0.06	2,675	0.10	4,454	1.88
OFFSITE	4.8786	0.00	0.00	10.00	90.00	2.02	0.79	34,323	1.35	58,779	21.26
TOTAL	5.0625						0.85	36,999	1.45	63,234	22.94
EXCESS PRECIP. 0.53 0.78 1.13 2.12 E(in)											
PEAK DISCHARGE 1.56 2.28 3.14 4.7 Qp(cfs)											
WEIGHTED E (in) = (Ea)(%A) + (Eb)(%B) + (Ec)(%C) + (Ed)(%D)											
V6hr (acre-ft) = (WEIGHTED EXAREA)/12											
V10day (acre-ft) = V6hr + (A0)(XP10day - P6hr)/12											
Q (cfs) = (Q6hr)(As) + (Q24hr)(Ae) + (Q30hr)(Ac) + (Q36hr)(Ao)											
ZONE = 2											
P6hr (in) = 2.95											
P24hr (in) = 2.75											
P10day (in) = 3.95											

## GRADING AND DRAINAGE PLAN

### BLAIR DEVELOPMENT

ALBUQUERQUE, NEW MEXICO

LARRY READ & ASSOCIATES  
Civil Engineers  
12836-B Lomas Blvd. NE  
Albuquerque, New Mexico 87112  
(505) 237-8421



REVISION	DATE	DESCRIPTION
FILE NAME: BLAIR_GD 05/13/03		SHEET C2 of 2