

OPTION: 3

DESCRIPTION

- DELETE BROADWAY LOMAS POND
- ADD CONCEPTUAL POND @ WAREHOUSE WITH INLET, OUTLET
- ADD APPROPRIATE LINKS

NOTE

ANNOTATED
ON EXISTING
CONDITIONS
NO R. 24-HR
RESULTS

LEGEND

- FLOOD DEPTH
GREATER THAN 1'
- FLOOD DEPTH
BETWEEN 0.5'-0.9'
- FLOOD DEPTH
BETWEEN 0.01'-0.4'
- CONCEPTUAL CHANGE




TABLE 6-6
SUMMARY OF OPTION 3 STREET PONDING AND MAN-HOLE FLOODING

Note- negative numbers imply that the HGL did not reach the manhole rim

Represents flooding depth over 1 ft

Represents flooding between 0.5 ft - 0.99 ft

Represents flooding depth between 0 - 0.5 ft

MH Name	Manhole Invert Elev.	Max. Depth of Manhole	Manhole Rim Elev.	Maximum HGL	Node Flood Depth Above Manhole Rim	Flood Volume	Flood Volume	Hours Flooded
	(ft)	(ft)	(ft)	(ft)	(ft)	(10 ⁶ gal)	(acre-ft)	
	(a)	(a)	(b)	(c)	(d)	(e)	(f)	
COA6045	4957.51	7.82	4965.33	4965.42	0.09	0.421	1.292	5.15
COA15184	4954.19	10.04	4964.23	4964.79	0.56	1.094	3.357	6.09
COA6218	4953.66	9.34	4963	4963.47	0.47	0.809	2.483	6.32
COA6246	4962.06	7.85	4969.91	4969.91	0	0.001	0.003	0.01
COA7635	4957.34	7.29	4964.63	4965.49	0.86	0.189	0.580	0.95
COA7650	4954.93	8.35	4963.28	4963.37	0.09	0.098	0.301	1.05
COA7656	4953.17	9.45	4962.62	4962.63	0.01	0.176	0.540	1.05
COA19719	4952.3	9.98	4962.28	4963.08	0.8	1.153	3.538	6.37
COA7654	4951.67	8.59	4960.26	4960.89	0.63	1.093	3.354	6.41
COA7714	4950.14	7.86	4958	4958.77	0.77	1.738	5.334	6
COA25349	4945.26	11.07	4956.33	4956.35	0.02	0.285	0.875	0.57
COA25656	4948.86	10.32	4959.18	4959.34	0.16	0.253	0.776	1.91
COA25622	4948.24	9.58	4957.82	4957.83	0.01	0.062	0.190	0.82
COA7444	4952.87	7.72	4960.59	4961.04	0.45	1.056	3.241	14.66
COA7476	4950.32	7.85	4958.17	4959.01	0.84	1.151	3.532	16.11
COA7518	4947.94	8.89	4956.83	4957.5	0.67	0.918	2.817	15.18
COA24834	4944.52	7.06	4951.58	4951.67	0.09	0.416	1.277	3.58
COA25105	4946.31	10.2	4956.51	4956.52	0.01	0.037	0.114	0.34
COA7815	4943.48	13.4	4956.88	4956.89	0.01	0.168	0.516	0.35
COA7740	4949.69	8.25	4957.94	4958.04	0.1	0.302	0.927	2.51
COA7830	4944.87	12	4956.87	4956.88	0.01	0.213	0.654	0.63
COA7865	4946.34	10.46	4956.8	4956.81	0.01	0.101	0.310	0.44
COA7908	4946.15	10	4956.15	4956.16	0.01	0.06	0.184	0.23
COA7955	4943.49	12	4955.49	4955.51	0.02	0.099	0.304	0.4
COA22517	4943.59	11	4954.59	4954.6	0.01	0.123	0.377	0.55
COA7716	4948.88	9.23	4958.11	4958.12	0.01	0.002	0.006	0.01
COA7766JB	4943.95	12.33	4956.28	4956.34	0.06	0.02	0.061	0.43
COA7769JB	4944.52	11.81	4956.33	4956.93	0.6		0.000	
COA32878	4946.6	9.16	4955.76	4957.56	1.8	0.371	1.139	1.4
COA7848	4947.67	8.71	4956.38	4956.68	0.3	0.218	0.669	0.8
COA7816	4944.19	13.17	4957.36	4957.37	0.01	0.246	0.755	0.71
COA13866	4935.36	12.08	4947.44	4947.45	0.01	0.019	0.058	0.04
COA9248	4947.65	10.07	4957.72	4957.73	0.01	0.012	0.037	0.14
COA32878.A	4947.19	8.39	4955.58	4957.31	1.73	0.287	0.881	1.38
COA32878.B	4946.27	9.58	4955.85	4956.99	1.14	0.193	0.592	1.23
COA22169	4939.35	6.75	4946.1	4946.83	0.73	0.646	1.983	4.04
COA22127	4937.86	7.66	4945.52	4945.59	0.07	0.129	0.396	1.96
COA9229	4913.15	27	4940.15	4940.5	0.35	0.029	0.089	0.59
1F.C.OUT	4949	9.4	4958.4	4958.41	0.01	0.003	0.009	0.01
(a) Depth of manhole from SWMM input under Node Summary Table (b) Rim elevation = MH invert elevation + Max depth of manhole (c) Max HGL from SWMM output table under Node Depth Summary (d) Node Flood Depth above Manhole Rim = HGL Elev-Rim Elev (e) Flood volume from SWMM output table under Node Flooding Summary (f) 1 gallon = 3.06888 E-6 acre-ft								

EPA STORM WATER MANAGEMENT MODEL - VERSION 5.0 (Build 5.0.022)

COA Mid Valley Existing Conditions SWMM 5.0.022 Model
Results Printed on August 23RD, 2011

NOTE: The summary statistics displayed in this report are
based on results found at every computational time step,
not just on results from each reporting time step.

Analysis Options

Flow Units CFS
Process Models:
 Rainfall/Runoff YES
 Snowmelt NO
 Groundwater NO
 Flow Routing YES
 Ponding Allowed YES
 Water Quality NO
Infiltration Method CURVE NUMBER
Flow Routing Method DYNWAVE
Starting Date JUL-01-2011 00:00:00
Ending Date JUL-06-2011 23:00:00
Antecedent Dry Days 0.0
Report Time Step 00:00:15
Wet Time Step 00:00:15
Dry Time Step 00:00:15
Routing Time Step 1.00 sec

WARNING 04: minimum elevation drop used for Conduit 1F.D.SWMM6

Element Count

Number of rain gages 1
Number of subcatchments ... 70
Number of nodes 127
Number of links 131
Number of pollutants 0
Number of land uses 0

Raingage Summary

Name	Data Source	Data Type	Recording Interval
Gage1	Rain100hr24hr	CUMULATIVE	3 min.

Subcatchment Summary

Name	Area	Width	%Imperv	%Slope	Rain Gage	Outlet
A1	32.38	400.00	60.00	0.0800	Gage1	COA24916
A10	50.08	400.00	56.00	0.1351	Gage1	COA25048
A11	36.32	400.00	67.00	0.2105	Gage1	COA7518
A12	107.39	400.00	53.00	0.0702	Gage1	COA25656
A13	123.40	400.00	70.00	0.1177	Gage1	COA24834
A15	46.43	400.00	70.00	0.1835	Gage1	COA7444
A18	42.12	400.00	54.00	0.1802	Gage1	COA7476
A2	11.08	400.00	55.00	0.0000	Gage1	COA9083
A3	88.49	400.00	40.00	0.2000	Gage1	COA9069
A4	12.42	400.00	50.00	0.1071	Gage1	COA24859

A5	78.59	400.00	55.00	0.1563	Gage1	COA9045
A6	47.22	400.00	42.00	0.1277	Gage1	COA8985
A7	38.26	400.00	52.00	0.1667	Gage1	COA25034
A8	22.07	400.00	57.00	0.2778	Gage1	COA25105
A9	29.10	400.00	58.00	0.2128	Gage1	COA25622
B1	40.10	400.00	67.00	0.2778	Gage1	COA22127
B10	13.89	400.00	64.00	0.1905	Gage1	COA22155
B11	12.41	400.00	19.00	0.9091	Gage1	TINGLEYPARKSURGEPOND
B12	9.50	400.00	70.00	0.1852	Gage1	COA9407
B13	20.03	400.00	61.00	0.1942	Gage1	COA13866
B14	28.24	400.00	85.00	0.3889	Gage1	COA22429
B15	41.75	400.00	90.00	0.1523	Gage1	COA9344
B16	29.92	400.00	86.00	0.2308	Gage1	COA9348
B17	17.56	400.00	90.00	0.0000	Gage1	COA9310
B18	13.98	400.00	98.00	0.0000	Gage1	COA9310
B20	16.96	400.00	85.00	0.2500	Gage1	COA22517
B21	30.91	400.00	70.00	0.3571	Gage1	COA24930
B22	33.42	400.00	70.00	0.1482	Gage1	COA9260
B23	9.35	400.00	99.00	0.1111	Gage1	COA9260
B24	18.44	400.00	90.00	0.0000	Gage1	COA22584
B25	39.65	400.00	96.00	0.1290	Gage1	COA7865
B26	59.34	400.00	75.00	0.0000	Gage1	COA25253
B27	51.52	400.00	88.00	0.1299	Gage1	COA7740
B28	64.91	400.00	70.00	0.1072	Gage1	COA7816
B29	105.31	400.00	65.00	0.1127	Gage1	COA25349
B3	5.08	400.00	64.00	0.1754	Gage1	COA9141
B30	51.79	400.00	82.00	0.1379	Gage1	COA7714
B31	43.60	400.00	85.00	0.1149	Gage1	COA7654
B32	39.96	400.00	72.00	0.1709	Gage1	COA7638
B33	51.09	400.00	68.00	0.1010	Gage1	COA6231
B34	53.33	400.00	76.00	0.2010	Gage1	COA15184
B35	32.09	400.00	82.00	0.4008	Gage1	COA19719
B36	25.33	400.00	77.00	0.3150	Gage1	COA6045
B4	5.98	400.00	47.00	0.1205	Gage1	COA22174
B40	36.44	400.00	84.00	0.8037	Gage1	COA19719
B41	24.82	400.00	94.00	0.5333	Gage1	COA6149
B5	65.56	400.00	68.00	0.1553	Gage1	COA22169
B6	7.04	400.00	65.00	0.0917	Gage1	COA9431
B7	11.54	400.00	56.00	0.3529	Gage1	COA9426
B8	23.57	400.00	64.00	0.1478	Gage1	MHB22410
BR1	28.93	400.00	75.00	3.8667	Gage1	COA29178
BR10	36.43	400.00	31.00	5.1034	Gage1	COA7963.05M
BR11	9.74	400.00	65.00	4.5106	Gage1	COA33027
BR12	22.29	400.00	10.00	4.7826	Gage1	COA33027
BR13	29.14	400.00	70.00	1.6667	Gage1	COA7656
BR14	19.80	400.00	89.00	0.4000	Gage1	COA7635
BR16	25.89	400.00	13.00	3.1858	Gage1	COA29132
BR17	49.17	400.00	59.00	1.4286	Gage1	COA29132
BR18	33.13	400.00	75.00	1.4000	Gage1	COA6195
BR19	26.21	400.00	75.00	1.0370	Gage1	COA32878
BR2	5.67	400.00	50.00	0.5405	Gage1	COA32878.A
BR20	24.15	400.00	90.00	0.2222	Gage1	COA7848
BR21	23.81	400.00	80.00	3.2594	Gage1	COA7870
BR3	37.23	400.00	66.00	2.3529	Gage1	COA32865
BR4	39.56	400.00	75.00	3.0586	Gage1	COA7870
BR5	10.73	400.00	59.00	4.1071	Gage1	COA7963.05A
BR6	28.63	400.00	82.00	0.6154	Gage1	COA7766JB
BR9	55.23	400.00	86.00	0.2353	Gage1	COA7717
B19.1	15.30	400.00	85.00	2.6286	Gage1	COA9152
B19.2	12.03	400.00	85.00	2.7942	Gage1	COA9248

Node Summary

Name	Type	Invert Elev.	Max. Depth	Ponded Area	External Inflow
COA6149	JUNCTION	4956.51	6.87	130067.0	
COA6231	JUNCTION	4955.06	7.45	130067.0	
COA6045	JUNCTION	4957.51	7.82	309545.0	
COA15184	JUNCTION	4954.19	10.04	224607.0	

COA6218	JUNCTION	4953.66	9.34	224607.0	
COA6195	JUNCTION	4962.97	6.74	79450.0	
COA6246	JUNCTION	4962.06	7.85	79450.0	
COA29163	JUNCTION	4962.01	8.38	79450.0	
COA7635	JUNCTION	4957.34	7.29	27461.0	
COA7650	JUNCTION	4954.93	8.35	27461.0	
COA7656	JUNCTION	4953.17	9.45	27118.0	
COA7628	JUNCTION	4960.44	11.03	27118.0	
COA29132	JUNCTION	4960.03	14.23	18581.0	
COA33027	JUNCTION	4957.15	8.20	0.0	
COA33007	JUNCTION	4994.87	10.60	0.0	Yes
COA7717	JUNCTION	4949.54	9.19	21893.0	
COA19719	JUNCTION	4952.30	9.98	188061.0	
COA7654	JUNCTION	4951.67	8.59	228852.0	
COA7714	JUNCTION	4950.14	7.86	296083.3	
COA6259	JUNCTION	4953.72	10.36	64850.0	
COA7638	JUNCTION	4952.62	8.10	64850.0	
COA25807	JUNCTION	4953.18	7.28	64850.0	
COA25349	JUNCTION	4945.26	11.07	166821.0	
COA25656	JUNCTION	4948.86	10.32	197750.0	
COA25677	JUNCTION	4948.59	10.97	197750.0	
COA25622	JUNCTION	4948.24	9.58	159436.0	
COA7444	JUNCTION	4952.87	7.72	292160.0	Yes
COA7476	JUNCTION	4950.32	7.85	181489.0	
COA7518	JUNCTION	4947.94	8.89	167547.7	
COA24834	JUNCTION	4944.52	7.06	612333.2	
COA8985	JUNCTION	4940.76	11.38	241168.0	
COA24859	JUNCTION	4938.64	12.00	25798.0	
COA9015	JUNCTION	4942.91	8.45	25798.0	
COA25105	JUNCTION	4946.31	10.20	50544.0	
COA25117	JUNCTION	4945.26	11.29	50544.0	
COA25048	JUNCTION	4944.92	11.36	401053.0	
COA25034	JUNCTION	4943.82	10.70	171143.0	
COA9045	JUNCTION	4941.61	8.65	171143.0	
COA25352	JUNCTION	4945.06	11.31	166821.0	
COA7815	JUNCTION	4943.48	13.40	166821.0	
COA25253	JUNCTION	4941.66	12.95	84189.0	
COA7977	JUNCTION	4941.94	13.08	84189.0	
COA25238	JUNCTION	4941.20	13.47	84189.0	
COA25240	JUNCTION	4941.15	13.87	84189.0	
COA22584	JUNCTION	4940.18	14.49	117610.0	
COA9260	JUNCTION	4938.02	14.78	208149.0	
COA7740	JUNCTION	4949.69	8.25	166203.0	
COA7830	JUNCTION	4944.87	12.00	166203.0	
COA7865	JUNCTION	4946.34	10.46	45527.0	
COA7908	JUNCTION	4946.15	10.00	45527.0	
COA7912	JUNCTION	4945.61	10.68	45527.0	
COA7955	JUNCTION	4943.49	12.00	45527.0	
COA22517	JUNCTION	4943.59	11.00	97896.0	
COA7716	JUNCTION	4948.88	9.23	21893.0	
COA7766JB	JUNCTION	4943.95	12.33	40457.3	
COA7769JB	JUNCTION	4944.52	11.81	0.0	
COA32865	JUNCTION	4945.49	11.62	21867.0	
COA32878	JUNCTION	4946.60	9.16	26441.0	
COA7848	JUNCTION	4947.67	8.71	75622.0	
COA7861	JUNCTION	4947.76	10.18	0.0	
COA7870	JUNCTION	4957.75	12.84	0.0	Yes
COA29178	JUNCTION	4956.78	9.45	0.0	
COA7816	JUNCTION	4944.19	13.17	362909.0	
COA25109	JUNCTION	4945.87	10.67	50544.0	
BPSINLET	JUNCTION	4938.89	21.00	0.0	
COA9310	JUNCTION	4942.40	11.55	187810.0	
COA9348	JUNCTION	4939.63	11.79	195274.4	
COA9344	JUNCTION	4935.83	15.71	94192.0	
COA9340	JUNCTION	4935.64	16.65	94192.0	
COA22250	JUNCTION	4937.56	13.58	94192.0	
COA22429	JUNCTION	4937.26	13.07	183374.0	
COA13866	JUNCTION	4935.36	12.08	73420.0	
COA24930	JUNCTION	4937.17	11.05	174484.0	
COA24916	JUNCTION	4938.25	10.36	85713.0	
COA9248	JUNCTION	4947.65	10.07	11689.0	
COA32981	JUNCTION	4931.39	17.86	18760.0	

COA9121	JUNCTION	4931.16	17.50	33447.0
COA24902	JUNCTION	4939.07	10.00	85713.0
COA24902A	JUNCTION	4939.73	8.82	140992.0
COA9069	JUNCTION	4940.85	8.80	140992.0
COA24997	JUNCTION	4936.14	13.35	140992.0
COA9083	JUNCTION	4935.33	12.62	0.0
UPSINLET	JUNCTION	4931.47	18.57	0.0
COA9407	JUNCTION	4944.40	6.42	79526.0
COA9426	JUNCTION	4943.03	6.39	22812.0
COA22194	JUNCTION	4942.00	7.04	22812.0
COA22191	JUNCTION	4940.79	8.13	22812.0
COA9431	JUNCTION	4939.27	9.59	22229.0
COA22176	JUNCTION	4938.45	10.72	22229.0
COA22168	JUNCTION	4936.56	9.92	117391.0
COA22174	JUNCTION	4928.49	16.58	35030.0
COA22155	JUNCTION	4928.35	16.89	33447.0
COA9141	JUNCTION	4928.21	17.88	20203.1
COA22410	JUNCTION	4928.36	18.75	45178.0
COA9129	JUNCTION	4930.24	16.01	45178.0
COA9143	JUNCTION	4927.28	20.70	0.0
COA22144	JUNCTION	4924.79	22.45	0.0
COA22145	JUNCTION	4925.85	24.38	0.0
COA22143	JUNCTION	4923.99	22.50	0.0
COA10456	JUNCTION	4922.76	20.45	0.0
COA10457	JUNCTION	4907.13	14.88	0.0
COA7963.05A	JUNCTION	4971.98	7.11	0.0
COA7963.05M	JUNCTION	4952.69	10.31	0.0
COA7963.11A	JUNCTION	4951.67	9.48	21893.0
COA7963.T	JUNCTION	4932.21	9.25	0.0
COA32878.A	JUNCTION	4947.19	8.39	21867.0
COA32878.B	JUNCTION	4946.27	9.58	21867.0
APSINLET	JUNCTION	4929.66	14.10	0.0
IRON14TH	JUNCTION	4939.07	10.00	0.0
BLDWEIR	JUNCTION	4946.60	9.16	0.0
BLUWEIR	JUNCTION	4946.60	9.16	0.0
COA22169	JUNCTION	4939.35	6.75	117391.0
COA22127	JUNCTION	4937.86	7.66	226362.0
COA32823	JUNCTION	4933.09	27.00	0.0
COA9453	JUNCTION	4939.07	7.51	117391.0
MHB22410	JUNCTION	4928.42	18.75	90355.0
COA9152	JUNCTION	4929.67	27.00	0.0
COA9229	JUNCTION	4913.15	27.00	8870.0
MHB19A	JUNCTION	4933.00	27.00	0.0
1F.C.INLET	JUNCTION	4951.00	9.42	21893.0
1F.C.OUT	JUNCTION	4949.00	9.40	21893.0
APSOUTLET	OUTFALL	4960.84	0.00	0.0
BPSOUTLET	OUTFALL	5106.00	0.00	0.0
BaPSOUTLET	OUTFALL	4941.69	0.00	0.0
AIRQUALITYPOND	STORAGE	4952.26	12.40	0.0
TINGLEYPARKSURGEONPONDSTORAGE	STORAGE	4932.21	16.45	0.0
WAREHOUSEPOND	STORAGE	4950.00	10.00	0.0

Yes

Link Summary

Name	From Node	To Node	Type	Length	%Slope	Roughness
ESWMM57	COA6149	COA6231	CONDUIT	733.0	0.1378	0.0140
ESWMM35	COA6045	COA15184	CONDUIT	802.0	0.3915	0.0140
ESWMM34	COA15184	COA6218	CONDUIT	622.0	0.0096	0.0140
1F.D.SWMM1	COA6195	COA6246	CONDUIT	636.0	0.1431	0.0140
1F.D.SWMM2	COA6246	COA29163	CONDUIT	120.0	0.2917	0.0140
1F.D.SWMM3	COA29163	COA7635	CONDUIT	855.0	0.5661	0.0140
1F.D.SWMM4	COA7635	COA7650	CONDUIT	613.0	0.3932	0.0140
1F.D.SWMM5	COA7650	COA7656	CONDUIT	386.0	0.4041	0.0140
ESWMM41	COA33027	COA7656	CONDUIT	416.0	0.7428	0.0140
1F.D.SWMM6	COA29132	COA7628	CONDUIT	638.0	0.0002	0.0140
1F.D.SWMM7	COA7628	COA7656	CONDUIT	831.0	0.7618	0.0140
ESWMM42	COA33007	COA33027	CONDUIT	1096.0	3.4235	0.0140
ESWMM45	COA7656	COA7963.11A	CONDUIT	319.0	0.4702	0.0140
ESWMM33	COA6218	COA19719	CONDUIT	369.0	0.1463	0.0140

ESWMM32	COA19719	COA7654	CONDUIT	1795.0	0.0713	0.0140
ESWMM31	COA7654	COA7714	CONDUIT	1457.0	0.1030	0.0140
ESWMM58	COA6231	COA6259	CONDUIT	298.0	0.2349	0.0140
ESWMM59	COA6259	COA7638	CONDUIT	930.0	0.1183	0.0140
ESWMM60	COA25807	COA7638	CONDUIT	310.0	0.1806	0.0140
ESWMM91	COA25656	COA25677	CONDUIT	670.0	0.0403	0.0140
ESWMM92	COA25677	COA25622	CONDUIT	914.0	0.0306	0.0140
ESWMM1	COA7444	COA7476	CONDUIT	1361.0	0.1925	0.0140
ESWMM2	COA7476	COA7518	CONDUIT	895.0	0.2547	0.0140
ESWMM3	COA7518	COA24834	CONDUIT	1804.0	0.0815	0.0140
ESWMM4	COA24834	COA8985	CONDUIT	1437.0	0.1621	0.0140
ESWMM5	COA8985	COA24859	CONDUIT	442.0	0.4344	0.0140
ESWMM6	COA24859	COA9015	CONDUIT	670.0	0.0343	0.0140
ESWMM93	COA25622	COA25105	CONDUIT	752.0	0.2354	0.0140
ESWMM94	COA25105	COA25109	CONDUIT	280.0	0.1571	0.0140
ESWMM96	COA25117	COA25048	CONDUIT	342.0	0.0848	0.0140
ESWMM97	COA25048	COA25034	CONDUIT	747.0	0.1473	0.0140
ESWMM98	COA25034	COA9045	CONDUIT	1976.0	0.1088	0.0140
ESWMM61	COA25807	COA25349	CONDUIT	2789.0	0.2840	0.0140
ESWMM62	COA25349	COA25352	CONDUIT	60.0	0.3333	0.0140
ESWMM63	COA25352	COA7815	CONDUIT	305.0	0.3639	0.0140
ESWMM64	COA7815	COA25253	CONDUIT	1481.0	0.1229	0.0140
ESWMM65	COA7977	COA25253	CONDUIT	20.0	1.4001	0.0140
ESWMM66	COA7977	COA25238	CONDUIT	137.0	0.3723	0.0140
ESWMM67	COA25238	COA25240	CONDUIT	23.0	0.2174	0.0140
ESWMM68	COA25240	COA22584	CONDUIT	490.0	0.2612	0.0140
ESWMM69	COA22584	COA9260	CONDUIT	560.0	0.2268	0.0140
ESWMM30	COA7714	COA7740	CONDUIT	405.0	0.1111	0.0140
ESWMM29	COA7740	COA7830	CONDUIT	1028.0	0.1566	0.0140
ESWMM28	COA7830	COA7865	CONDUIT	391.0	0.1611	0.0140
ESWMM27	COA7865	COA7908	CONDUIT	355.0	0.0535	0.0140
ESWMM26	COA7912	COA7908	CONDUIT	13.0	5.2379	0.0140
ESWMM25	COA7912	COA7955	CONDUIT	360.0	0.1083	0.0140
ESWMM24	COA7955	COA22517	CONDUIT	968.0	0.1333	0.0140
ESWMM50	COA7870	COA29178	CONDUIT	441.0	0.1020	0.0140
ESWMM51	COA7870	COA7861	CONDUIT	517.0	1.8901	0.0140
ESWMM52	COA7861	COA32878	CONDUIT	350.0	0.2743	0.0140
BLUPIPE	COA32878	BLUWEIR	CONDUIT	300.0	0.0067	0.0140
ESWMM46	COA7717	COA7716	CONDUIT	11.0	4.3678	0.0140
ESWMM47	COA7716	COA7766JB	CONDUIT	725.0	0.5821	0.0140
ESWMM48	COA7769JB	COA7766JB	CONDUIT	78.0	0.6026	0.0140
ESWMM49	COA32865	COA7769JB	CONDUIT	307.0	0.3225	0.0140
ESWMM54	COA7848	COA7830	CONDUIT	1435.0	0.1951	0.0140
ESWMM55	COA7830	COA7816	CONDUIT	1092.0	0.0778	0.0140
ESWMM56	COA7816	COA7815	CONDUIT	739.0	0.0825	0.0140
ESWMM95	COA25109	COA25117	CONDUIT	389.0	0.1517	0.0140
48SDTOBPS	COA7766JB	BPSINLET	CONDUIT	60.0	0.1000	0.0140
ESWMM23	COA9248	COA22517	CONDUIT	821.0	0.4592	0.0140
ESWMM22	COA22517	COA9310	CONDUIT	1089.0	0.1093	0.0140
ESWMM21	COA9310	COA9348	CONDUIT	1101.0	0.2516	0.0140
ESWMM20	COA9348	COA9344	CONDUIT	373.0	0.1287	0.0140
ESWMM19	COA9344	COA9340	CONDUIT	375.0	0.1493	0.0140
ESWMM18	COA9340	COA22250	CONDUIT	346.0	0.1532	0.0140
ESWMM17	COA22250	COA22429	CONDUIT	366.0	0.0820	0.0140
ESWMM16	COA22429	COA13866	CONDUIT	361.0	0.4017	0.0140
ESWMM70	COA9260	COA13866	CONDUIT	1622.0	0.1178	0.0140
ESWMM15	COA24930	COA13866	CONDUIT	713.0	0.0898	0.0140
ESWMM71	COA13866	COA7963.T	CONDUIT	1026.0	0.3070	0.0140
ESWMM72	COA32981	COA9121	CONDUIT	80.0	0.2875	0.0140
ESWMM7	COA9015	COA9069	CONDUIT	1428.0	0.1366	0.0140
ESWMM12	COA24902	COA24902A	CONDUIT	479.0	0.0271	0.0140
ESWMM9	COA9069	COA24902A	CONDUIT	514.0	0.2218	0.0140
ESWMM99	COA9045	COA24902	CONDUIT	740.0	0.1649	0.0140
ESWMM8	COA9069	COA24997	CONDUIT	19.0	4.5838	0.0140
ESWMM10	COA24997	COA9083	CONDUIT	384.0	0.2109	0.0140
ESWMM11	COA24902A	COA9083	CONDUIT	376.0	1.2474	0.0140
ESWMM90	COA9407	COA9426	CONDUIT	393.0	0.3384	0.0140
ESWMM89	COA9426	COA22194	CONDUIT	356.0	0.2865	0.0140
ESWMM88	COA22194	COA22191	CONDUIT	296.0	0.4088	0.0140
ESWMM87	COA22191	COA9431	CONDUIT	328.0	0.4634	0.0140
ESWMM86	COA9431	COA22176	CONDUIT	172.0	0.5523	0.0140
ESWMM85	COA22176	COA22168	CONDUIT	612.0	0.3088	0.0140

ESWMM84	COA22168	COA22174	CONDUIT	337.0	2.3953	0.0140
ESWMM83	COA22174	COA22155	CONDUIT	386.0	0.0363	0.0140
ESWMM82	COA22155	COA9141	CONDUIT	510.0	0.0275	0.0240
ESWMM73	COA9121	COA9129	CONDUIT	327.0	0.2813	0.0240
ESWMM76	COA9141	COA9143	CONDUIT	210.0	0.4429	0.0240
ESWMM77	COA9143	COA22145	CONDUIT	377.0	0.3793	0.0240
ESWMM78	COA22145	COA22144	CONDUIT	370.0	0.2865	0.0240
ESWMM79	COA22144	COA22143	CONDUIT	202.0	0.3960	0.0240
ESWMM80	COA22143	COA10456	CONDUIT	301.0	0.4086	0.0240
ESWMM81	COA10456	COA10457	CONDUIT	243.0	6.4454	0.0240
ESWMM14	COA24916	COA24930	CONDUIT	717.0	0.1325	0.0140
ESWMM13	IRON14TH	COA24916	CONDUIT	659.0	0.1199	0.0140
ESWMM125	COA7963.05A	COA7963.05M	CONDUIT	1793.0	1.0759	0.0140
ESWMM71A	COA7963.T	COA32981	CONDUIT	149.0	0.5503	0.0140
ESWMM126	TINGLEYPARKSURGEPOND	COA7963.T	CONDUIT	50.0	0.0040	0.0140
ESWMM127	AIRQUALITYPOND	COA7963.11A	CONDUIT	240.0	0.2458	0.0140
ESWMM128	COA33027	AIRQUALITYPOND	CONDUIT	149.0	3.2836	0.0140
ESWMM129	COA7963.05M	AIRQUALITYPOND	CONDUIT	69.0	0.6232	0.0140
ESWMM132	COA32878.A	COA32878	CONDUIT	60.0	0.9834	0.0140
60SDTOBPS	COA7769JB	BPSINLET	CONDUIT	60.0	0.8834	0.0140
ESWMM134	COA32878.B	COA7769JB	CONDUIT	595.0	0.2941	0.0140
ESWMM135	COA9083	APSINLET	CONDUIT	150.7	0.0730	0.0140
ESWMM53	COA7848	BLDWEIR	CONDUIT	308.0	0.3474	0.0140
ESWMM75	COA22410	COA9141	CONDUIT	100.0	0.1500	0.0240
ESWMM204	COA22169	COA9453	CONDUIT	194.0	0.1443	0.0140
ESWMM205	COA9453	COA22127	CONDUIT	870.0	0.1486	0.0140
ESWMM137	COA22127	COA10456	CONDUIT	1157.0	0.5272	0.0140
ESWMM201	COA9229	COA32823	CONDUIT	230.0	0.0261	0.0140
ESWMM203	COA32823	UPSINLET	CONDUIT	103.0	1.5730	0.0140
ESWMM200	COA9152	COA9229	CONDUIT	1665.0	0.0913	0.0140
ESWMM202	COA32823	MHB19A	CONDUIT	426.0	0.0211	0.0140
ESWMM500	COA24859	COA24997	CONDUIT	2116.0	0.1181	0.0140
ESWMM74	COA9129	MHB22410	CONDUIT	501.0	0.3633	0.0240
ESWMM74A	MHB22410	COA22410	CONDUIT	24.0	0.2500	0.0140
1F.C.SWMM1	COA32878.A	COA32878.B	CONDUIT	100.0	0.9200	0.0140
1F.CSWMM2	COA7963.11A	1F.C.INLET	CONDUIT	400.0	0.1675	0.0100
1F.C3	1F.C.INLET	WAREHOUSEPOND	CONDUIT	400.0	0.2500	0.0100
1F.C.4	WAREHOUSEPOND	1F.C.OUT	CONDUIT	400.0	0.2500	0.0100
1F.CSWMM5	1F.C.OUT	COA7716	CONDUIT	400.0	0.0300	0.0100
BROADWAYPUMPSTATION	BPSINLET	BPSOUTLET	TYPE4 PUMP			
ALCALDEPUMPSTATION	APSINLET	APSOUTLET	TYPE4 PUMP			
URBANPUMPSTATION	UPSINLET	COA9248	TYPE4 PUMP			
BARELASPUMPSTATION	COA10457	BaPSOUTLET	TYPE4 PUMP			
WEIRIRON14TH	IRON14TH	COA24902	WEIR			
WEIRBROADWAY	BLUWEIR	BLDWEIR	WEIR			

Cross Section Summary

Conduit	Shape	Full Depth	Full Area	Hyd. Rad.	Max. Width	No. of Barrels	Full Flow
ESWMM57	CIRCULAR	3.50	9.62	0.88	3.50	1	34.68
ESWMM35	CIRCULAR	3.00	7.07	0.75	3.00	1	38.75
ESWMM34	CIRCULAR	3.00	7.07	0.75	3.00	1	6.08
1F.D.SWMM1	CIRCULAR	4.00	12.57	1.00	4.00	1	50.45
1F.D.SWMM2	CIRCULAR	4.00	12.57	1.00	4.00	1	72.04
1F.D.SWMM3	CIRCULAR	4.00	12.57	1.00	4.00	1	100.36
1F.D.SWMM4	CIRCULAR	4.00	12.57	1.00	4.00	1	83.63
1F.D.SWMM5	CIRCULAR	4.00	12.57	1.00	4.00	1	84.80
ESWMM41	CIRCULAR	2.00	3.14	0.50	2.00	1	18.10
1F.D.SWMM6	CIRCULAR	4.00	12.57	1.00	4.00	1	1.67
1F.D.SWMM7	CIRCULAR	4.00	12.57	1.00	4.00	1	116.41
ESWMM42	CIRCULAR	4.00	12.57	1.00	4.00	1	246.80
ESWMM45	CIRCULAR	4.00	12.57	1.00	4.00	1	91.46
ESWMM33	CIRCULAR	3.00	7.07	0.75	3.00	1	23.69
ESWMM32	CIRCULAR	4.00	12.57	1.00	4.00	1	35.62
ESWMM31	CIRCULAR	4.00	12.57	1.00	4.00	1	42.80
ESWMM58	CIRCULAR	4.00	12.57	1.00	4.00	1	64.65
ESWMM59	CIRCULAR	4.50	15.90	1.13	4.50	1	62.80
ESWMM60	CIRCULAR	4.50	15.90	1.13	4.50	1	77.61

ESWMM91	CIRCULAR	3.00	7.07	0.75	3.00	1	12.43
ESWMM92	CIRCULAR	3.00	7.07	0.75	3.00	1	10.84
ESWMM1	CIRCULAR	2.00	3.14	0.50	2.00	1	9.22
ESWMM2	CIRCULAR	2.00	3.14	0.50	2.00	1	10.60
ESWMM3	CIRCULAR	2.00	3.14	0.50	2.00	1	6.00
ESWMM4	CIRCULAR	3.00	7.07	0.75	3.00	1	24.94
ESWMM5	CIRCULAR	4.00	12.57	1.00	4.00	1	87.91
ESWMM6	CIRCULAR	3.00	7.07	0.75	3.00	1	11.48
ESWMM93	CIRCULAR	3.00	7.07	0.75	3.00	1	30.05
ESWMM94	CIRCULAR	4.00	12.57	1.00	4.00	1	52.87
ESWMM96	CIRCULAR	4.00	12.57	1.00	4.00	1	38.84
ESWMM97	CIRCULAR	5.00	19.63	1.25	5.00	1	92.80
ESWMM98	CIRCULAR	5.00	19.63	1.25	5.00	1	79.77
ESWMM61	CIRCULAR	5.50	23.76	1.38	5.50	1	166.17
ESWMM62	CIRCULAR	5.50	23.76	1.38	5.50	1	180.03
ESWMM63	CIRCULAR	5.50	23.76	1.38	5.50	1	188.11
ESWMM64	CIRCULAR	6.00	28.27	1.50	6.00	1	137.86
ESWMM65	CIRCULAR	6.00	28.27	1.50	6.00	1	465.33
ESWMM66	CIRCULAR	6.00	28.27	1.50	6.00	1	239.94
ESWMM67	CIRCULAR	6.00	28.27	1.50	6.00	1	183.36
ESWMM68	CIRCULAR	6.00	28.27	1.50	6.00	1	200.99
ESWMM69	CIRCULAR	6.00	28.27	1.50	6.00	1	187.28
ESWMM30	CIRCULAR	4.00	12.57	1.00	4.00	1	44.46
ESWMM29	CIRCULAR	4.50	15.90	1.13	4.50	1	72.26
ESWMM28	CIRCULAR	4.50	15.90	1.13	4.50	1	73.30
ESWMM27	CIRCULAR	5.00	19.63	1.25	5.00	1	55.95
ESWMM26	CIRCULAR	5.00	19.63	1.25	5.00	1	553.49
ESWMM25	CIRCULAR	5.00	19.63	1.25	5.00	1	79.60
ESWMM24	CIRCULAR	5.50	23.76	1.38	5.50	1	113.83
ESWMM50	CIRCULAR	3.00	7.07	0.75	3.00	1	19.78
ESWMM51	CIRCULAR	4.00	12.57	1.00	4.00	1	183.38
ESWMM52	CIRCULAR	4.50	15.90	1.13	4.50	1	95.63
BLUPIPE	CIRCULAR	6.00	28.27	1.50	6.00	1	32.11
ESWMM46	CIRCULAR	4.00	12.57	1.00	4.00	2	278.76
ESWMM47	CIRCULAR	4.00	12.57	1.00	4.00	2	101.76
ESWMM48	CIRCULAR	4.00	12.57	1.00	4.00	1	103.54
ESWMM49	CIRCULAR	3.50	9.62	0.88	3.50	1	53.05
ESWMM54	CIRCULAR	6.00	28.27	1.50	6.00	1	173.71
ESWMM55	CIRCULAR	6.00	28.27	1.50	6.00	1	109.72
ESWMM56	CIRCULAR	6.00	28.27	1.50	6.00	1	112.98
ESWMM95	CIRCULAR	4.00	12.57	1.00	4.00	1	51.95
48SDTOBPS	CIRCULAR	4.00	12.57	1.00	4.00	1	42.18
ESWMM23	CIRCULAR	4.00	12.57	1.00	4.00	1	90.39
ESWMM22	CIRCULAR	5.50	23.76	1.38	5.50	1	103.08
ESWMM21	CIRCULAR	5.50	23.76	1.38	5.50	1	156.41
ESWMM20	CIRCULAR	6.00	28.27	1.50	6.00	1	141.07
ESWMM19	CIRCULAR	6.00	28.27	1.50	6.00	1	151.97
ESWMM18	CIRCULAR	6.00	28.27	1.50	6.00	1	153.91
ESWMM17	CIRCULAR	6.00	28.27	1.50	6.00	1	112.59
ESWMM16	CIRCULAR	6.00	28.27	1.50	6.00	1	249.24
ESWMM70	CIRCULAR	7.00	38.48	1.75	7.00	1	203.56
ESWMM15	CIRCULAR	6.00	28.27	1.50	6.00	1	117.82
ESWMM71	CIRCULAR	8.00	50.27	2.00	8.00	1	469.28
ESWMM72	CIRCULAR	8.00	50.27	2.00	8.00	1	454.12
ESWMM7	CIRCULAR	3.00	7.07	0.75	3.00	1	22.89
ESWMM12	CIRCULAR	6.00	28.27	1.50	6.00	1	64.79
ESWMM9	CIRCULAR	3.00	7.07	0.75	3.00	1	29.17
ESWMM99	CIRCULAR	5.00	19.63	1.25	5.00	1	98.20
ESWMM8	CIRCULAR	3.00	7.07	0.75	3.00	1	132.60
ESWMM10	CIRCULAR	4.00	12.57	1.00	4.00	1	61.26
ESWMM11	CIRCULAR	5.00	19.63	1.25	5.00	1	270.11
ESWMM90	CIRCULAR	3.50	9.62	0.88	3.50	1	54.35
ESWMM89	CIRCULAR	4.00	12.57	1.00	4.00	1	71.40
ESWMM88	CIRCULAR	4.50	15.90	1.13	4.50	1	116.75
ESWMM87	CIRCULAR	4.50	15.90	1.13	4.50	1	124.31
ESWMM86	CIRCULAR	4.50	15.90	1.13	4.50	1	135.71
ESWMM85	CIRCULAR	4.50	15.90	1.13	4.50	1	101.48
ESWMM84	CIRCULAR	5.00	19.63	1.25	5.00	1	374.29
ESWMM83	CIRCULAR	5.00	19.63	1.25	5.00	1	46.06
ESWMM82	CIRCULAR	5.00	19.63	1.25	5.00	1	23.37
ESWMM73	CIRCULAR	8.00	50.27	2.00	8.00	1	262.05
ESWMM76	CIRCULAR	8.00	50.27	2.00	8.00	1	328.77

ESWMM77	CIRCULAR	8.00	50.27	2.00	8.00	1	304.27
ESWMM78	CIRCULAR	8.00	50.27	2.00	8.00	1	264.43
ESWMM79	CIRCULAR	8.00	50.27	2.00	8.00	1	310.91
ESWMM80	CIRCULAR	8.00	50.27	2.00	8.00	1	315.82
ESWMM81	CIRCULAR	8.00	50.27	2.00	8.00	1	1254.27
ESWMM14	CIRCULAR	5.50	23.76	1.38	5.50	1	113.50
ESWMM13	CIRCULAR	5.50	23.76	1.38	5.50	1	107.96
ESWMM125	CIRCULAR	5.00	19.63	1.25	5.00	1	250.85
ESWMM71A	CIRCULAR	8.00	50.27	2.00	8.00	1	628.30
ESWMM126	CIRCULAR	8.00	50.27	2.00	8.00	1	53.56
ESWMM127	CIRCULAR	4.00	12.57	1.00	4.00	1	66.13
ESWMM128	CIRCULAR	4.00	12.57	1.00	4.00	1	241.70
ESWMM129	CIRCULAR	5.00	19.63	1.25	5.00	1	190.92
ESWMM132	CIRCULAR	4.50	15.90	1.13	4.50	1	181.08
60SDTOBPS	CIRCULAR	5.00	19.63	1.25	5.00	1	227.30
ESWMM134	CIRCULAR	4.50	15.90	1.13	4.50	1	99.03
ESWMM135	CIRCULAR	5.50	23.76	1.38	5.50	1	84.26
ESWMM53	CIRCULAR	6.00	28.27	1.50	6.00	1	231.79
ESWMM75	CIRCULAR	8.00	50.27	2.00	8.00	1	191.34
ESWMM204	CIRCULAR	2.50	4.91	0.63	2.50	1	14.47
ESWMM205	CIRCULAR	2.50	4.91	0.63	2.50	1	14.68
ESWMM137	CIRCULAR	2.25	3.98	0.56	2.25	1	20.88
ESWMM201	CIRCULAR	1.50	1.77	0.38	1.50	1	1.58
ESWMM203	CIRCULAR	3.50	9.62	0.88	3.50	1	117.17
ESWMM200	CIRCULAR	6.00	28.27	1.50	6.00	1	118.82
ESWMM202	CIRCULAR	6.50	33.18	1.63	6.50	1	70.76
ESWMM500	CIRCULAR	4.00	12.57	1.00	4.00	1	45.85
ESWMM74	CIRCULAR	8.00	50.27	2.00	8.00	1	297.77
ESWMM74A	RECT_CLOSED	8.00	54.96	1.85	6.87	1	439.25
1F.C.SWMM1	CIRCULAR	4.50	15.90	1.13	4.50	1	175.15
1F.CSWMM2	CIRCULAR	4.00	12.57	1.00	4.00	1	76.43
1F.C3	CIRCULAR	4.00	12.57	1.00	4.00	1	93.37
1F.C.4	CIRCULAR	4.00	12.57	1.00	4.00	1	93.37
1F.CSWMM5	CIRCULAR	4.00	12.57	1.00	4.00	1	32.34

Control Actions Taken

*****	Volume	Depth
Runoff Quantity Continuity	acre-feet	inches
*****	-----	-----
Total Precipitation	527.113	2.600
Evaporation Loss	0.000	0.000
Infiltration Loss	127.079	0.627
Surface Runoff	360.760	1.779
Final Surface Storage	39.276	0.194
Continuity Error (%)	-0.000	

*****	Volume	Volume
Flow Routing Continuity	acre-feet	10^6 gal
*****	-----	-----
Dry Weather Inflow	0.000	0.000
Wet Weather Inflow	360.760	117.559
Groundwater Inflow	0.000	0.000
RDII Inflow	0.000	0.000
External Inflow	6.751	2.200
External Outflow	352.838	114.978
Internal Outflow	0.000	0.000
Storage Losses	0.000	0.000
Initial Stored Volume	0.000	0.000
Final Stored Volume	0.114	0.037
Continuity Error (%)	3.961	

Highest Continuity Errors

Node COA7740 (5.05%)
 Node COA25352 (3.69%)
 Node COA24916 (2.40%)
 Node COA25349 (2.27%)
 Node COA9229 (-2.04%)

 Time-Step Critical Elements

 Link ESWMM74A (1.98%)

 Highest Flow Instability Indexes

 Link 60SDTOBPS (2)
 Link 48SDTOBPS (2)
 Link ESWMM129 (2)
 Link ESWMM48 (2)
 Link ESWMM49 (2)

 Routing Time Step Summary

 Minimum Time Step : 0.50 sec
 Average Time Step : 0.99 sec
 Maximum Time Step : 1.00 sec
 Percent in Steady State : 0.00
 Average Iterations per Step : 2.19

 Subcatchment Runoff Summary

Subcatchment	Total Precip in	Total Runon in	Total Evap in	Total Infil in	Total Runoff in	Total Runoff 10 ⁶ gal	Peak Runoff CFS	Runoff Coeff
A1	2.60	0.00	0.00	0.87	1.66	1.46	18.12	0.640
A10	2.60	0.00	0.00	0.87	1.65	2.25	24.64	0.635
A11	2.60	0.00	0.00	0.68	1.85	1.83	31.47	0.712
A12	2.60	0.00	0.00	1.01	1.51	4.41	31.40	0.581
A13	2.60	0.00	0.00	0.66	1.85	6.20	42.35	0.712
A15	2.60	0.00	0.00	0.62	1.90	2.39	34.15	0.731
A18	2.60	0.00	0.00	0.99	1.54	1.77	24.46	0.594
A2	2.60	0.00	0.00	1.15	0.00	0.00	0.00	0.000
A3	2.60	0.00	0.00	1.34	1.19	2.86	30.31	0.458
A4	2.60	0.00	0.00	1.03	1.52	0.51	13.38	0.584
A5	2.60	0.00	0.00	1.02	1.51	3.22	30.62	0.581
A6	2.60	0.00	0.00	1.24	1.30	1.67	20.90	0.500
A7	2.60	0.00	0.00	0.93	1.60	1.66	24.08	0.614
A8	2.60	0.00	0.00	0.79	1.73	1.04	23.40	0.665
A9	2.60	0.00	0.00	0.79	1.73	1.37	22.71	0.665
B1	2.60	0.00	0.00	0.62	1.90	2.06	29.88	0.729
B10	2.60	0.00	0.00	0.64	1.88	0.71	17.34	0.722
B11	2.60	0.00	0.00	1.43	1.15	0.39	11.10	0.443
B12	2.60	0.00	0.00	0.54	1.97	0.51	15.14	0.759
B13	2.60	0.00	0.00	0.71	1.81	0.98	19.53	0.694
B14	2.60	0.00	0.00	0.28	2.24	1.71	39.76	0.860
B15	2.60	0.00	0.00	0.18	2.32	2.63	36.32	0.892
B16	2.60	0.00	0.00	0.26	2.25	1.83	33.26	0.865
B17	2.60	0.00	0.00	0.20	0.00	0.00	0.00	0.000
B18	2.60	0.00	0.00	0.04	0.00	0.00	0.00	0.000
B20	2.60	0.00	0.00	0.26	2.24	1.03	29.73	0.863
B21	2.60	0.00	0.00	0.59	1.93	1.62	29.60	0.744
B22	2.60	0.00	0.00	0.56	1.97	1.79	29.56	0.757
B23	2.60	0.00	0.00	0.02	2.48	0.63	19.50	0.954
B24	2.60	0.00	0.00	0.24	0.00	0.00	0.00	0.000

B25	2.60	0.00	0.00	0.07	2.43	2.62	36.35	0.934
B26	2.60	0.00	0.00	0.60	0.00	0.00	0.00	0.000
B27	2.60	0.00	0.00	0.22	2.28	3.20	39.07	0.879
B28	2.60	0.00	0.00	0.59	1.92	3.38	31.67	0.738
B29	2.60	0.00	0.00	0.73	1.78	5.09	34.99	0.684
B3	2.60	0.00	0.00	0.64	1.90	0.26	10.25	0.731
B30	2.60	0.00	0.00	0.33	2.18	3.06	38.80	0.837
B31	2.60	0.00	0.00	0.27	2.23	2.64	34.75	0.858
B32	2.60	0.00	0.00	0.52	1.99	2.16	33.49	0.765
B33	2.60	0.00	0.00	0.62	1.90	2.63	29.54	0.730
B34	2.60	0.00	0.00	0.45	2.06	2.99	40.56	0.793
B35	2.60	0.00	0.00	0.33	2.18	1.90	41.36	0.839
B36	2.60	0.00	0.00	0.41	2.10	1.45	34.23	0.809
B4	2.60	0.00	0.00	0.95	1.58	0.26	8.48	0.607
B40	2.60	0.00	0.00	0.29	2.22	2.20	54.14	0.854
B41	2.60	0.00	0.00	0.10	1.15	0.77	11.31	0.442
B5	2.60	0.00	0.00	0.64	1.88	3.34	31.12	0.722
B6	2.60	0.00	0.00	0.62	1.90	0.36	10.61	0.729
B7	2.60	0.00	0.00	0.78	1.74	0.54	18.58	0.669
B8	2.60	0.00	0.00	0.65	1.87	1.20	22.18	0.720
BR1	2.60	0.00	0.00	0.38	2.15	1.69	70.88	0.827
BR10	2.60	0.00	0.00	1.08	1.49	1.47	42.40	0.572
BR11	2.60	0.00	0.00	0.53	2.00	0.53	31.84	0.769
BR12	2.60	0.00	0.00	1.40	1.19	0.72	5.47	0.457
BR13	2.60	0.00	0.00	0.46	2.06	1.63	55.48	0.794
BR14	2.60	0.00	0.00	0.19	2.31	1.24	37.01	0.889
BR16	2.60	0.00	0.00	1.45	1.14	0.80	4.82	0.437
BR17	2.60	0.00	0.00	0.65	1.89	2.52	60.64	0.726
BR18	2.60	0.00	0.00	0.39	2.14	1.92	57.19	0.822
BR19	2.60	0.00	0.00	0.40	2.12	1.51	42.71	0.815
BR2	2.60	0.00	0.00	0.89	1.64	0.25	13.33	0.630
BR20	2.60	0.00	0.00	0.18	2.33	1.53	33.72	0.895
BR21	2.60	0.00	0.00	0.26	2.26	1.46	64.21	0.868
BR3	2.60	0.00	0.00	0.53	2.00	2.02	55.96	0.7
BR4	2.60	0.00	0.00	0.35	2.17	2.33	78.00	0.8
BR5	2.60	0.00	0.00	0.47	2.07	0.60	32.53	0.797
BR6	2.60	0.00	0.00	0.32	2.19	1.70	42.89	0.841
BR9	2.60	0.00	0.00	0.26	2.25	3.37	45.33	0.864
B19.1	2.60	0.00	0.00	0.24	2.27	0.94	52.47	0.874
B19.2	2.60	0.00	0.00	0.24	2.27	0.74	44.71	0.874

Node Depth Summary

Node	Type	Average Depth Feet	Maximum Depth Feet	Maximum HGL Feet	Time of Max Occurrence days hr:min
COA6149	JUNCTION	0.11	2.66	4959.17	0 02:04
COA6231	JUNCTION	0.20	3.89	4958.95	0 02:04
COA6045	JUNCTION	0.40	7.91	4965.42	0 02:15
COA15184	JUNCTION	0.75	10.60	4964.79	0 03:30
COA6218	JUNCTION	0.64	9.81	4963.47	0 04:47
COA6195	JUNCTION	0.13	6.74	4969.71	0 01:32
COA6246	JUNCTION	0.41	7.85	4969.91	0 01:32
COA29163	JUNCTION	0.26	8.38	4970.39	0 01:32
COA7635	JUNCTION	0.16	8.15	4965.49	0 01:56
COA7650	JUNCTION	0.23	8.44	4963.37	0 02:03
COA7656	JUNCTION	0.34	9.46	4962.63	0 01:37
COA7628	JUNCTION	0.13	11.03	4971.47	0 01:36
COA29132	JUNCTION	0.75	14.23	4974.26	0 01:29
COA33027	JUNCTION	0.08	2.83	4959.98	0 02:28
COA33007	JUNCTION	0.01	1.21	4996.08	0 00:16
COA7717	JUNCTION	0.23	9.19	4958.73	0 01:27
COA19719	JUNCTION	1.32	10.78	4963.08	0 02:33
COA7654	JUNCTION	0.66	9.22	4960.89	0 04:10
COA7714	JUNCTION	0.66	8.63	4958.77	0 03:11
COA6259	JUNCTION	0.21	4.87	4958.59	0 02:16
COA7638	JUNCTION	0.79	5.49	4958.11	0 02:16

COA25807	JUNCTION	0.18	4.40	4957.58	0	02:16
COA25349	JUNCTION	0.44	11.09	4956.35	0	02:06
COA25656	JUNCTION	0.55	10.48	4959.34	0	02:29
COA25677	JUNCTION	0.66	10.97	4959.56	0	02:10
COA25622	JUNCTION	0.39	9.59	4957.83	0	01:55
COA7444	JUNCTION	1.04	8.17	4961.04	0	04:59
COA7476	JUNCTION	1.12	8.69	4959.01	0	09:08
COA7518	JUNCTION	1.28	9.56	4957.50	0	05:08
COA24834	JUNCTION	0.69	7.15	4951.67	0	03:04
COA8985	JUNCTION	0.42	11.38	4952.14	0	01:37
COA24859	JUNCTION	0.54	6.42	4945.06	0	01:57
COA9015	JUNCTION	0.02	1.35	4944.26	0	02:03
COA25105	JUNCTION	0.37	10.21	4956.52	0	01:49
COA25117	JUNCTION	0.44	11.29	4956.55	0	01:47
COA25048	JUNCTION	0.37	11.36	4956.28	0	01:51
COA25034	JUNCTION	0.43	10.70	4954.52	0	01:51
COA9045	JUNCTION	0.49	8.65	4950.26	0	01:47
COA25352	JUNCTION	0.45	11.32	4956.38	0	02:05
COA7815	JUNCTION	0.67	13.41	4956.89	0	02:05
COA25253	JUNCTION	0.86	12.95	4954.61	0	01:56
COA7977	JUNCTION	0.55	13.08	4955.02	0	02:04
COA25238	JUNCTION	0.84	13.47	4954.67	0	02:12
COA25240	JUNCTION	0.85	13.69	4954.84	0	02:04
COA22584	JUNCTION	0.60	14.49	4954.67	0	02:09
COA9260	JUNCTION	0.75	14.78	4952.80	0	01:51
COA7740	JUNCTION	0.62	8.35	4958.04	0	02:26
COA7830	JUNCTION	0.73	12.01	4956.88	0	01:56
COA7865	JUNCTION	0.70	10.47	4956.81	0	02:03
COA7908	JUNCTION	0.85	10.01	4956.16	0	02:03
COA7912	JUNCTION	0.31	10.68	4956.29	0	01:57
COA7955	JUNCTION	1.65	12.02	4955.51	0	02:02
COA22517	JUNCTION	0.35	11.01	4954.60	0	02:03
COA7716	JUNCTION	0.35	9.24	4958.12	0	01:27
COA7766JB	JUNCTION	0.65	12.39	4956.34	0	02:27
COA7769JB	JUNCTION	0.46	12.41	4956.93	0	01:24
COA32865	JUNCTION	0.40	11.62	4957.11	0	01:28
COA32878	JUNCTION	0.92	10.96	4957.56	0	02:03
COA7848	JUNCTION	0.23	9.01	4956.68	0	02:15
COA7861	JUNCTION	0.34	29.71	4977.47	0	01:26
COA7870	JUNCTION	0.17	65.03	5022.78	0	01:26
COA29178	JUNCTION	4.86	67.87	5024.65	0	01:26
COA7816	JUNCTION	0.64	13.18	4957.37	0	01:55
COA25109	JUNCTION	0.37	10.67	4956.54	0	01:47
BPSINLET	JUNCTION	0.77	17.30	4956.19	0	01:27
COA9310	JUNCTION	0.27	11.55	4953.95	0	01:52
COA9348	JUNCTION	0.42	11.79	4951.42	0	02:02
COA9344	JUNCTION	3.43	15.71	4951.54	0	02:01
COA9340	JUNCTION	2.81	16.65	4952.29	0	01:53
COA22250	JUNCTION	0.42	13.58	4951.14	0	01:51
COA22429	JUNCTION	0.37	13.07	4950.33	0	01:52
COA13866	JUNCTION	0.65	12.09	4947.45	0	02:02
COA24930	JUNCTION	0.39	11.05	4948.22	0	01:49
COA24916	JUNCTION	0.27	10.36	4948.61	0	01:50
COA9248	JUNCTION	0.11	10.08	4957.73	0	01:58
COA32981	JUNCTION	0.71	9.42	4940.81	0	02:09
COA9121	JUNCTION	0.76	9.35	4940.51	0	02:09
COA24902	JUNCTION	1.35	5.27	4944.34	0	02:03
COA24902A	JUNCTION	0.53	3.02	4942.75	0	02:04
COA9069	JUNCTION	0.11	2.01	4942.86	0	01:58
COA24997	JUNCTION	0.53	6.34	4942.48	0	01:58
COA9083	JUNCTION	0.65	5.24	4940.57	0	02:05
UPSINLET	JUNCTION	0.22	5.19	4936.66	0	02:26
COA9407	JUNCTION	0.05	1.30	4945.70	0	01:30
COA9426	JUNCTION	0.07	2.03	4945.06	0	01:31
COA22194	JUNCTION	0.06	1.77	4943.77	0	01:31
COA22191	JUNCTION	0.06	1.81	4942.60	0	01:32
COA9431	JUNCTION	0.19	2.24	4941.51	0	01:33
COA22176	JUNCTION	0.08	2.29	4940.74	0	01:34
COA22168	JUNCTION	0.04	1.13	4937.69	0	01:35
COA22174	JUNCTION	0.50	8.10	4936.59	0	01:50
COA22155	JUNCTION	0.57	8.11	4936.46	0	01:53
COA9141	JUNCTION	0.67	7.73	4935.94	0	01:54

COA22410	JUNCTION	0.78	8.27	4936.63	0	01:57
COA9129	JUNCTION	0.73	9.08	4939.32	0	02:09
COA9143	JUNCTION	0.67	7.40	4934.68	0	01:53
COA22144	JUNCTION	0.64	6.20	4930.99	0	01:54
COA22145	JUNCTION	0.71	7.03	4932.88	0	01:54
COA22143	JUNCTION	0.66	5.45	4929.44	0	01:54
COA10456	JUNCTION	0.38	2.91	4925.67	0	01:55
COA10457	JUNCTION	0.25	4.56	4911.69	0	01:55
COA7963.05A	JUNCTION	0.04	1.63	4973.61	0	00:13
COA7963.05M	JUNCTION	0.29	7.27	4959.96	0	02:31
COA7963.11A	JUNCTION	0.44	9.48	4961.15	0	01:30
COA7963.T	JUNCTION	0.62	8.99	4941.20	0	02:09
COA32878.A	JUNCTION	0.32	10.12	4957.31	0	02:06
COA32878.B	JUNCTION	0.38	10.72	4956.99	0	02:10
APSINLET	JUNCTION	0.20	7.29	4936.95	0	02:05
IRON14TH	JUNCTION	0.14	6.70	4945.77	0	02:03
BLDWEIR	JUNCTION	1.30	10.18	4956.78	0	02:12
BLUWEIR	JUNCTION	0.92	11.51	4958.11	0	01:46
COA22169	JUNCTION	0.44	7.48	4946.83	0	02:58
COA22127	JUNCTION	0.34	7.73	4945.59	0	02:12
COA32823	JUNCTION	0.08	3.57	4936.66	0	02:26
COA9453	JUNCTION	0.49	7.51	4946.58	0	03:21
MHB22410	JUNCTION	0.78	9.01	4937.43	0	02:02
COA9152	JUNCTION	5.09	10.89	4940.56	0	02:02
COA9229	JUNCTION	20.04	27.35	4940.50	0	02:05
MHB19A	JUNCTION	0.17	3.66	4936.66	0	02:25
1F.C.INLET	JUNCTION	0.41	9.42	4960.42	0	01:48
1F.C.OUT	JUNCTION	0.52	9.41	4958.41	0	01:27
APSOUTLET	OUTFALL	0.00	0.00	4960.84	0	00:00
BPSOUTLET	OUTFALL	0.00	0.00	5106.00	0	00:00
BaPSOUTLET	OUTFALL	0.00	0.00	4941.69	0	00:00
AIRQUALITYPOND	STORAGE	0.35	7.66	4959.92	0	02:31
TINGLEYPARKSURGEPOND	STORAGE	0.61	8.94	4941.15	0	02:49
WAREHOUSEPOND	STORAGE	0.42	7.70	4957.70	0	02:50

Node Inflow Summary

Node	Type	Maximum Lateral Inflow CFS	Maximum Total Inflow CFS	Time of Max Occurrence days hr:min	Lateral Inflow Volume 10^6 gal	Total Inflow Volume 10^6 gal
COA6149	JUNCTION	11.31	11.31	0 02:03	0.774	0.777
COA6231	JUNCTION	29.54	39.77	0 02:05	2.632	3.410
COA6045	JUNCTION	34.23	41.20	0 01:27	1.448	1.654
COA15184	JUNCTION	40.56	58.89	0 01:48	2.986	4.649
COA6218	JUNCTION	0.00	63.52	0 07:50	0.000	4.482
COA6195	JUNCTION	57.18	57.18	0 01:30	1.922	1.922
COA6246	JUNCTION	0.00	60.98	0 01:33	0.000	1.935
COA29163	JUNCTION	0.00	78.60	0 01:32	0.000	1.952
COA7635	JUNCTION	37.01	96.19	0 01:33	1.242	3.193
COA7650	JUNCTION	0.00	90.99	0 02:16	0.000	3.192
COA7656	JUNCTION	55.47	189.01	0 01:36	1.634	8.494
COA7628	JUNCTION	0.00	62.57	0 01:35	0.000	3.302
COA29132	JUNCTION	63.83	63.83	0 01:30	3.317	3.317
COA33027	JUNCTION	34.73	51.79	0 01:30	1.248	2.508
COA33007	JUNCTION	43.49	43.49	0 00:15	0.809	0.809
COA7717	JUNCTION	45.33	60.36	0 01:27	3.367	3.368
COA19719	JUNCTION	95.40	116.44	0 01:33	4.099	8.525
COA7654	JUNCTION	34.75	98.96	0 01:29	2.641	11.091
COA7714	JUNCTION	38.80	100.40	0 01:32	3.059	14.100
COA6259	JUNCTION	0.00	40.25	0 02:05	0.000	3.405
COA7638	JUNCTION	33.49	69.60	0 02:05	2.159	5.565
COA25807	JUNCTION	0.00	69.59	0 02:05	0.000	5.560
COA25349	JUNCTION	34.99	228.47	0 01:53	5.088	10.695
COA25656	JUNCTION	31.40	31.40	0 02:03	4.407	4.407
COA25677	JUNCTION	0.00	53.97	0 02:51	0.000	4.407
COA25622	JUNCTION	22.71	48.80	0 01:45	1.367	5.720

COA7444	JUNCTION	36.85	36.85	0	01:48	2.893	2.973
COA7476	JUNCTION	24.46	32.58	0	01:42	1.767	4.707
COA7518	JUNCTION	31.47	38.99	0	01:39	1.826	6.455
COA24834	JUNCTION	42.35	53.02	0	02:03	6.199	12.563
COA8985	JUNCTION	20.90	61.40	0	01:37	1.667	14.229
COA24859	JUNCTION	13.38	74.78	0	01:38	0.512	14.677
COA9015	JUNCTION	0.00	10.76	0	01:58	0.000	0.237
COA25105	JUNCTION	23.40	70.39	0	01:40	1.036	6.702
COA25117	JUNCTION	0.00	77.90	0	01:56	0.000	6.551
COA25048	JUNCTION	24.64	94.61	0	01:44	2.246	8.774
COA25034	JUNCTION	24.07	120.98	0	01:38	1.659	10.364
COA9045	JUNCTION	30.62	131.15	0	01:38	3.221	13.569
COA25352	JUNCTION	0.00	434.77	0	02:06	0.000	10.501
COA7815	JUNCTION	0.00	318.54	0	02:19	0.000	29.315
COA25253	JUNCTION	0.00	195.72	0	01:42	0.000	28.924
COA7977	JUNCTION	0.00	186.13	0	02:13	0.000	28.941
COA25238	JUNCTION	0.00	184.68	0	02:13	0.000	29.005
COA25240	JUNCTION	0.00	184.53	0	02:25	0.000	29.053
COA22584	JUNCTION	0.00	187.39	0	02:25	0.000	29.054
COA9260	JUNCTION	47.72	225.90	0	01:56	2.416	31.357
COA7740	JUNCTION	39.07	118.82	0	01:30	3.196	17.365
COA7830	JUNCTION	0.00	209.66	0	01:32	0.000	21.294
COA7865	JUNCTION	36.35	138.04	0	01:52	2.616	7.643
COA7908	JUNCTION	0.00	212.87	0	01:49	0.000	7.567
COA7912	JUNCTION	0.00	220.41	0	02:05	0.000	7.480
COA7955	JUNCTION	0.00	128.06	0	02:11	0.000	7.416
COA22517	JUNCTION	29.73	145.26	0	01:56	1.033	10.023
COA7716	JUNCTION	0.00	104.62	0	01:28	0.000	17.108
COA7766JB	JUNCTION	42.89	106.72	0	02:56	1.700	18.283
COA7769JB	JUNCTION	0.00	131.51	0	01:27	0.000	11.614
COA32865	JUNCTION	55.95	55.95	0	01:30	2.024	2.025
COA32878	JUNCTION	42.70	255.77	0	01:30	1.509	7.350
COA7848	JUNCTION	33.72	140.62	0	01:26	1.525	4.844
COA7861	JUNCTION	0.00	213.05	0	01:30	0.000	5.752
COA7870	JUNCTION	142.19	213.06	0	01:30	4.063	5.750
COA29178	JUNCTION	70.87	70.87	0	01:30	1.688	1.688
COA7816	JUNCTION	31.67	221.23	0	02:18	3.382	19.415
COA25109	JUNCTION	0.00	97.28	0	01:49	0.000	6.613
BPSINLET	JUNCTION	0.00	136.79	0	01:24	0.000	24.041
COA9310	JUNCTION	0.00	137.41	0	01:51	0.000	9.892
COA9348	JUNCTION	33.26	161.93	0	02:03	1.828	11.609
COA9344	JUNCTION	36.32	218.95	0	02:02	2.630	14.157
COA9340	JUNCTION	0.00	222.19	0	02:02	0.000	13.969
COA22250	JUNCTION	0.00	184.17	0	02:07	0.000	13.744
COA22429	JUNCTION	39.76	206.38	0	01:47	1.715	15.310
COA13866	JUNCTION	19.53	470.87	0	01:52	0.982	50.432
COA24930	JUNCTION	29.60	78.53	0	01:48	1.623	3.194
COA24916	JUNCTION	18.12	73.72	0	02:02	1.463	1.752
COA9248	JUNCTION	44.71	48.71	0	01:30	0.742	1.699
COA32981	JUNCTION	0.00	280.28	0	03:15	0.000	50.652
COA9121	JUNCTION	0.00	280.28	0	03:15	0.000	50.652
COA24902	JUNCTION	0.00	125.22	0	02:03	0.000	13.656
COA24902A	JUNCTION	0.00	125.08	0	02:04	0.000	14.171
COA9069	JUNCTION	30.31	38.24	0	01:59	2.864	3.119
COA24997	JUNCTION	0.00	74.46	0	01:57	0.000	17.039
COA9083	JUNCTION	0.00	194.55	0	02:04	0.000	31.188
UPSINLET	JUNCTION	0.00	10.76	0	02:26	0.000	0.957
COA9407	JUNCTION	15.13	15.13	0	01:30	0.509	0.509
COA9426	JUNCTION	18.58	32.99	0	01:30	0.545	1.054
COA22194	JUNCTION	0.00	32.74	0	01:31	0.000	1.048
COA22191	JUNCTION	0.00	32.66	0	01:32	0.000	1.052
COA9431	JUNCTION	10.61	42.42	0	01:32	0.363	1.414
COA22176	JUNCTION	0.00	42.16	0	01:33	0.000	1.414
COA22168	JUNCTION	0.00	41.97	0	01:34	0.000	1.414
COA22174	JUNCTION	8.48	48.27	0	01:34	0.256	1.671
COA22155	JUNCTION	17.34	66.28	0	01:35	0.708	2.378
COA9141	JUNCTION	10.25	323.85	0	01:48	0.262	54.491
COA22410	JUNCTION	0.00	285.22	0	02:51	0.000	51.851
COA9129	JUNCTION	0.00	280.29	0	03:15	0.000	50.653
COA9143	JUNCTION	0.00	316.59	0	01:53	0.000	54.491
COA22144	JUNCTION	0.00	316.03	0	01:54	0.000	54.492
COA22145	JUNCTION	0.00	316.17	0	01:53	0.000	54.492

COA22143	JUNCTION	0.00	315.97	0	01:54	0.000	54.491
COA10456	JUNCTION	0.00	345.29	0	01:55	0.000	59.806
COA10457	JUNCTION	0.00	345.30	0	01:55	0.000	59.824
COA7963.05A	JUNCTION	48.69	48.69	0	00:12	1.226	1.226
COA7963.05M	JUNCTION	42.40	74.23	0	01:30	1.472	2.707
COA7963.11A	JUNCTION	0.00	156.20	0	01:30	0.000	13.500
COA7963.T	JUNCTION	0.00	384.36	0	02:02	0.000	51.324
COA32878.A	JUNCTION	13.33	98.46	0	01:32	0.252	4.275
COA32878.B	JUNCTION	0.00	91.55	0	01:24	0.000	4.220
APSINLET	JUNCTION	0.00	194.23	0	02:05	0.000	31.187
IRON14TH	JUNCTION	0.00	45.60	0	01:50	0.000	0.201
BLDWEIR	JUNCTION	0.00	112.66	0	01:27	0.000	3.322
BLUWEIR	JUNCTION	0.00	112.64	0	01:27	0.000	3.337
COA22169	JUNCTION	31.12	31.12	0	01:57	3.340	3.340
COA22127	JUNCTION	29.88	48.79	0	01:29	2.064	5.378
COA32823	JUNCTION	0.00	13.06	0	01:48	0.000	0.988
COA9453	JUNCTION	0.00	37.57	0	03:09	0.000	3.339
MHB22410	JUNCTION	22.18	285.22	0	02:51	1.198	51.851
COA9152	JUNCTION	52.46	52.46	0	01:30	0.944	0.944
COA9229	JUNCTION	0.00	47.12	0	01:30	0.000	0.938
MHB19A	JUNCTION	0.00	2.23	0	01:35	0.000	0.032
1F.C.INLET	JUNCTION	0.00	94.43	0	01:46	0.000	12.697
1F.C.OUT	JUNCTION	0.00	86.23	0	01:27	0.000	14.412
APSOUTLET	OUTFALL	0.00	194.23	0	02:05	0.000	31.187
BPSOUTLET	OUTFALL	0.00	130.00	0	01:24	0.000	24.041
BaPSOUTLET	OUTFALL	0.00	345.29	0	01:55	0.000	59.740
AIRQUALITYPOND	STORAGE	0.00	176.08	0	01:30	0.000	5.626
TINGLEYPARKSURGEPOND	STORAGE	11.10	126.18	0	02:02	0.388	1.061
WAREHOUSEPOND	STORAGE	0.00	151.54	0	01:36	0.000	13.543

Node Surcharge Summary

Surcharging occurs when water rises above the top of the highest conduit.

Node	Type	Hours Surcharged	Max. Height Above Crown Feet	Min. Depth Below Rim Feet
COA6045	JUNCTION	5.43	4.913	0.000
COA15184	JUNCTION	6.29	7.423	0.000
COA6218	JUNCTION	6.43	6.338	0.000
COA6195	JUNCTION	0.55	2.741	0.000
COA6246	JUNCTION	0.65	3.551	0.000
COA29163	JUNCTION	0.65	4.210	0.000
COA7635	JUNCTION	0.97	4.152	0.000
COA7650	JUNCTION	1.81	4.436	0.000
COA7656	JUNCTION	2.33	4.522	0.000
COA7628	JUNCTION	0.14	7.020	0.000
COA29132	JUNCTION	0.50	9.810	0.000
COA7717	JUNCTION	2.75	5.191	0.000
COA19719	JUNCTION	6.39	6.127	0.000
COA7654	JUNCTION	6.41	5.221	0.000
COA7714	JUNCTION	6.87	4.597	0.000
COA6259	JUNCTION	0.29	0.231	5.489
COA7638	JUNCTION	0.50	0.987	2.613
COA25349	JUNCTION	2.15	5.590	0.000
COA25656	JUNCTION	2.31	7.480	0.000
COA25677	JUNCTION	1.95	7.902	0.000
COA25622	JUNCTION	1.64	6.454	0.000
COA7444	JUNCTION	15.02	6.087	0.000
COA7476	JUNCTION	16.12	6.683	0.000
COA7518	JUNCTION	16.05	7.459	0.000
COA24834	JUNCTION	3.58	3.201	0.000
COA8985	JUNCTION	1.44	6.950	0.000
COA25105	JUNCTION	1.25	6.207	0.000
COA25117	JUNCTION	1.28	7.273	0.000
COA25048	JUNCTION	0.91	6.360	0.000
COA25034	JUNCTION	0.96	5.702	0.000
COA9045	JUNCTION	0.49	3.590	0.000

COA25352	JUNCTION	2.31	5.818	0.000
COA7815	JUNCTION	2.68	7.305	0.000
COA25253	JUNCTION	2.63	6.953	0.000
COA7977	JUNCTION	2.13	7.080	0.000
COA25238	JUNCTION	2.32	7.240	0.000
COA25240	JUNCTION	1.76	7.379	0.181
COA22584	JUNCTION	2.52	8.491	0.000
COA9260	JUNCTION	2.38	7.781	0.000
COA7740	JUNCTION	5.50	3.848	0.000
COA7830	JUNCTION	1.04	4.299	0.000
COA7865	JUNCTION	1.38	4.990	0.000
COA7908	JUNCTION	1.56	5.011	0.000
COA7912	JUNCTION	1.24	4.464	0.000
COA7955	JUNCTION	1.37	5.130	0.000
COA22517	JUNCTION	1.76	5.509	0.000
COA7716	JUNCTION	3.30	5.057	0.000
COA7766JB	JUNCTION	5.67	7.681	0.000
COA7769JB	JUNCTION	5.26	7.413	0.000
COA32865	JUNCTION	5.54	8.104	0.000
COA32878	JUNCTION	1.73	4.936	0.000
COA7848	JUNCTION	1.26	3.015	0.000
COA7861	JUNCTION	2.00	25.213	0.000
COA7870	JUNCTION	0.57	58.280	0.000
COA29178	JUNCTION	0.76	60.596	0.000
COA7816	JUNCTION	2.62	7.176	0.000
COA25109	JUNCTION	1.31	6.673	0.000
BPSINLET	JUNCTION	5.48	7.196	3.704
COA9310	JUNCTION	1.66	6.052	0.000
COA9348	JUNCTION	2.33	5.755	0.000
COA9344	JUNCTION	2.52	6.354	0.000
COA9340	JUNCTION	2.72	7.982	0.000
COA22250	JUNCTION	2.85	7.581	0.000
COA22429	JUNCTION	2.75	7.073	0.000
COA13866	JUNCTION	2.48	4.089	0.000
COA24930	JUNCTION	2.31	5.052	0.000
COA24916	JUNCTION	1.59	4.832	0.000
COA9248	JUNCTION	0.23	6.079	0.000
COA32981	JUNCTION	2.96	1.416	8.444
COA9121	JUNCTION	2.95	1.348	8.152
UPSINLET	JUNCTION	1.89	1.694	13.376
COA22174	JUNCTION	3.69	3.104	8.476
COA22155	JUNCTION	3.74	3.106	8.784
COA22410	JUNCTION	0.49	0.275	10.475
COA9129	JUNCTION	2.93	1.082	6.928
COA7963.05M	JUNCTION	2.63	2.268	3.042
COA7963.11A	JUNCTION	4.14	5.481	0.000
COA7963.T	JUNCTION	2.92	0.987	0.263
COA32878.A	JUNCTION	2.52	5.624	0.000
COA32878.B	JUNCTION	4.24	6.221	0.000
BLDWEIR	JUNCTION	1.55	4.185	0.000
BLUWEIR	JUNCTION	1.78	5.507	0.000
COA22169	JUNCTION	4.07	4.981	0.000
COA22127	JUNCTION	3.02	5.226	0.000
COA9453	JUNCTION	4.04	4.928	0.000
MHB22410	JUNCTION	2.95	1.010	9.740
COA9229	JUNCTION	0.89	1.353	0.000
1F.C.INLET	JUNCTION	4.16	5.421	0.000
1F.C.OUT	JUNCTION	4.67	5.414	0.000
AIRQUALITYPOND	STORAGE	2.99	2.661	4.739
TINGLEYPARKSURGE POND	STORAGE	2.93	0.939	7.511
WAREHOUSEPOND	STORAGE	4.54	3.703	2.297

Node Flooding Summary

Flooding refers to all water that overflows a node, whether it ponds or not.

Hours	Maximum Rate	Time of Max Occurrence	Total Flood Volume	Maximum Ponded Depth
-------	-----------------	---------------------------	--------------------------	----------------------------

Node	Flooded	CFS	days hr:min	10^6 gal	Feet
COA6045	5.15	40.97	0 01:27	0.421	7.91
COA15184	6.09	33.79	0 01:47	1.094	10.60
COA6218	6.32	39.93	0 07:43	0.809	9.81
COA6195	0.17	8.49	0 01:32	0.007	6.74
COA6246	0.01	17.22	0 01:32	0.001	7.85
COA29163	0.01	22.82	0 01:32	0.000	8.38
COA7635	0.95	41.77	0 01:33	0.189	8.15
COA7650	1.05	45.13	0 02:16	0.098	8.44
COA7656	1.05	54.47	0 01:30	0.176	9.46
COA7717	0.01	32.51	0 01:27	0.001	9.19
COA19719	6.37	77.13	0 01:33	1.153	10.78
COA7654	6.41	58.14	0 01:29	1.093	9.22
COA7714	6.00	66.30	0 01:47	1.738	8.63
COA25349	0.57	225.87	0 01:53	0.285	11.09
COA25656	1.91	22.72	0 02:01	0.253	10.48
COA25677	0.77	36.12	0 02:09	0.059	10.97
COA25622	0.82	24.28	0 02:32	0.062	9.59
COA7444	14.66	28.75	0 01:48	1.056	8.17
COA7476	16.11	25.06	0 01:42	1.151	8.69
COA7518	15.18	28.52	0 01:39	0.918	9.56
COA24834	3.58	18.87	0 02:02	0.416	7.15
COA25105	0.34	37.16	0 01:52	0.037	10.21
COA25117	0.11	42.76	0 01:47	0.013	11.29
COA25048	0.10	37.02	0 01:55	0.020	11.36
COA25034	0.17	37.70	0 01:39	0.032	10.70
COA9045	0.01	12.87	0 01:47	0.001	8.65
COA25352	0.27	168.13	0 02:28	0.109	11.32
COA7815	0.35	158.58	0 02:27	0.168	13.41
COA25253	0.07	32.60	0 02:12	0.013	12.95
COA25238	0.01	16.34	0 02:04	0.001	13.47
COA22584	0.02	53.27	0 02:12	0.006	14.49
COA9260	0.07	58.48	0 01:51	0.018	14.78
COA7740	2.51	36.31	0 01:32	0.302	8.35
COA7830	0.63	111.57	0 02:03	0.213	12.01
COA7865	0.44	128.52	0 02:03	0.101	10.47
COA7908	0.23	189.49	0 02:04	0.060	10.01
COA7912	0.07	59.59	0 01:57	0.019	10.68
COA7955	0.40	60.95	0 02:09	0.099	12.02
COA22517	0.55	64.22	0 01:48	0.123	11.01
COA7716	0.01	42.01	0 01:27	0.002	9.24
COA7766JB	0.43	9.41	0 01:27	0.020	12.39
COA32865	0.03	16.61	0 01:25	0.002	11.62
COA32878	1.40	75.18	0 01:30	0.371	10.96
COA7848	0.80	60.71	0 01:58	0.218	9.01
COA7816	0.71	174.41	0 02:18	0.246	13.18
COA25109	0.20	54.26	0 01:50	0.025	10.67
COA9310	0.18	62.50	0 01:51	0.036	11.55
COA9348	0.16	58.86	0 01:57	0.045	11.79
COA9344	0.07	89.50	0 01:59	0.021	15.71
COA9340	0.03	71.90	0 01:53	0.013	16.65
COA22250	0.04	72.07	0 02:29	0.013	13.58
COA22429	0.07	145.03	0 01:52	0.026	13.07
COA13866	0.04	127.71	0 01:52	0.019	12.09
COA24930	0.17	57.88	0 01:49	0.043	11.05
COA24916	0.06	49.78	0 01:50	0.015	10.36
COA9248	0.14	17.88	0 01:58	0.012	10.08
COA7963.11A	0.03	26.86	0 01:29	0.001	9.48
COA32878.A	1.38	39.03	0 01:32	0.287	10.12
COA32878.B	1.23	39.81	0 01:25	0.193	10.72
COA22169	4.04	23.15	0 01:53	0.646	7.48
COA22127	1.96	22.79	0 01:29	0.129	7.73
COA9453	0.15	21.44	0 03:20	0.008	7.51
COA9229	0.59	10.82	0 01:51	0.029	27.35
1F.C.INLET	0.01	13.21	0 01:48	0.001	9.42
1F.C.OUT	0.01	82.23	0 01:27	0.003	9.41

Storage Volume Summary

Storage Unit	Average Volume 1000 ft3	Avg Pcnt Full	E&I Pcnt Loss	Maximum Volume 1000 ft3	Max Pcnt Full	Time of Max Occurrence days hr:min	Maximum Outflow CFS
AIRQUALITYPOND	9.642	1	0	352.754	51	0 02:31	48.97
TINGLEYPARKSURGEPOND	1.631	0	0	94.712	4	0 02:49	30.77
WAREHOUSEPOND	14.047	2	0	471.180	67	0 02:50	84.83

Outfall Loading Summary

Outfall Node	Flow Freq. Pcnt.	Avg. Flow CFS	Max. Flow CFS	Total Volume 10^6 gal
APSOUTLET	99.30	8.81	194.23	31.187
BPSOUTLET	99.86	6.89	130.00	24.041
BaPSOUTLET	98.56	17.53	345.29	59.740
System	99.24	33.23	668.89	114.969

Link Flow Summary

Link	Type	Maximum Flow CFS	Time of Max Occurrence days hr:min	Maximum Veloc ft/sec	Max/ Full Flow	Max/ Full Depth
ESWMM57	CONDUIT	11.78	0 02:06	1.97	0.34	0.87
ESWMM35	CONDUIT	24.43	0 07:53	4.35	0.63	1.00
ESWMM34	CONDUIT	32.30	0 01:26	4.65	5.31	1.00
1F.D.SWMM1	CONDUIT	60.98	0 01:33	4.85	1.21	1.00
1F.D.SWMM2	CONDUIT	78.60	0 01:32	6.57	1.09	1.00
1F.D.SWMM3	CONDUIT	59.22	0 01:33	5.04	0.59	1.00
1F.D.SWMM4	CONDUIT	90.99	0 02:16	7.24	1.09	1.00
1F.D.SWMM5	CONDUIT	78.90	0 02:19	6.28	0.93	1.00
ESWMM41	CONDUIT	19.77	0 01:58	7.20	1.09	1.00
1F.D.SWMM6	CONDUIT	62.57	0 01:35	5.79	37.47	1.00
1F.D.SWMM7	CONDUIT	70.51	0 01:36	5.83	0.61	1.00
ESWMM42	CONDUIT	42.12	0 00:16	13.85	0.17	0.37
ESWMM45	CONDUIT	156.20	0 01:30	12.45	1.71	1.00
ESWMM33	CONDUIT	42.86	0 07:50	6.06	1.81	1.00
ESWMM32	CONDUIT	75.37	0 01:29	6.44	2.12	1.00
ESWMM31	CONDUIT	77.29	0 07:36	6.15	1.81	1.00
ESWMM58	CONDUIT	40.25	0 02:05	4.44	0.62	0.99
ESWMM59	CONDUIT	41.79	0 02:21	2.66	0.67	1.00
ESWMM60	CONDUIT	69.59	0 02:05	5.37	0.90	0.99
ESWMM91	CONDUIT	53.97	0 02:51	7.64	4.34	1.00
ESWMM92	CONDUIT	39.30	0 02:53	5.56	3.63	1.00
ESWMM1	CONDUIT	8.56	0 01:23	2.95	0.93	1.00
ESWMM2	CONDUIT	17.12	0 14:34	5.45	1.61	1.00
ESWMM3	CONDUIT	14.53	0 05:46	4.92	2.42	1.00
ESWMM4	CONDUIT	41.15	0 03:15	6.28	1.65	1.00
ESWMM5	CONDUIT	63.31	0 01:38	5.04	0.72	1.00
ESWMM6	CONDUIT	10.76	0 01:58	3.72	0.94	0.54
ESWMM93	CONDUIT	50.13	0 02:00	7.09	1.67	1.00
ESWMM94	CONDUIT	97.28	0 01:49	7.74	1.84	1.00
ESWMM96	CONDUIT	70.09	0 01:44	5.58	1.80	1.00
ESWMM97	CONDUIT	96.92	0 01:38	4.94	1.04	1.00
ESWMM98	CONDUIT	103.46	0 01:38	5.38	1.30	1.00
ESWMM61	CONDUIT	104.19	0 02:19	4.88	0.63	0.90
ESWMM62	CONDUIT	434.77	0 02:06	18.30	2.41	1.00
ESWMM63	CONDUIT	201.84	0 02:18	8.50	1.07	1.00
ESWMM64	CONDUIT	195.72	0 01:42	6.93	1.42	1.00

ESWMM65	CONDUIT	186.13	0	02:13	6.58	0.40	1.00
ESWMM66	CONDUIT	184.68	0	02:13	6.53	0.77	1.00
ESWMM67	CONDUIT	184.53	0	02:25	6.53	1.01	1.00
ESWMM68	CONDUIT	187.39	0	02:25	6.63	0.93	1.00
ESWMM69	CONDUIT	184.64	0	01:56	6.53	0.99	1.00
ESWMM30	CONDUIT	90.60	0	01:30	7.57	2.04	1.00
ESWMM29	CONDUIT	85.90	0	01:36	6.18	1.19	1.00
ESWMM28	CONDUIT	108.15	0	02:21	6.80	1.48	1.00
ESWMM27	CONDUIT	127.85	0	02:04	6.51	2.29	1.00
ESWMM26	CONDUIT	220.41	0	02:05	11.23	0.40	1.00
ESWMM25	CONDUIT	128.06	0	02:11	6.52	1.61	1.00
ESWMM24	CONDUIT	103.78	0	02:23	4.37	0.91	1.00
ESWMM50	CONDUIT	70.87	0	01:30	10.03	3.58	1.00
ESWMM51	CONDUIT	213.05	0	01:30	16.95	1.16	1.00
ESWMM52	CONDUIT	213.07	0	01:30	13.40	2.23	1.00
BLUPIPE	CONDUIT	112.64	0	01:27	3.98	3.51	1.00
ESWMM46	CONDUIT	98.00	0	01:28	3.90	0.18	1.00
ESWMM47	CONDUIT	99.72	0	03:20	5.08	0.49	1.00
ESWMM48	CONDUIT	47.37	0	03:20	3.77	0.46	1.00
ESWMM49	CONDUIT	59.04	0	01:28	6.14	1.11	1.00
ESWMM54	CONDUIT	128.30	0	01:31	5.96	0.74	1.00
ESWMM55	CONDUIT	155.50	0	01:54	5.50	1.42	1.00
ESWMM56	CONDUIT	174.37	0	02:20	6.17	1.54	1.00
ESWMM95	CONDUIT	77.90	0	01:56	6.20	1.50	1.00
48SDTOBPS	CONDUIT	60.00	0	02:56	5.36	1.42	1.00
ESWMM23	CONDUIT	48.66	0	01:30	5.30	0.54	1.00
ESWMM22	CONDUIT	137.41	0	01:51	5.78	1.33	1.00
ESWMM21	CONDUIT	133.30	0	02:03	5.61	0.85	1.00
ESWMM20	CONDUIT	183.41	0	02:02	6.49	1.30	1.00
ESWMM19	CONDUIT	222.19	0	02:02	7.86	1.46	1.00
ESWMM18	CONDUIT	184.17	0	02:07	6.51	1.20	1.00
ESWMM17	CONDUIT	171.51	0	02:02	6.07	1.52	1.00
ESWMM16	CONDUIT	232.17	0	01:52	8.21	0.93	1.00
ESWMM70	CONDUIT	216.59	0	01:51	5.63	1.06	1.00
ESWMM15	CONDUIT	69.73	0	01:51	3.28	0.59	1.00
ESWMM71	CONDUIT	384.36	0	02:02	7.65	0.82	1.00
ESWMM72	CONDUIT	280.28	0	03:15	5.58	0.62	1.00
ESWMM7	CONDUIT	9.50	0	02:03	2.49	0.42	0.54
ESWMM12	CONDUIT	116.54	0	02:04	6.58	1.80	0.62
ESWMM9	CONDUIT	9.11	0	01:59	2.75	0.31	0.83
ESWMM99	CONDUIT	124.58	0	01:49	6.86	1.27	0.90
ESWMM8	CONDUIT	29.84	0	01:53	10.30	0.23	0.75
ESWMM10	CONDUIT	74.26	0	01:59	5.91	1.21	1.00
ESWMM11	CONDUIT	121.78	0	02:04	7.48	0.45	0.77
ESWMM90	CONDUIT	15.00	0	01:31	3.38	0.28	0.47
ESWMM89	CONDUIT	32.74	0	01:31	5.60	0.46	0.47
ESWMM88	CONDUIT	32.66	0	01:32	5.58	0.28	0.40
ESWMM87	CONDUIT	32.48	0	01:33	4.69	0.26	0.45
ESWMM86	CONDUIT	42.16	0	01:33	5.49	0.31	0.49
ESWMM85	CONDUIT	41.97	0	01:34	7.59	0.41	0.38
ESWMM84	CONDUIT	41.85	0	01:35	3.56	0.11	0.61
ESWMM83	CONDUIT	49.96	0	01:35	2.54	1.08	1.00
ESWMM82	CONDUIT	65.12	0	01:35	3.38	2.79	1.00
ESWMM73	CONDUIT	280.29	0	03:15	5.58	1.07	1.00
ESWMM76	CONDUIT	316.59	0	01:53	6.53	0.96	0.95
ESWMM77	CONDUIT	316.17	0	01:53	6.67	1.04	0.90
ESWMM78	CONDUIT	316.03	0	01:54	7.11	1.20	0.83
ESWMM79	CONDUIT	315.97	0	01:54	8.05	1.02	0.73
ESWMM80	CONDUIT	315.97	0	01:55	11.88	1.00	0.52
ESWMM81	CONDUIT	345.30	0	01:55	23.91	0.28	0.47
ESWMM14	CONDUIT	56.91	0	02:02	2.40	0.50	1.00
ESWMM13	CONDUIT	45.60	0	01:50	1.93	0.42	1.00
ESWMM125	CONDUIT	47.64	0	00:14	7.68	0.19	0.57
ESWMM71A	CONDUIT	280.28	0	03:15	5.58	0.45	1.00
ESWMM126	CONDUIT	123.02	0	02:02	2.45	2.30	1.00
ESWMM127	CONDUIT	69.08	0	01:30	6.04	1.04	1.00
ESWMM128	CONDUIT	47.84	0	01:32	8.70	0.20	0.85
ESWMM129	CONDUIT	65.09	0	01:30	6.85	0.34	1.00
ESWMM132	CONDUIT	91.40	0	01:40	5.75	0.50	1.00
60SDTOBPS	CONDUIT	90.35	0	01:27	6.06	0.40	1.00
ESWMM134	CONDUIT	87.37	0	01:26	5.49	0.88	1.00
ESWMM135	CONDUIT	194.23	0	02:05	9.21	2.31	0.83

ESWMM53	CONDUIT	118.00	0	01:26	6.30	0.51	1.00
ESWMM75	CONDUIT	285.23	0	02:51	5.86	1.49	0.98
ESWMM204	CONDUIT	37.57	0	03:09	7.65	2.60	1.00
ESWMM205	CONDUIT	23.23	0	03:21	4.73	1.58	1.00
ESWMM137	CONDUIT	29.35	0	02:13	7.68	1.41	0.92
ESWMM201	CONDUIT	13.06	0	01:48	7.39	8.29	1.00
ESWMM203	CONDUIT	10.76	0	02:26	8.24	0.09	1.00
ESWMM200	CONDUIT	47.12	0	01:30	3.37	0.40	0.99
ESWMM202	CONDUIT	2.23	0	01:35	1.23	0.03	0.56
ESWMM500	CONDUIT	51.88	0	01:40	4.14	1.13	1.00
ESWMM74	CONDUIT	280.29	0	03:15	5.58	0.94	1.00
ESWMM74A	CONDUIT	285.22	0	02:51	5.28	0.65	1.00
1F.C.SWMM1	CONDUIT	91.55	0	01:24	6.64	0.52	1.00
1F.CSWMM2	CONDUIT	94.43	0	01:46	7.67	1.24	1.00
1F.C3	CONDUIT	93.74	0	01:48	8.00	1.00	1.00
1F.C.4	CONDUIT	84.83	0	03:48	6.75	0.91	1.00
1F.CSWMM5	CONDUIT	84.83	0	03:48	7.88	2.62	1.00
BROADWAYPUMPSTATION	PUMP	130.00	0	01:24		1.00	
ALCALDEPUMPSTATION	PUMP	194.23	0	02:05		0.72	
URBANPUMPSTATION	PUMP	10.76	0	02:26		0.90	
BARELASPUMPSTATION	PUMP	345.29	0	01:55		0.85	
WEIRIRON14TH	WEIR	17.99	0	02:03			0.17
WEIRBROADWAY	WEIR	112.66	0	01:27			1.00

Flow Classification Summary

Conduit	Adjusted /Actual Length	--- Fraction of Time in Flow Class ---							Avg. Froude Number	Avg. Flow Change
		Dry	Up Dry	Down Dry	Sub Crit	Sup Crit	Up Crit	Down Crit		
ESWMM57	1.00	0.01	0.00	0.00	0.05	0.00	0.00	0.94	0.32	0.0000
ESWMM35	1.00	0.01	0.00	0.00	0.38	0.00	0.00	0.62	0.31	0.0004
ESWMM34	1.00	0.01	0.00	0.00	0.05	0.00	0.00	0.94	0.20	0.0012
1F.D.SWMM1	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.07	0.0000
1F.D.SWMM2	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.12	0.0000
1F.D.SWMM3	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.48	0.0000
1F.D.SWMM4	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.42	0.0001
1F.D.SWMM5	1.00	0.00	0.00	0.00	0.16	0.00	0.00	0.84	0.60	0.0003
ESWMM41	1.00	0.00	0.00	0.00	0.04	0.00	0.00	0.96	0.74	0.0002
1F.D.SWMM6	1.00	0.01	0.00	0.00	0.79	0.00	0.00	0.20	0.20	0.0002
1F.D.SWMM7	1.00	0.00	0.00	0.00	0.04	0.00	0.00	0.95	1.13	0.0000
ESWMM42	1.00	0.95	0.01	0.00	0.03	0.00	0.00	0.01	0.03	0.0000
ESWMM45	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.49	0.0002
ESWMM33	1.00	0.01	0.00	0.00	0.21	0.00	0.00	0.79	0.38	0.0001
ESWMM32	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.20	0.0000
ESWMM31	1.00	0.01	0.00	0.00	0.92	0.00	0.00	0.07	0.32	0.0000
ESWMM58	1.00	0.01	0.00	0.00	0.02	0.00	0.00	0.98	0.58	0.0000
ESWMM59	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.05	0.0000
ESWMM60	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.08	0.0000
ESWMM91	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.13	0.0005
ESWMM92	1.00	0.01	0.00	0.00	0.21	0.00	0.00	0.78	0.29	0.0006
ESWMM1	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.30	0.0006
ESWMM2	1.00	0.00	0.00	0.00	0.83	0.00	0.00	0.17	0.50	0.0005
ESWMM3	1.00	0.00	0.00	0.00	0.04	0.00	0.00	0.96	0.36	0.0004
ESWMM4	1.00	0.00	0.00	0.00	0.02	0.00	0.00	0.98	0.53	0.0000
ESWMM5	1.00	0.00	0.00	0.00	0.21	0.00	0.00	0.78	1.01	0.0000
ESWMM6	1.00	0.89	0.09	0.00	0.02	0.00	0.00	0.00	0.01	0.0000
ESWMM93	1.00	0.01	0.00	0.00	0.17	0.00	0.00	0.82	0.66	0.0002
ESWMM94	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.46	0.0002
ESWMM96	1.00	0.01	0.00	0.00	0.73	0.00	0.00	0.26	0.40	0.0002
ESWMM97	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.40	0.0001
ESWMM98	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.38	0.0000
ESWMM61	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.26	0.0000
ESWMM62	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.54	0.0003
ESWMM63	1.00	0.01	0.00	0.00	0.18	0.00	0.00	0.82	0.78	0.0003
ESWMM64	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.19	0.0001
ESWMM65	1.52	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.23	0.0000
ESWMM66	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.51	0.0000

03

ESWMM67	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.14	0.0001
ESWMM68	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.47	0.0000
ESWMM69	1.00	0.01	0.00	0.00	0.06	0.00	0.00	0.93	0.70	0.0001
ESWMM30	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.22	0.0009
ESWMM29	1.00	0.01	0.00	0.00	0.03	0.00	0.00	0.97	0.46	0.0003
ESWMM28	1.00	0.94	0.00	0.00	0.03	0.00	0.00	0.02	0.02	0.0002
ESWMM27	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.03	0.0004
ESWMM26	3.14	0.01	0.00	0.00	0.03	0.00	0.96	0.00	0.07	0.0001
ESWMM25	1.00	0.01	0.00	0.00	0.04	0.00	0.00	0.95	0.35	0.0003
ESWMM24	1.00	0.00	0.01	0.00	0.99	0.00	0.00	0.00	0.25	0.0002
ESWMM50	1.00	0.01	0.00	0.00	0.01	0.00	0.99	0.00	0.05	0.0000
ESWMM51	1.00	0.00	0.00	0.00	0.05	0.01	0.00	0.94	1.38	0.0000
ESWMM52	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.06	0.0000
BLUPIPE	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.0001
ESWMM46	3.05	0.00	0.00	0.00	0.12	0.08	0.00	0.80	1.65	0.0000
ESWMM47	1.00	0.00	0.00	0.00	0.06	0.00	0.00	0.94	1.02	0.0000
ESWMM48	1.00	0.81	0.09	0.00	0.05	0.00	0.04	0.00	0.01	0.0000
ESWMM49	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.36	0.0000
ESWMM54	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.02	0.0000
ESWMM55	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.21	0.0002
ESWMM56	1.00	0.01	0.00	0.00	0.63	0.00	0.00	0.37	0.33	0.0003
ESWMM95	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.35	0.0002
48SDTOBPS	1.00	0.00	0.00	0.00	0.05	0.00	0.00	0.95	0.61	0.0000
ESWMM23	1.00	0.00	0.00	0.00	0.18	0.00	0.00	0.82	0.41	0.0001
ESWMM22	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.32	0.0002
ESWMM21	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.17	0.0001
ESWMM20	1.00	0.01	0.00	0.00	0.08	0.00	0.00	0.92	0.39	0.0001
ESWMM19	1.00	0.01	0.00	0.00	0.06	0.00	0.00	0.93	0.44	0.0001
ESWMM18	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.32	0.0001
ESWMM17	1.00	0.00	0.00	0.00	0.99	0.00	0.00	0.00	0.31	0.0001
ESWMM16	1.00	0.00	0.00	0.00	0.22	0.01	0.00	0.77	0.68	0.0001
ESWMM70	1.00	0.00	0.00	0.00	0.06	0.00	0.00	0.94	0.44	0.0000
ESWMM15	1.00	0.00	0.00	0.00	0.08	0.00	0.00	0.91	0.31	0.0001
ESWMM71	1.00	0.00	0.00	0.00	0.92	0.00	0.00	0.07	0.66	0.0000
ESWMM72	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.46	0.0000
ESWMM7	1.00	0.70	0.19	0.00	0.11	0.00	0.00	0.00	0.01	0.0000
ESWMM12	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.19	0.0000
ESWMM9	1.00	0.01	0.14	0.00	0.85	0.00	0.00	0.00	0.03	0.0000
ESWMM99	1.00	0.00	0.00	0.00	0.08	0.00	0.00	0.91	0.57	0.0000
ESWMM8	1.50	0.00	0.00	0.00	0.01	0.01	0.00	0.98	2.31	0.0000
ESWMM10	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.32	0.0000
ESWMM11	1.00	0.00	0.01	0.00	0.99	0.00	0.00	0.00	0.36	0.0000
ESWMM90	1.00	0.01	0.00	0.00	0.25	0.00	0.00	0.74	0.36	0.0000
ESWMM89	1.00	0.01	0.00	0.00	0.27	0.00	0.00	0.73	0.41	0.0000
ESWMM88	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.46	0.0000
ESWMM87	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.11	0.0000
ESWMM86	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.38	0.0000
ESWMM85	1.00	0.01	0.00	0.00	0.83	0.17	0.00	0.00	0.49	0.0000
ESWMM84	1.00	0.01	0.07	0.00	0.92	0.00	0.00	0.00	0.14	0.0000
ESWMM83	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.03	0.0000
ESWMM82	1.00	0.00	0.00	0.00	0.99	0.00	0.00	0.00	0.01	0.0000
ESWMM73	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.38	0.0000
ESWMM76	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.47	0.0000
ESWMM77	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.41	0.0000
ESWMM78	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.42	0.0000
ESWMM79	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.39	0.0000
ESWMM80	1.00	0.00	0.00	0.00	0.95	0.05	0.00	0.00	0.57	0.0000
ESWMM81	1.00	0.01	0.00	0.00	0.40	0.60	0.00	0.00	1.92	0.0001
ESWMM14	1.00	0.00	0.00	0.00	0.36	0.00	0.00	0.63	0.32	0.0001
ESWMM13	1.00	0.10	0.82	0.00	0.07	0.00	0.00	0.00	0.00	0.0001
ESWMM125	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.11	0.0000
ESWMM71A	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.68	0.0000
ESWMM126	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.01	0.0002
ESWMM127	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.29	0.0002
ESWMM128	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.37	0.0000
ESWMM129	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.37	0.0000
ESWMM132	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.06	0.0000
60SDTOBPS	1.00	0.00	0.00	0.00	0.05	0.00	0.00	0.95	1.03	0.0000
ESWMM134	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.45	0.0000
ESWMM135	1.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.62	0.0000
ESWMM53	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.00	0.0000
ESWMM75	1.00	0.00	0.00	0.00	0.99	0.00	0.00	0.00	0.36	0.0000

ESWMM204	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.17	0.0004
ESWMM205	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.39	0.0003
ESWMM137	1.00	0.01	0.00	0.00	0.00	0.00	0.00	0.99	0.96	0.0001
ESWMM201	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.20	0.0000
ESWMM203	1.00	0.01	0.00	0.00	0.86	0.13	0.00	0.00	0.27	0.0000
ESWMM200	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.05	0.0000
ESWMM202	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.00	0.0000
ESWMM500	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.43	0.0000
ESWMM74	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.41	0.0000
ESWMM74A	1.00	0.01	0.00	0.00	0.99	0.00	0.00	0.00	0.11	0.0000
1F.C.SWMM1	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.60	0.0000
1F.CSWMM2	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.63	0.0001
1F.C3	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.72	0.0000
1F.C.4	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.37	0.0000
1F.CSWMM5	1.00	0.00	0.00	0.00	0.99	0.01	0.00	0.00	0.41	0.0000

Conduit Surcharge Summary

Conduit	Hours Full			Hours	
	Both Ends	Upstream	Dnstream	Above Full Normal Flow	Capacity Limited
ESWMM35	5.32	5.32	5.40	0.01	0.07
ESWMM34	6.43	6.43	6.44	5.82	6.14
1F.D.SWMM1	0.53	0.53	0.54	0.14	0.18
1F.D.SWMM2	0.65	0.65	0.65	0.01	0.09
1F.D.SWMM3	0.65	0.65	0.66	0.01	0.01
1F.D.SWMM4	0.94	0.94	0.95	0.01	0.03
1F.D.SWMM5	1.81	1.81	1.84	0.01	0.31
ESWMM41	1.33	1.33	1.33	0.25	0.01
1F.D.SWMM6	0.14	0.14	0.14	13.09	0.14
1F.D.SWMM7	0.14	0.14	0.14	0.01	0.01
ESWMM45	3.18	3.18	3.18	0.81	1.07
ESWMM33	6.53	6.53	6.53	1.46	4.03
ESWMM32	6.34	6.34	6.34	6.26	6.32
ESWMM31	6.39	6.39	6.40	6.41	6.39
ESWMM59	0.33	0.33	0.33	0.01	0.01
ESWMM91	2.02	2.02	2.02	2.90	1.14
ESWMM92	1.62	1.62	1.67	3.42	1.52
ESWMM1	15.01	15.01	15.06	0.01	0.01
ESWMM2	15.88	15.88	15.92	1.82	0.60
ESWMM3	3.58	3.58	3.58	16.38	3.58
ESWMM4	1.44	1.44	1.44	5.25	1.44
ESWMM5	1.64	1.64	1.64	0.01	0.01
ESWMM93	1.87	1.87	1.88	1.51	1.09
ESWMM94	1.11	1.11	1.14	0.18	0.48
ESWMM96	1.22	1.22	1.23	1.13	0.61
ESWMM97	0.76	0.76	0.78	0.01	0.13
ESWMM98	0.38	0.38	0.39	0.13	0.30
ESWMM62	2.12	2.12	2.13	0.03	0.40
ESWMM63	2.30	2.30	2.31	0.01	0.54
ESWMM64	2.62	2.62	2.62	0.67	2.04
ESWMM65	2.13	2.13	2.13	0.01	0.01
ESWMM66	2.13	2.13	2.13	0.01	0.33
ESWMM67	2.31	2.31	2.31	0.01	2.31
ESWMM68	1.74	1.74	1.75	0.01	0.28
ESWMM69	2.52	2.52	2.52	0.01	0.50
ESWMM30	6.42	6.42	6.42	5.11	5.40
ESWMM29	1.02	1.02	1.05	2.42	0.38
ESWMM28	1.22	1.22	1.25	0.11	0.31
ESWMM27	1.56	1.56	1.57	2.14	1.22
ESWMM26	1.22	1.22	1.22	0.01	0.05
ESWMM25	1.70	1.70	1.70	0.37	1.39
ESWMM24	1.01	1.01	1.07	0.01	0.21
ESWMM50	0.57	0.57	0.57	0.80	0.01
ESWMM51	0.71	0.71	0.71	0.12	0.27
ESWMM52	1.99	1.99	1.99	0.59	0.85
BLUPIPE	1.73	1.73	1.73	1.41	1.13

ESWMM46	2.75	2.75	2.75	0.01	0.01
ESWMM47	3.48	3.48	3.48	0.01	0.01
ESWMM48	5.53	5.53	5.53	0.01	0.01
ESWMM49	5.54	5.54	5.54	0.07	0.32
ESWMM54	1.26	1.26	1.26	0.01	0.23
ESWMM55	2.10	2.10	2.15	0.17	0.50
ESWMM56	2.31	2.31	2.38	0.34	0.72
ESWMM95	1.21	1.21	1.22	0.15	0.36
48SDTOBPS	5.78	5.78	5.78	5.20	5.77
ESWMM23	0.23	0.23	0.24	0.01	0.04
ESWMM22	1.31	1.31	1.37	0.31	0.96
ESWMM21	1.66	1.66	1.68	0.01	0.19
ESWMM20	2.30	2.30	2.32	0.05	0.39
ESWMM19	2.63	2.63	2.63	0.17	1.78
ESWMM18	2.73	2.73	2.73	0.03	0.72
ESWMM17	2.70	2.70	2.72	0.57	2.37
ESWMM16	2.75	2.75	2.76	0.01	0.13
ESWMM70	2.38	2.38	2.39	0.01	0.33
ESWMM15	2.31	2.31	2.34	0.01	0.19
ESWMM71	2.48	2.48	2.48	0.01	0.46
ESWMM72	2.95	2.95	2.95	0.01	2.94
ESWMM12	0.01	0.01	0.01	1.90	0.01
ESWMM99	0.01	0.01	0.01	0.61	0.01
ESWMM10	1.78	1.78	1.78	1.70	1.78
ESWMM83	3.69	3.69	3.69	0.04	0.23
ESWMM82	3.71	3.71	3.71	0.77	0.69
ESWMM73	2.93	2.93	2.93	2.63	2.92
ESWMM77	0.01	0.01	0.01	0.61	0.01
ESWMM78	0.01	0.01	0.01	3.07	0.01
ESWMM79	0.01	0.01	0.01	0.36	0.01
ESWMM80	0.01	0.01	0.01	0.02	0.01
ESWMM14	1.66	1.66	1.67	0.01	0.33
ESWMM13	0.20	0.20	0.21	0.01	0.04
ESWMM71A	2.92	2.92	2.92	0.01	0.01
ESWMM126	2.92	2.92	2.92	0.12	1.07
ESWMM127	3.79	3.79	3.79	0.01	0.60
ESWMM129	2.63	2.63	2.63	0.01	0.01
ESWMM132	2.52	2.52	2.52	0.01	0.01
60SDTOBPS	5.26	5.26	5.26	0.01	0.01
ESWMM134	4.24	4.24	4.24	0.01	0.02
ESWMM135	0.01	0.01	0.01	3.15	0.01
ESWMM53	1.26	1.26	1.26	0.01	0.01
ESWMM75	0.01	0.01	0.01	3.59	0.01
ESWMM204	4.05	4.05	4.05	2.55	3.15
ESWMM205	3.01	3.01	3.06	2.49	0.86
ESWMM137	0.01	0.01	0.01	4.09	0.01
ESWMM201	2.25	2.25	2.25	3.49	2.25
ESWMM203	0.25	0.25	0.25	0.01	0.01
ESWMM500	2.14	2.14	2.14	2.02	1.90
ESWMM74	2.93	2.93	2.93	0.01	2.63
ESWMM74A	0.49	0.49	0.50	0.01	0.49
1F.C.SWMM1	2.52	2.52	2.52	0.01	0.01
1F.CSWMM2	4.03	4.03	4.03	0.99	2.16
1F.C3	4.10	4.10	4.10	0.01	0.87
1F.C.4	4.45	4.45	4.45	0.01	3.30
1F.CSWMM5	3.46	3.46	3.46	5.99	2.52

Pumping Summary

Pump	Percent Utilized	Number of Start-Ups	Min Flow CFS	Avg Flow CFS	Max Flow CFS	Total Volume 10^6 gal	Power Usage Kw-hr	% Time Off Pump Curve	Low High
BROADWAYPUMPSTATION	99.86	124	0.00	6.89	130.00	24.041	11886.97	95.2	1.0
ALCALDEPUMPSTATION	99.30	49	0.00	8.81	194.23	31.187	2895.84	98.9	0.0
URBANPUMPSTATION	3.60	1610	0.00	7.05	10.76	0.956	46.25	39.5	
BARELASPUMPSTATION	98.55	1366	0.00	17.53	345.29	59.740	6020.25	96.1	

Analysis begun on: Mon Jan 23 14:15:57 2012
Analysis ended on: Mon Jan 23 14:18:47 2012
Total elapsed time: 00:02:50



PROJECT

SUBJECT

BY

Who JANEY DMP

IF 100. C. NEW DETENTION POND. - OPTION 3

CHRIS

DATE

8 / 29 / 11

CHECKED BY

SHEET NO.

OF

PROJECT NO.

110112

DATE

/ /

- Use Surface Geometry of B/L.



EL = 4946.66.

MAX DEPTH = 12'

Top of Bank = 4958.66.

← BUILDING

$$\text{AREA} = 149006.77 \text{ ft}^2 * 0.000027956 =$$

4960.

Downstream MH = 7716

INVERT = 4948.88.

Rim = 4958.11

UPSTREAM MH = 7963.11A

INVERT = 4951.67.

Rim = 4961.15.



PROJECT

Mid Valley

SHEET NO.

2 OF 4

SUBJECT

FUTURE IFC 100. C - NEW POND @ W/HAGE

PROJECT NO.

110112

BY

CHRIS


DATE

8/23/11

CHECKED BY

DATE

1/1



Smith Engineering Company

2201 San Pedro NE Bldg. #4, Suite 200 Albuquerque, New Mexico 87110 505/884-0700 Fax 505/884-2376



PROJECT

Mid Valley DMP

SHEET NO.

3 OF 4

SUBJECT

OPTION 3

PROJECT NO.

110112

BY

CHW

DATE

8/23/11

CHECKED BY

DATE

1 / 1

MH 7963.11A

#16

#17

ASSOCIATED PONDING AREA

109,463.

INLET

OUTLET

71.893. - PER M.H.



PROJECT

Mid Valley DWP

SHEET NO.

4 OF 4

SUBJECT

Option 3

PROJECT NO.

11012

BY

CRRS

DATE

8/23/11

CHECKED BY

DATE

1/1

Delete Pond -

Swamp 4SA - 4' -

- 1213

- 0.014

- 0.35

- 0.4 -

Assume - Top of Pond - 4960.

HGL = 4958.43

F.B. = 1.59.