1. H.C. Parking Space & Access Aisle, NO PARKING letters shall be capital letters 1'ht. minimum and 2" wide, at rear of space where an adjacent vehicle's rear tires would

DIA DE LA BARISTAS COFFEE SHOP DRIVE THRU
4915 Lomas Boulevard NE Albuquerque, NM 87106

2. 6' wide Accessible Pedestrian Access pathway from sidewalk to building:

Asphalt or Concrete pathway from existing sidewalk to asphalt parking area

3. Detectable Warning strip on pavement, 2' depth x 6' wide, typ. 4. New concrete curb

Standard Dwg. 2415B Header Curb

5. Fixed Bolt—down Picnic Tables 6. New Single Trash Enclosure for front loader dumpster, 6 yard, per C.O.A. Standards

with floor drain in center of enclosure slab 7. New Grease Interceptor per C.O.A. Plumbing Dept.

8. "DO NOT ENTER" signage on post, per detail this sheet


9. "ONE WAY" signage on post, per detail this sheet

10. Painted striping on existing pavement, 4" stripe in white

12. Wheelchair Accessible table: 34"max. table height, 20" depth knee/toe space, per

IBC 1108.2.9.1 5% Indoor Dining = (2) spaces 5% of Patio dining occupants = (4) spaces 13. New sewer line from dumpster, tie into building sewer to street

Approved for access by the Solid Waste Department for a single trash enclosure with conditions.**Conditions all the overhanging wires down the alley measure a minimum of 14'-2" from grade or this approval will be void. Herman Gallegos 02-28-23 Herman Gallegos



ZONING: MX-M LOT 4 BLOCK 4 PUEBLO ALTO ADDN

APPLICABLE CODES: 2015 NEW MEXICO BUILDING CODE 2015 INTERNATIONAL BUILDING CODE 2015 INTERNATIONAL EXISTING BUILDING CODE 2015 INTERNATIONAL FIRE CODE 2018 INTERNATIONAL ENERGY CONSERVATION CODE ACCESSIBILITY 2011 NEW MEXICO BARRIER FREE CODE ANSI A117.1

2021 UNIFORM PLUMBING CODE 2021 UNIFORM MECHANICAL CODE 2017 NATIONAL ELECTRIC CODE

BASED ON THE 2015 INTERNATIONAL BUILDING CODE

NEW COFFEE KIOSK - DRIVE THROUGH & WALK-UP FACILITY NEW BUILDING (SHIPPING CONTAINER MODIFICATION) / DEVELOPMENT

SEISMIC CLASSIFICATION C

GROSS FLOOR AREA: IBC TABLE 504.3, 504.4 & 506.2

> ALLOWABLE AREA 6,000 S.F. / 1 STORY/40' ht. ACTUAL AREA 320 S.F. / 1 STORY/ 10'-0"

OCCUPANCY CLASSIFICATION

NON-BEARING WALLS

ROOF CONSTRUCTION

B BUSINESS - DRIVE-THRU COFFEE SHOP (A2 LESS THAN 50 OCCUPANT LOAD)

BUILDING TYPE: IBC TABLE 601 & SECTION 602

CONSTRUCTION TYPE TYPE V-B NS FIRE-RESISTIVE REQUIREMENTS PER IBC TABLE 601 STRUCTURAL FRAME BEARING WALLS

0 HR

100/100(Gross)

24'-0" FT

AREA SEPARATION:

THERE ARE NO AREA SEPARATIONS REQUIRED

OCCUPANT LOAD: IBC TABLE 1004.1.2

> AREA/FACTOR OCCUPANTS 220/200(Gross) OFFICE/BATHROOMS/CIRCULATION

OUTDOOR COURTYARD SEATING, ACTUAL COUNT

AUTOMATIC SPRINKLER SYSTEM: NOT SPRINKLERED

MEANS OF EGRESS: IBC SECTION 1006.2.1, MIN. EXITS OCCUPANT LOAD/TYPE = 1 EXIT REQ., 2 PROVIDED ACTUAL EXIT WIDTH = 2 EXITS @ 36" EACH MIN.

ACTUAL MAX TRAVEL DISTANCE = PLUMBING FIXTURE COUNTS:

IBC TABLE 2902.1 15 OCCUPANTS / 2 = 7 MEN AND 8 WOMEN WATER CLOSETS REQUIRED: 1 PER SEX LAVORATORIES REQUIRED: 1 PER SEX

- WATER CLOSET & LAVATORY REQUIREMENTS

MAX TRAVEL DISTANCE PER TABLE 1017.2 =

1 UNISEX BATHROOM - ACCESSIBLE - 1 WATER CLOSET, 1 LAVATORY

1 NEW SERVICE SINK PROVIDED WATER PROVIDED UPON REQUEST AT DRIVE THRU OR WALK-UP

PARKING CRITERIA MT MAIN TRANSIT

RESTAURANT 8 SPACES PER 1000 SF GROSS

8 SPACES REQUIRED (x30% on Transit Route) = 6 REQUIRED SPACES

7 SPACES PROVIDED 1 OF WHICH IS HANDICAPPED ACCESSIBLE + 1 MOTORCYCLE SPACE AND 3 BICYCLE SPACES

REFUSE

REFUSE IS DISPOSED OF IN NEW DUMPSTER IN NEW ENCLOSURE WITH FLOOR DRAIN & GREASE INTERCEPTOR

SITE LIGHTING

ANY EXTERIOR BUILDING MOUNTED OR SITE LIGHT FIXTURES WILL NOT SHINE DIRECTLY ON ANY PUBLIC RIGHT-OF-WAY OR OTHER RESIDENTIAL/COMMERCIAL PREMISES





SCALE: 1" = 10' - 0"

FIRE ¹

1" = 20'-0"

NORTH

2 - 27 - 23 DATE PROJECT NO.

SHEET