## CITY OF ALBUQUERQUE



## Planning Department Transportation Development Services

April 14, 2015

Mr. Jeff Wooten, PE Wooten Engineering 4700 Lincoln NE, Suite 111 Albuquerque, NM 87109

Re:

Applebee's, 98th St.

**Traffic Circulation Layout** 

Engineer's/Architect's Stamp dated 4-08-15 (K09-D038)

Dear Mr. Wooten,

PO Box 1293

The TCL submittal received 04-09-15 is approved for Building Permit. A copy of the stamped and signed plan will be needed for each of the building permit plans. Please keep the original to be used for certification of the site for final C.O. for Transportation.

Albuquerque

When the site construction is completed and a Certificate of Occupancy (C.O.) is requested, use the original City stamped approved TCL for certification. Redline any minor changes and adjustments that were made in the field. A NM registered architect or engineer must stamp, sign, and date the certification TCL along with indicating that the development was built in "substantial compliance" with the TCL. Submit this certification TCL with a completed <u>Drainage and Transportation Information Sheet</u> to front counter personnel for log in and evaluation by Transportation.

New Mexico 87103


Once verification of certification is completed and approved, notification will be made to Building Safety to issue Final C.O. To confirm that a final C.O. has been issued, call Building Safety at 924-3690.


www.cabq.gov

Sincerely,

Jeanne Wolfenbarger, P.E. Traffic Engineer, Planning Dept. Development Review Services

c: File





VICINITY MAP - Zone Atlas K-9

Legal Description: Portions of Tracts 1 and 2, West of Westland Atrisco Grant, ROW 2, Unit A

## <u>KEYED NOTES</u>

- 1. TRASH ENCLOSURE PER COA STANDARDS. REF. DETAIL SHEET.
- 2. TRASH ENCLOSURE PER APPLEBEES DETAIL. REF ARCHITECTURAL DETAILS.
- 3. INSTALL MEDIAN CURB/GUTTER (6" HIGH) PER COA STD DWG
- 4. INSTALL STANDARD 8" CURB/GUTTER PER COA STD DWG 2415A (BY SEPARATE CONTRACT).
- 5. INSTALL CURB RAMP WITH TRUNCATED DOMES PER DETAIL SHEET. MIN 6' WIDE.
- 6. INSTALL CONCRETE SIDEWALK PER DETAIL ON DETAIL SHEET.
- 7. INSTALL TRUNCATED DOMES PER DETAIL SHEET; NO RAMP.
- 8. INSTALL CONCRETE SIDEWALK WITH TURNDOWN EDGE PER DETAIL ON DETAIL SHEET.
- 9. ASPHALT PAVEMENT, SEE PAVING DETAILS ON DETAIL SHEET.
- 10. INSTALL CUT-OFF WALL (FLUSH WITH ASPHALT PAVING) PER COA STD DWG 2415B.
- 11. PROPOSED SITE LIGHTING, SEE MEP PLANS.
- 12. INSTALL 4" WIDE PAINT STRIPES AT 45° ANGLE TO PARKING STRIPES, SPACED AT 1'-6" (WHITE PAINT IN PARKING LOT, BLUE PAINT IN ACCESSIBLE PARKING AREAS).
- 13. PAINTED WHEELCHAIR SYMBOL (BLUE) TO MEET ADA STANDARDS.
- 14. INSTALL H/C SIGNAGE PER DETAIL ON DETAIL SHEET. ADD VAN ACCESSIBLE SIGNAGE WHERE NOTED. SIGN AND BASE PER DETAIL SHEET C4. H/C SIGN MUST INCLUDE LANGUAGE PER 66-7-352.4C NMSA 1978 "VIOLATORS ARE SUBJECT TO A FINE AND/OR TOWING."
- 15. INSTALL 4" WIDE PAINT STRIPES (WHITE) FOR ALL PARKING
- 16. INSTALL 'STOP' SIGN (R1-1-36 PER MUTCD STDS). SIGN BASE PER DETAIL ON DETAIL SHEET.
- 17. PROPOSED RETAINING WALL TO BE DESIGNED AND PERMITTED BY OTHERS. INSTALL RAILING PER DETAIL ON DETAIL SHEET. COORDINATE WITH WALL CONTRACTOR FOR INSTALLATION OF SLEEVES AS REQUIRED. STEP RAILING AS NEEDED.
- 18. MULTI-TENANT SITE SIGNAGE. TO BE PERMITTED AND INSTALLED BY SIGN CONTRACTOR. REF MEP PLANS FOR ELECTRICAL SUPPLY.
- 19. INSTALL PAINTED STOP BAR PER DETAIL ON DETAIL SHEET.
- 20. PAINT WORDS 'NO PARKING' WITH LETTERS AT LEAST ONE FOOT HIGH AND 2 INCHES WIDE.
- 21. NOT USED.
- 22. 6' WIDE ASPHALT BIKE LANE (BY SEPARATE CONTRACT).
- 23. 6' WIDE CONCRETE SIDEWALK ALONG 98TH ST (BY SEPARATE CONTRACT).
- 24. 10' WIDE CONCRETE SIDEWALK / TRAIL TRANSITION (BY SEPARATE CONTRACT).
- 25. CURB RAMP WITH TRUNCATED DOMES PER COA STD DWGS 2440 AND 2441 (BY SEPARATE CONTRACT).
- 26. INSTALL 12" CURB OPENING AT EVERY PARKING SPACE TO ALLOW DRAINAGE INTO PONDING AREA.
- 27. INSTALL 24" WIDE SIDEWALK CULVERT PER COA STD DWG 2236. LEAVE 6" OPENING FOR DOWNSPOUT.
- 28. INSTALL BIKE RACK PER DETAIL SHEET. SEVEN (7) SPACES PER
- 29. MOTORCYCLE PARKING. ADD PAINT LABEL PER CITY OF ALBUQUERQUE CODE.

NOT BE ACCEPTABLE IN THIS AREA.

30. 35'x35' CLEAR SIGHT TRIANGLE. LANDSCAPING & SIGNAGE SHALL NOT INTERFERE WITH CLEAR SIGHT REQUIREMENTS. THEREFORE, SIGNS, WALLS, TREES, AND SHRUBBERY BETWEEN 3 AND 8 FEET TALL (AS MEASURED FROM THE GUTTER PAN) WILL

Darren Sowell

ARCHITECTS

4700 Lincoln N.E., Suite 111

Albuquerque, N.M. 87109

Phone: (505) 342-6200

Fax: (505) 342-6201



**project** number 1420


drawingissuanc∈

PERMIT SET 02.27.2015

drawingre vision s


No. Description: Date:

profession alseal



drawingtitle
Traffic Circulation Layout
drawingnumber

C,



Darren Sowell

ARCHITECTS

4700 Lincoln N.E., Suite 111

Albuquerque, N.M. 87109

Phone: (505) 342-6200

Fax: (505) 342-6201

project title

ALBUQUERQUE, NEW MEXICO

project number
1420
drawingissuance
PERMITSET 02.27.2015
drawingrevisions

No. Description: Date:

**professional**seal

drawingtitle

Delivery Route Exhibit

drawingnumber

C1