
## DUTCH BROS. COFFEE - NM0203, ALBUQUERQUE, NM CIVIL DETAILS



## SINGLE ACCESSIBLE PARKING STALL



1. ACCESSIBLE PARKING SPACES SERVING A PARTICULAR BUILDING SHALL BE LOCATED ON THE SHORTEST ACCESSIBLE ROUTE OF TRAVEL FROM ADJACENT PARKING TO AN ACCESSIBLE ENTRANCE.


- 2. THE FIRST ONE OUT OF EVERY SIX ACCESSIBLE OFF-STREET ACCESSIBLE PARKING STALLS, SHALL BE SERVED BY AN ACCESSIBLE AISLE OF 8'-0" MINIMUM WIDTH AND SHALL BE SIGNED VAN ACCESSIBLE. THE R7-8B SIGN SHALL BE MOUNTED BELOW THE R7-8 PLAQUE.
- 3. IN EACH PARKING STALL, A CURB OR PARKING BUMPER SHALL BE PROVIDED IF REQUIRED TO PREVENT ENCROACHMENT OF VEHICLES OVER THE REQUIRED WIDTH OF WALKWAYS. PARKING STALLS SHALL BE SO LOCATED THAT PERSONS WITH DISABILITIES ARE NOT COMPELLED TO WHEEL OR WALK BEHIND PARKED VEHICLES OTHER
- 4. PARKING SPACES AND ACCESS AISLES SHALL BE LEVEL WITH SURFACE SLOPES DESIGNED TO NOT EXCEED 1.5% IN ANY DIRECTION (CONSTRUCTED SURFACES SLOPES SHALL NOT EXCEED 2.0% IN ANY DIRECTION).
- 5. WHERE PLAQUE R7-8, OR SIGN R7-8B ARE INSTALLED, THE BOTTOM OF THE SIGN OF PLAQUE SHALL BE A MINIMUM OF 7'-0" ABOVE THE SURROUNDING SURFACE. INSTALL IN CONFORMANCE WITH CITY STANDARD DETAIL 700-11 AND 700-12.
- 6. CURB RAMPS SHALL BE AS REFERENCED PER PLAN AND SHALL BE CONSTRUCTED COMPLYING WITH DETAIL 2 OF C5.0.
- 7. BLUE PAINT, INSTEAD OF WHITE MAY BE USED FOR MARKING ACCESSIBILITY AISLES IN AREAS WHERE SNOW MAY CAUSE VISIBILITY ISSUES WITH WHITE MARKINGS.
- 8. THE WORDS "NO PARKING". SHALL BE PAINTED IN WHITE LETTERS NO LESS THAN 1'-0" TALL AND LOCATED SO THAT IT IS VISIBLE TO TRAFFIC ENFORCEMENT OFFICIALS.
- 9. ALL SINGLE SPACE ACCESSIBLE PARKING SPACES SHALL PROVIDE. THE LOADING AND UNLOADING ACCESS AISLE ON THE PASSENGER 10. ACCESSIBLE PARKING ONLY SIGN SHALL BE SIGN R7-8. VAN


ACCESSIBLE PLAGUE SHALL BE R7-8A OF THE M.U.T.C.D. AND

INSTALL IN CONFORMANCE WITH CITY STANDARD DETAIL 700-11

NOTE: ISA = INTERNATIONAL SYMBOL OF ACCESSIBILITY

## ACCESSIBLE PARKING DETAILS







## PAVEMENT INTERNATIONAL SYMBOL OF ACCESSIBILITY NOTES:


- SYMBOL TO BE CENTERED ON WIDTH OF PARKING STALL. BOTTOM OF SYMBOL TO BE LOCATED FLUSH WITH ACCESS DRIVE, CENTERED ON
- SYMBOL IS REQUIRED TO CONTRAST WITH BACKGROUND.

INTERNATIONAL SYMBOL OF ACCESSIBILITY

ACCESSIBLE CURB RAMP DETAILS











**ACCESSIBLE CURB RAMP DETAILS** 














- MONUMENT, MENU AND DIRECTIONAL SIGNS BY OTHERS.
- 2. FOOTINGS FOR SIGNS ARE TO BE VERIFIED BY LICENSED STRUCTURAL ENGINEER AND FOR LOCAL CODES SOIL CONDITIONS.










DIRECTIONAL SIGN BY OTHERS - REFERENCE ONLY


NOT TO SCALE


NOT TO SCALE











e protected by copyright, trademark, trade dress, patent, and/or other intellectual property rights and unfair competition laws under the United States and foreign laws."

SHEET NUMBER:

ISSUED FOR PERMIT:

REV: DATE: DESCRIPTION:

05.16.2022

SHEET NAME:

DETAILS

SITE SIGNAGE

SPI.I

© 2021 DB Franchising USA, LLC

ARCHITECTURE S T U D I O

1001 SE SANDY BLVD, SUITE 100

PORTLAND, OR 97214

WWW.GNICHARCH.COM

V. 503.552.9079

F. 503.241.7055