



City of Albuquerque

P.O. BOX 1293 ALBUQUERQUE, NEW MEXICO 87103

July 18, 1991

Jeff Mortensen
Jeff Mortensen & Associates, Inc.
6010-B Midway Park Boulevard, NE
Albuquerque, New Mexico 87109

RE: DRAINAGE PLAN FOR ZUNI CARWASH POND MODIFICATIONS
(K-18/D43) ENGINEER'S STAMP DATED JULY 8, 1991

Dear Mr. Mortensen:

Based on the information provided on your submittal of July 8, 1991, the above referenced plan is approved for Grading/Paving.

Please advise your client that upon completion of the modifications, he must request an inspection from our department.

If I can be of further assistance, please feel free to call me at 768-2650.

Cordially,

Bernie J. Montoya

Bernie J. Montoya, C.E.
Engineering Assistant

xc: Alan Martinez
Larry Caudill, Env. Health

BJM/bsj
(WP+2787)

PUBLIC WORKS DEPARTMENT

Walter H. Nickerson, Jr., P.E.
Assistant Director Public Works

ENGINEERING GROUP

Telephone (505) 768-2500

AN EQUAL OPPORTUNITY EMPLOYER

DRAINAGE INFORMATION SHEET

01402

ZUNI CARWASIT ROAD

PROJECT TITLE: MODIFICATIONS ZONE ATLAS/DRNG. FILE #: K18/D43

DRB #: _____ EPC #: _____ WORK ORDER #: _____

LEGAL DESCRIPTION: TRACT 7A, TIGRAS PLACECITY ADDRESS: ZUNI RD SEENGINEERING FIRM: JEFF MORTENSEN & ASSOC. CONTACT: JEFF MORTENSENADDRESS: 6010-B MIDWAY PARK BLVD NE PHONE: 345-4250OWNER: PAT MARQUEZ CONTACT: SAMSADDRESS: 913 SUNBEAM RD. SW PHONE: 242-6339ARCHITECT: N/A CONTACT: _____

ADDRESS: _____ PHONE: _____

SURVEYOR: JEFF MORTENSEN & ASSOC CONTACT: JEFF MORTENSENADDRESS: 6010-B MIDWAY PARK BLVD NE PHONE: 345-4250CONTRACTOR: NOT KNOWN CONTACT: OWNER

ADDRESS: _____ PHONE: _____

TYPE OF SUBMITTAL:


- ☐ DRAINAGE REPORT
☒ DRAINAGE PLAN
☐ CONCEPTUAL GRADING & DRAINAGE PLAN
☒ GRADING PLAN
☐ EROSION CONTROL PLAN
☐ ENGINEER'S CERTIFICATION
☐ OTHER

PRE-DESIGN MEETING:

- ☐ YES
☒ NO
☐ COPY PROVIDED

CHECK TYPE OF APPROVAL SOUGHT:

- ☐ SKETCH PLAT APPROVAL
☐ PRELIMINARY PLAT APPROVAL
☐ S. DEV. PLAN FOR SUB'D. APPROVAL
☐ S. DEV. PLAN FOR BLDG. PERMIT APPROVAL
☐ SECTOR PLAN APPROVAL
☐ FINAL PLAT APPROVAL
☐ FOUNDATION PERMIT APPROVAL
☐ BUILDING PERMIT APPROVAL
☐ CERTIFICATE OF OCCUPANCY APPROVAL
☒ GRADING PERMIT APPROVAL
☐ PAVING PERMIT APPROVAL
☐ S.A.D. DRAINAGE REPORT
☐ DRAINAGE REQUIREMENTS
☐ OTHER _____ (SPECIFY)

DATE SUBMITTED: 07-10-91BY: JEFFREY G. MORTENSEN



SCALE: 1" = 800'

1. Two (2) working days prior to any excavation, contractor must contact New Mexico One Call System, 260-1990, for location of existing utilities.


5. If any utility lines, pipelines, or underground utility lines are shown on these Grading Notes, they are shown in an approximate manner only and such lines may exist where none are shown. If any such existing lines are shown, the location is based on the information provided by the owner and it is the responsibility of the contractor to verify the location. Information may be incomplete, or may be obsolete by the time construction commences. The engineer has undertaken no field investigation of the location, depth, or type of existing utility lines, pipelines, or underground utility lines, makes no representation pertaining thereto, and assumes no responsibility or liability therefor. The contractor shall be responsible for the location of any utility line, pipeline, or underground utility line on or near the area of the work in advance of and during excavation work. The contractor is fully responsible for any and all damage caused by its failure to locate and adequately preserve any and all existing utilities, pipelines, and underground utility lines. In planning and conducting excavation, the contractor shall comply with all applicable state and local ordinances, rules and regulations of any governmental agency, and if any, pertaining to the location of these lines and facilities.

Erosion Control Measures:

PUMP SYSTEM CURVE DATA

From pump curves,
Select Sta-Rite 500 S, 4/10 HP,

PUMP SYSTEM CURVE DATA



SCALE: 1" = 800'

1. Two (2) working days prior to any excavation, contractor must contact New Mexico One Call System, 260-1990, for location of existing utilities.

5. If any utility lines, pipelines, or underground utility lines are shown on these Grading Notes, they are shown in an approximate manner only and such lines may exist where none are shown. If any such existing lines are shown, the location is based on the information provided by the owner and it is the responsibility of the contractor to verify the location. Information may be incomplete, or may be obsolete by the time construction commences. The engineer has undertaken no field investigation of the location, depth, or type of existing utility lines, pipelines, or underground utility lines, makes no representation pertaining thereto, and assumes no responsibility or liability therefor. The contractor shall be responsible for the location of any utility line, pipeline, or underground utility line on or near the area of the work in advance of and during excavation work. The contractor is fully responsible for any and all damage caused by its failure to locate and adequately preserve any and all existing utilities, pipelines, and underground utility lines. In planning and conducting excavation, the contractor shall comply with all applicable state and local ordinances, rules and regulations of any governmental agency, and if any, pertaining to the location of these lines and facilities.

Erosion Control Measures:



JEFF MORTENSEN & ASSOCIATES, INC.
6010-B MIDWAY PARK BLVD. N.E.
ALBUQUERQUE, NEW MEXICO 87109
ENGINEERS & SURVEYORS (505)345-4250

ZUNI CARWASH POND MODIFICATIONS

DRAWN BY S.G.H.

APPROVED BY J. G. M.

DATE _____

SHEET