



PRODUCT: U238-IG(SF)
DESCRIPTION 'U' BIKE RACK
2 BIKE, SURFACE OR IN GROUND MOUNT DATE: 10-4-10 ENG: SMC CONFIDENTIAL DRAVING AND INFORMATION IS NOT TO BE COPIED OR DISCLOSED TO DITERS VITHOUT THE CONSENT OF GRABER MANUFACTURING, DR. SPECIFICATIONS ARE SUBJECT TO CHANGE VITHOUT NOTICE.

CEDIS GRABER MANUFACTURING, INC. ALL PROPRIETARY RIGHTS RESERVED.

BIKE RACK DETAIL SCALE: NONE



SANITARY SEWER CLEAN-OUT



NON-VAN ACCESSIBLE SPACES BOTTOM OF THIS SIGN 60" MIN. ABOVE GROUND 60" MIN. ABOVE GROUND ANSI 502.7 2" DIA.x.188 GALV.-STEEL PIPE FINISH GRADE-1'-6" DIA. CONC.-BASE 3000 PSI MOTORCYCLE PARKING SIGN

— SIGN TYPE R7-8 (12"x18")
SIGN FIELD IS WHITE
SIGN LETTERING AND BORDER ARE GREEN
INTERNATIONAL SYMBOL OF ACCESSIBILITY
IS WHITE ON A BLUE BACKGROUND REQUIRED LANGUAGE PER NMSA 197866-7-352.4C

(Violators are subject to a fine and/or towing) _SIGN TYPE R7-8A (6"x12") SIGN FIELD IS WHITE SIGN LETTERING AND BORDER ARE GREEN

-REQUIRED LANGUAGE (VAN ACCESSIBLE) PER ANSI 502.7

ACCESSIBLE PARKING SIGN

PARKING

ACCESSIBLE SIGN AND BOLLARD-SEE DETAIL THIS SHEET SIDEWALK ZERO_ CURB TRUNCATED

NOIES:

NOIES:

1) International Symbol of Accessibility shall be painted on the pavement at rear of space, white symbol on blue background. 2) Parking space lines and diagonal striping to be painted blue.

3) Access aisle shall have the words "NO PARKING" in capital letters, each of which shall be at least one toot high and at least two inches wide, placed at the rear of the parking space so as to be close to where an adjacent vehicle's rear tires would be placed. 4)ADA parking areas — not to exceed a slope greater than 2% in any direction

HC PARKING DETAIL

SANITARY SEWER DOUBLE CLEAN-OUTS

TRAFFIC CIRCULATION LAYOUT APPROVED

September 29, 2020 Jeanne Wolfenbarger

CD SET



MAVER Mixon